

CERAMIC BOOK 2015

-THE FINEST CERAMIC TILES-

VENIS[®]
PORCELANOSA Grupo

2nd EDITION

CERAMIC BOOK 2015

-THE FINEST CERAMIC TILES-

VENIS[®]
PORCELANOSA Grupo



Newport

detail

Nuestros productos cerámicos surgen de una misma filosofía: la necesidad de aportar nuevas soluciones a los problemas del hábitat. Para ello aplicamos tres máximas: innovación, calidad y diseño. Innovación, porque somos pioneros en la adquisición e incorporación de nuevas tecnologías y aplicaciones para la cerámica. Calidad, que solo puede ofrecer una marca que posee nuestra experiencia y afán de superación constante. Diseño, por la creatividad que poseen nuestros productos, que abren nuevas tendencias cerámicas en diseño de interiores y exteriores.

PHILOSOPHY

Our ceramic tile products are all based on a single philosophy: the need to provide new solutions for habitat issues. The basis of this philosophy is threefold: innovation, quality and design. Innovation, because we're pioneers in the acquisition and incorporation of new technologies and applications for ceramic tiles. Quality, which only a brand with our long-standing experience and quest for ongoing improvement can offer. Design, for the creativity of our groundbreaking products that pave the way for new trends in ceramic tiles for use in both exterior and interior designs.

Estocolmo
detail

En Porcelanosa Grupo basamos el éxito de los productos en tres premisas: una calidad absoluta, una red comercial propia y una infraestructura que engloba todos estos factores. Para nosotros, la infraestructura es un punto clave en el éxito de nuestros productos. Nuestra intención es que en nuestras instalaciones se produzca una perfecta combinación entre funcionalidad, versatilidad y distinción.

INFRASTRUCTURE

At Porcelanosa Grupo we base the success of our products on three premises; unconditional quality, a commercial network of our own and an infrastructure to embrace all these factors. We think the infrastructure is key to the success of our products. We want our facilities to have a perfect combination of functionality, versatility and distinction.

VENIS®

Avenue

detail

Diseño sostenible. La preocupación por el cuidado del entorno y la preservación del medio ambiente han sido una prioridad constante para el Grupo PORCELANOSA desde su fundación. La sostenibilidad de nuestro estilo de vida y su necesario equilibrio con el medio ambiente necesita de hechos concretos y acciones tangibles. PORCELANOSA Grupo, anticipándose a esta nueva dinámica, lleva más de 40 años mejorando su sistema productivo, para minimizar su impacto en el medio ambiente.

SUSTAINABLE DESIGN

Concern for the environment and the conservation of nature has always been one of the ongoing priorities for the PORCELANOSA Group. Ensuring a sustainable lifestyle and environmental balance requires specific decisions and tangible actions. PORCELANOSA Group has always been at the forefront of this concern, and has been working to minimise the impact of its production systems on the environment for more than 40 years.



VENIS®



Island
detail

INDEX
WALL TILES
MOSAICS
FLOOR TILES
PAR-KER
FACADES
TECHNICAL GUIDE
DISTRIBUTORS

Nombre Name	Formato cm Format cm	Grupo Group	Página Page	Nombre Name	Formato cm Format cm	Grupo Group	Página Page	Nombre Name	Formato cm Format cm	Grupo Group	Página Page	Nombre Name	Formato cm Format cm	Grupo Group	Página Page
A				F				Madagascar				R			
Alaska	19.3x120 cm	G384	248	Fantasy	33.3x100 cm	G261	33	Madagascar	44x66 cm	G344	204	Rhin	33.3x100 cm	G261	94
Argenta	59.6x59.6 cm	G354	169	Fantasy	59.6x59.6 cm	G347	182	Madagascar	44.3x44.3 cm	G311	205	Rhin	33.3x59.2 cm	G226	96
Ártica	33.3x100 cm	G261	125	Ferroker	59.6x120 cm	G381	184, 185, 280, 281	Madagascar	33.3x100 cm	G261	58	Rhin	59.6x59.6 cm	G354	224
Avenue	59.6x120 cm	G381	278	Ferroker	59.6x59.6 cm	G354		Madagascar	33.3x59.2 cm	G226	60	Rhin	44.3x44.3 cm	G311	225
Avenue	33.3x100 cm	G271	77	Ferroker	45x90 cm	G363		Madagascar	20x33.3 cm	G205	61	Rocher	59.6x59.6 cm	G354	227
B				Ferroker	44x66 cm	G344		Mahe	33.3x100 cm	G271	63	Rocher	44x66 cm	G344	227
Bambú	20x33.3 cm	G205	16	Ferroker	44.3x44.3 cm	G311		Massina	33.3x100 cm	G261	69	Ruggine	33.3x100 cm	G261	98, 99
Bambú Real	33.3x100 cm	G261	16	Filo	33.3x100 cm	G261	34	Meridian	20x33.3 cm	G210	124	Ruggine	33.3x44.6 cm	G218	100
Block Wengé	21.9x66 cm	G359	250	Filo	20x33.3 cm	G205	34	Metalker	44x66 cm	G344	209	S			
Bluebell	33.3x100 cm	G271	19	Florecia	33.3x100 cm	G271	37	Minidual	20x33.3 cm	G233	149	Sandstone	45x90 cm	G363	228
Brazil	33.3x100 cm	G261	21	Formas	20x33.3 cm	G205	124	Missuri	22x90 cm	G372	261	Sea	33.3x100 cm	G271	119
Brazil	44x66 cm	G344	170	G				Missuri	14.3x90 cm	G372	261	Sea (P.E.)	33.3x100 cm	G291	119
Bruselas	22x90 cm	G372	253	Glace	45x90 cm	G363	123	Mónaco	21.9x66 cm	G359	261	Seattle	33.3x100 cm	G261	108
Bruselas	14.3x90 cm	G372	253	Glaciar	59.6x100 cm	G279	122	Montana	59.6x59.6 cm	G354	210	Seattle	59.6x59.6 cm	G354	231
C				Glaciar	33.3x100 cm	G261	122	Montana	21.9x66 cm	G359	264	Selene	20x33.3 cm	G233	165
Canadá	19.3x120 cm	G384	255	Glaciar	33.3x66.6 cm	G244	122	Montecarlo	33.3x100 cm	G261	70	Shine	33.3x100 cm	G261	102
Cappuccino	33.3x100 cm	G261	22	Glaciar	33.3x44.6 cm	G218	122	Montecarlo	44x66 cm	G344	213	Shine	33.3x59.2 cm	G226	103
Cappuccino	59.6x59.6 cm	G347	173	Glaciar	20x33.3 cm	G205	122	Montreal	22x90 cm	G372	267	Shine	33.3x44.6 cm	G218	104
Cascais	44x66 cm	G344	177	Globe	33.3x100 cm	G271	38	Montreal	14.3x90 cm	G372	267	Sienna	33.3x100 cm	G261	110
Cascais (Clase 2)	44x66 cm	G344	177	H				N				Silk	45x90 cm	G363	232
Cascais (Clase 3)	44x66 cm	G354	177	Hampton	22x90 cm	G372	258	Nacaré	33.3x66.6 cm	G248	157	Silk	44x66 cm	G344	232
Century	33.3x100 cm	G271	78	Hampton	14.3x90 cm	G372	258	Nápoles	33.3x100 cm	G261	72	Silk	44.3x44.3 cm	G311	113, 232
Century	33.3x59.2 cm	G233	82	Hampton (Clase 3)	14.3x90 cm	G372	258	Nápoles	44x66 cm	G344	214	Silk	20x33.3 cm	G210	113
Cotton	33.3x100 cm	G261	25	Helsinky	33.3x100 cm	G271	41	Nara	44x66 cm	G344	214	Sky	33.3x100 cm	G271	129
Crystal	59.6x100 cm	G279	28, 118	Horizon	33.3x100 cm	G271	41	Nara	33.3x100 cm	G271	64	Star	33.3x100 cm	G261	130
Crystal	33.3x100 cm	G261	28, 30, 118	Hudson	44.3x44.3 cm	G311	35	Nara Basic	33.3x100 cm	G271	65	Stone Flamé	33.3x100 cm	G261	130
Crystal	33.3x66.6 cm	G244	28, 118	I				Nazca	45x90 cm	G363	217	Stone Flamé	45x90 cm	G363	234
Crystal	20x33.3 cm	G205	28, 118	Irish	33.3x100 cm	G271	44	Newport	44x66 cm	G344	217	Street	44x66 cm	G344	234
Crystal Floor	59.6x59.6 cm	G347	179	Irish Projection	33.3x100 cm	G271	45	Newport	33.3x100 cm	G271	76	Stylker	33.3x100 cm	G271	125
Cúbica	59.6x120 cm	G381	279	Ironker	44x66 cm	G344	195	Newport	33.3x59.2 cm	G233	82	Stylker	59.6x120 cm	G381	237, 282
Cúbica	44x66 cm	G344	279	Island	33.3x100 cm	G271	79	Newport	80x80 cm	G381	219	Stylker	19.3x120 cm	G384	237
Cúbica	33.3x100 cm	G271	140, 141	K				Newport (Clase 3)	59.6x59.6 cm	G354	220	Suede	33.3x100 cm	G271	95
Cúbica	33.3x59.6 cm	G233	142	K2	59.6x120 cm	G381	197, 282	Newport	59.6x59.6 cm	G359	221	Suede	33.3x59.2 cm	G233	96
Cúbica	20x33.3 cm	G222	142	K2	44x66 cm	G344	197	Nival	44.3x44.3 cm	G311	221	Sweden	33.3x100 cm	G271	133
Cúbica Basic	33.3x100 cm	G271	141	L				Níveo	33.3x100 cm	G261	124	T			
D				Laja	33.3x100 cm	G271	48	O				Talavera Octógono	44.6x44.6 cm	G314	239
Dalia	33.3x100 cm	G271	64	Lassa	33.3x100 cm	G261	51	Oasis	33.3x100 cm	G271	158	Tártar Ossidi	20x33.3 cm	G222	87
Deco Berlín	33.3x100 cm	G271	29	Lassa	59.6x59.6cm	G347	199	Old	33.3x100 cm	G271	80	Tavola Foresta	19.3x120 cm	G384	270
Deco Filo	20x33.3 cm	G210	34	Lavagna	59.6x120 cm	G381	282	Old	33.3x59.2 cm	G233	82	Tavola Foresta AntiSlip	19.3x120 cm	G384	270
Deco Irish	33.3x100 cm	G271	45	Lavagna	33.3x100 cm	G261	53	Ona	33.3x100 cm	G271	59, 123	Tavola Grigio	19.3x120 cm	G384	270
Deco Nacaré	33.3x66.6 cm	G248	157	Lignum	20x33.3 cm	G222	152	Ona	33.3x59.2 cm	G233	60	Tavola Kenya	19.3x120 cm	G384	270
Diamond	33.3x100 cm	G271	123	Line	33.3x100 cm	G261	54	Onyx	33.3x100 cm	G261	84	Tavola Mogano	19.3x120 cm	G384	270
Domus	20x33.3 cm	G233	145	Line	20x33.3 cm	G205	54	Ossidi	20x33.3 cm	G205	87	Tavola White	19.3x120 cm	G384	270
Dual	20x33.3 cm	G233	148	Lisboa	45x90 cm	G363	200	P				Tissue	44x66 cm	G344	240
Dublín	22x90 cm	G372	256	Lisboa	44x66 cm	G344	200	Park	33.3x100 cm	G271	81	W			
Dublín	14.3x90 cm	G372	256	Luca	33.3x100 cm	G271	129	Pearls	33.3x100 cm	G271	88	Washington	22x90 cm	G372	274
E				M				Pearls	20x33.3 cm	G222	88	Washington	14.3x90 cm	G372	274
Estocolmo	59.6x59.6 cm	G354	180	Madagascar	59.6x120 cm	G381	283	Pietra	33.3x100 cm	G271	160	Wave	33.3x100 cm	G271	114, 123
Estocolmo	22x90 cm	G372	180	Madagascar	45x90 cm	G363	203	Prada	33.3x66.6 cm	G244	90	Z			
Estocolmo	14.3x90 cm	G372	180	>>>>				Q				Zeus	20x33.3 cm	G222	61
								Queens	20x33.3 cm	G233	163	Zoe	33.3x100 cm	G271	45
												Zurich	33.3x100 cm	G261	134
												Zurich	44x66 cm	G344	242

Nombre Name	Formato cm Format cm	Grupo Group	Página Page	Nombre Name	Formato cm Format cm	Grupo Group	Página Page
Perfil				Huella Técnica			
Perfil Bambú Real	1.5x100 cm	G97	16	Huella Técnica Alaska	31.6x120 cm	G180	248
Perfil Brazil	1.5x100 cm	G97	21	Huella Técnica Argenta	31.6x59.6 cm	G130	169
Perfil Cappuccino	1.5x100 cm	G97	22	Huella Técnica Brazil	31.6x66 cm	G130	170
Perfil Cotton	1.5x100 cm	G97	25	Huella Técnica Bruselas	31.6x90 cm	G146	253
Perfil Crystal	1.5x100 cm	G97	29, 30, 38, 41, 118	Huella Técnica Canadá	31.6x120 cm	G180	255
Perfil Cúbica	1.5x100 cm	G97	141	Huella Técnica Cappuccino	31.6x59.6 cm	G130	173
Perfil Fantasy	1.5x100 cm	G97	33	Huella Técnica Cascais	31.6x66 cm	G130	177
Perfil Filo	1.5x100 cm	G97	34	Huella Técnica Crystal Floor	31.6x59.6 cm	G130	179
Perfil Glaciar	1.5x100 cm	G97	122	Huella Técnica Dublín	31.6x90 cm	G146	256
Perfil Irish	1.5x100 cm	G97	44	Huella Técnica Estocolmo	31.6x90 cm	G146	180
Perfil Lassa	1.5x100 cm	G97	51	Huella Técnica Fantasy	31.6x59.6 cm	G130	182
Perfil Lavagna	1.5x100 cm	G97	53	Huella Técnica Ferroker	31.6x66 cm	G130	193
Perfil Line	1.5x100 cm	G97	54	Huella Técnica Hampton	31.6x90 cm	G146	258
Perfil Madagascar	1.5x100 cm	G97	58	Huella Técnica Ironker	31.6x66 cm	G130	195
Perfil Mahe	1.5x100 cm	G97	63, 65	Huella Técnica K2	31.6x66 cm	G130	197
Perfil Massina	1.5x100 cm	G97	69	Huella Técnica Lassa	31.6x59.6 cm	G130	199
Perfil Montecarlo	1.5x100 cm	G97	70	Huella Técnica Lisboa	31.6x66 cm	G130	201
Perfil Nápoles	1.5x100 cm	G97	72	Huella Técnica Madagascar	31.6x66 cm	G130	205
Perfil Newport	1.5x100 cm	G97	76	Huella Técnica Metalker	31.6x66 cm	G130	209
Perfil Nival	1.5x100 cm	G97	124	Huella Técnica Misuri	31.6x90 cm	G146	261
Perfil Onyx	1.5x100 cm	G97	84	Huella Técnica Mónaco	31.6x59.6 cm	G130	210
Perfil Rhin	1.5x100 cm	G97	94	Huella Técnica Montana	31.6x120 cm	G180	264
Perfil Ruggine	1.5x100 cm	G97	99	Huella Técnica Montecarlo	31.6x66 cm	G130	213
Perfil Seattle	1.5x100 cm	G97	108	Huella Técnica Montreal	31.6x90 cm	G146	267
Perfil Shine	1.5x100 cm	G97	103	Huella Técnica Nápoles	31.6x66 cm	G130	214
Perfil Sienna	1.5x100 cm	G97	110	Huella Técnica Nazca	31.6x90 cm	G146	217
Perfil Star	1.5x100 cm	G97	130	Huella Técnica Newport	31.6x59.6 cm	G130	221
Perfil Zurich	1.5x100 cm	G97	134	Huella Técnica Rhin	31.6x59.6 cm	G130	225
				Huella Técnica Rocher	31.6x66 cm	G130	227
				Huella Técnica Sandstone	31.6x90 cm	G146	228
				Huella Técnica Seattle	31.6x59.6 cm	G130	231
				Huella Técnica Silk	31.6x66 cm	G130	233
				Huella Técnica Stone Flamé	31.6x90 cm	G146	234
				Huella Técnica Stylker	31.6x120 cm	G180	237
				Huella Técnica Tavola Foresta	31.6x120 cm	G180	271
				Huella Técnica Tavola Grigio	31.6x120 cm	G180	271
				Huella Técnica Tavola Kenya	31.6x120 cm	G180	271
				Huella Técnica Tavola Mogano	31.6x120 cm	G180	271
				Huella Técnica Tavola White	31.6x120 cm	G180	271
				Huella Técnica Tissue	31.6x66 cm	G130	240
				Huella Técnica Washington	31.6x90 cm	G146	274
				Huella Técnica Wengé	31.6x66 cm	G130	250
				Huella Técnica Zurich	31.6x66 cm	G130	242

Nombre Name	Formato cm Format cm	Grupo Group	Página Page	Nombre Name	Formato cm Format cm	Grupo Group	Página Page
Zócalo				Taco			
Zócalo Alaska	10x43.5 cm	G11	248	Tacos Estrella Cazorla	6.7x6.7 cm	G4	239
Zócalo Argenta	9x59.6 cm	G30	169	Tacos Estrella Romancos	6.7x6.7 cm	G4	239
Zócalo Brazil	9x66 cm	G34	170				
Zócalo Bruselas	10x44.3 cm	G11	253				
Zócalo Canadá	10x44.3 cm	G11	255				
Zócalo Cappuccino	10x59.6 cm	G30	173				
Zócalo Cascais	9x66 cm	G34	177				
Zócalo Dublín	9x90 cm	G63	256				
Zócalo Estocolmo	10x59.6 cm	G30	180				
Zócalo Fantasy	10x59.6 cm	G30	182				
Zócalo Ferroker	10x44.3 cm	G7	193				
Zócalo Ferroker	9x66 cm	G34	193				
Zócalo Ferroker	9x59.6 cm	G30	193				
Zócalo Hampton	10x44.3 cm	G11	258				
Zócalo Ironker	9x66 cm	G34	195				
Zócalo K2	9x66 cm	G34	197				
Zócalo Lassa	10x59.6 cm	G30	199				
Zócalo Lisboa	9x66 cm	G34	201				
Zócalo Madagascar	10x44.3 cm	G7	205				
Zócalo Madagascar	9x66 cm	G34	205				
Zócalo Metalker	10x44 cm	G11	209				
Zócalo Misuri	10x44.3 cm	G11	261				
Zócalo Mónaco	9x66 cm	G34	210				
Zócalo Montana	10x44.3 cm	G11	264				
Zócalo Montecarlo	9x66 cm	G34	213				
Zócalo Montreal	10x44.3 cm	G11	267				
Zócalo Nápoles	9x66 cm	G34	214				
Zócalo Nazca	10x44 cm	G11	217				
Zócalo Newport	10x44.3 cm	G7	221				
Zócalo Newport	9x59.6 cm	G30	221				
Zócalo Rhin	10x44.3 cm	G7	225				
Zócalo Rhin	9x59.6 cm	G30	225				
Zócalo Rocher	9x66 cm	G34	227				
Zócalo Sandstone	9x90 cm	G63	228				
Zócalo Seattle	9x59.6 cm	G30	231				
Zócalo Silk	9x66 cm	G34	233				
Zócalo Stone Flamé	9x66 cm	G34	234				
Zócalo Stylker	9x66 cm	G34	237				
Zócalo Talavera	10x44.3 cm	G7	239				
Zócalo Tavola Foresta	10x59.6 cm	G30	271				
Zócalo Tavola Grigio	9x59.6 cm	G30	271				
Zócalo Tavola Kenya	9x59.6 cm	G30	271				
Zócalo Tavola Mogano	10x59.6 cm	G30	271				
Zócalo Tavola White	9x59.6 cm	G30	271				
Zócalo Tissue	9x66 cm	G34	240				
Zócalo Washington	10x44.3 cm	G11	274				
Zócalo Wengé	9x66 cm	G34	250				
Zócalo Zurich	10x44 cm	G11	242				
Zócalo Zurich	9x66 cm	G34	242				

Revestimientos cerámicos que se inspiran en las últimas tendencias del diseño. Formatos, texturas, acabados diversos que responden a las necesidades actuales de personalización de los espacios. Imaginación.

WALL TILES

Ceramic tiles that are inspired by the latest trends in design. A range of formats, textures and finishes that meet the current demand for personalised spaces. Imagination.

Pared Wall
Newport Dark Gray 33.3x100 cm
Avenue Dark Gray 33.3x100 cm
Suelo Floor
Newport Dark Gray 59.6x59.6 cm

A/Z WALL TILES COLLECTIONS:

BAMBÚ / BLUEBELL / BRAZIL / CAPPUCCINO / COTTON / CRYSTAL / FANTASY / FILO / FLORENCIA / GLOBE / HELSINKY / IRISH.ZOE /
LAJA / LASSA / LAVAGNA / LINE / MADAGASCAR.ONA.ZEUS / MAHE.NARA.DALIA / MASSINA / MONTECARLO / NÁPOLES /
NEWPORT.AVENUE.CENTURY.ISLAND.OLD.PARK / ONYX / OSSIDI / PEARLS / PRADA / RHIN.SUEDE / RUGGINE.SHINE / SEATTLE / SIENNA / SILK /
WAVE / WHITES: CRYSTAL.SEA.GLACIAR.DIAMOND.ONA.WAVE.NIVAL.NÍVEO.FORMAS.MERIDIAN.ÁRTICA.STREET.SKY.LUCA.STAR.SWEDEN / ZURICH

BAMBÚ



REVESTIMIENTO
WALL TILE



BAMBÚ REAL EXTRA BLANCO
V1440064 - 100145336
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Blanco ✓




BAMBÚ BEIGE
V1239873 - 100120259
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G205
Butech: Junta Colorstuk Beige ✓



BAMBÚ BLANCO
V1239876 - 100120260
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G205
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

PERFIL BAMBÚ REAL EXTRA BLANCO V3960251 - 100062291
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
	Pieces	M ² *	Kg*	Box	M ² * Kg*	Adhesivo Adhesive	Junta Grout		
Bambú Real 33.3x100 cm	4	1.33	20.96	55	73.26 1153	Fr-One	Colorstuk		
Bambú 20x33.3 cm	17	1.13	14.75	68	76.99 1003				
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60 151				

*Valores aproximados /approximated values



WALL TILES

Pared Wall
Bambú Real Extra Blanco 33.3x100 cm
Perfil Pro-Part Latón Cromado 9x8 mm (Butech)



Pared Wall
Bluebell White 33.3x100 cm
Suelo Floor
Montana Cottage 19.3x120 cm



REVESTIMIENTO
WALL TILE



MATE-BRILLO
MATT-GLOSS



BLUEBELL WHITE
V1389635 - 100135424
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



METALIZADO
METALIZED



BLUEBELL SILVER
V1389626 - 100135423
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Antracita ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING	IMPORTANTE IMPORTANT
Descripción Description	x Caja Box		x Palet		✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	
Bluebell 33.3x100 cm	4	1.33	20.81	55	
				M ² *	
				Kg*	
				1144	
				Adhesivo Adhesive	Junta Grout
				Fr-One	Colorstuk

*Valores aproximados Approximated values



Pared *Wall*
Brazil Arena 33.3x100 cm
Montana Cottage 19.3x120 cm
Suelo *Floor*
Montana Cottage 19.3x120 cm

BRAZIL

RECTIFICADO
RECTIFIED

MATE
MAT

DESTONIFICADO
TONE VARIATIONS

WALL TILES

REVESTIMIENTO WALL TILE




BRAZIL BLANCO
V1440018 - 100143815
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Blanco ✓



BRAZIL ARENA
V1440086 - 100149261
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Marfil ✓

PIEZA ESPECIAL SPECIAL PIECE



PERFIL
PERFIL BRAZIL BLANCO V3960300 - 100100875
PERFIL BRAZIL ARENA V3960296 - 100100874

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box			x Palet			✓ color de junta recomendado recommended grout colour pavimento a juego matching floor: Brazil 44x66 cm
		Pieces	M²*	Kg*	Box	M²*	Kg*	
Brazil 33.3x100 cm		4	1.33	21.18	55	73.26	1165	
Perfil 1.5x100 cm		15	0.45	5.40	28	12.60	151	

*Valores aproximados Approximated values

CAPPUCCINO



REVESTIMIENTO
WALL TILE



CAPPUCCINO
V1389631 - 100135425
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Caramelo ✓




CAPPUCCINO BEIGE
V1440046 - 100145299
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Marfil ✓



CAPPUCCINO GRIS
V1440045 - 100145320
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

PERFIL CAPPUCCINO V3960322 - 100138127
PERFIL CAPPUCCINO BEIGE V3960329 - 100146569
PERFIL CAPPUCCINO GRIS V3960331 - 100146700
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech			✓ color de junta recomendado recommended grout colour	
Pieces	M ² *	Kg*		Box	M ² *	Adhesivo Adhesive	Junta Grout			
Cappuccino 33.3x100 cm	4	1.33	22.40	55	73.26	Fr-One	Colorstuk		pavimento a juego matching floor: Cappuccino 59.6x59.6 cm	
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60					

*Valores aproximados /approximated values



WALL TILES

Pared Wall
Cappuccino 33.3x100 cm



Pared Wall
Cotton Blanco 33.3x100 cm

COTTON



RECTIFICADO
RECTIFIED



BRILLO
GLOSS

WALL TILES

REVESTIMIENTO WALL TILE




COTTON BLANCO
V1440114 - 100152801
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Blanco ✓



COTTON ARENA
V1440105 - 100150941
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Marfil ✓

PIEZA ESPECIAL SPECIAL PIECE



PERFIL

PERFIL COTTON BLANCO V3960233 - 100046510
PERFIL COTTON ARENA V3960232 - 100046569

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*		
Cotton 33.3x100 cm	4	1.33	21.68	55	73.26	1192		
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60	151		
						Adhesivo Adhesive	Junta Grout	
						Fr-One	Colorstuk	

*Valores aproximados Approximated values

CRYSTAL

"Crystal, colores que provocan una gran sensación de profundidad y crean efecto espejo gracias a una superficie lisa, brillante, consiguiendo efectos espectaculares y contemporáneos, distanciándose de la cerámica tradicional."

"Crystal, colours that create a sense of depth and a mirror effect thanks to the smooth, shiny surface, forming a truly spectacular and contemporary look that is a world away from traditional ceramic tiles."




Pared Wall
Deco Berlin White 33.3x100 cm,
Suelo Floor
Rhin Natural 59.6x59.6 cm

WALL TILES


REVESTIMIENTO
WALL TILE




CRYSTAL WHITE
V1430001 - 100089882
59.6x100 cm (x9.5 mm) 23 1/2"x39 1/2"
Monoporosa Wall tile
V1
G279
Butech: Junta Colorstuk Special White ✓



CRYSTAL WHITE
V1440005 - 100142878
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Special White ✓



CRYSTAL WHITE
V1410042 - 100118723
33.3x66.6cm (x8.6 mm) 13"x26"
Monoporosa Wall tile
V1
G244
Butech: Junta Colorstuk Special White ✓




CRYSTAL WHITE
V1239854 - 100136455
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G205
Butech: Junta Colorstuk Special White ✓

REVESTIMIENTO
WALL TILE



DECO BERLIN WHITE
V1440013 - 100142901
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Special White ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL


PERFIL CRYSTAL WHITE
V3960258 - 100062786
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech		
		Pieces	M**	Kg*	Box	M**	Kg*	Adhesivo Adhesive Fr-One	Junta Grout Colorstuk Special	
Crystal 59.6x100 cm		3	1.78	30.87	20	35.76	617			
Crystal 33.3x100 cm		4	1.33	22.64	55	73.26	1245			
Crystal 33.3x66.6 cm		7	1.55	25.69	36	55.89	924			
Crystal 20x33.3 cm		17	1.13	16.66	68	76.99	1132			
Deco Berlin 33.3x100 cm		4	1.33	21.68	55	73.26	1192			
Perfil 1.5x100 cm		15	0.45	5.56	28	12.60	156			
✓ color de junta recomendado recommended grout colour										
[CRYSTAL] consultar las instrucciones de colocación y mantenimiento en la Guía Técnica see Technical Guide for tile laying and maintenance instructions										
[DECO BERLIN] en la colocación, atención a las flechas de la parte posterior please see the arrows on the back:										
 Colocación vertical laid vertically										
 Colocación horizontal laid horizontally										
pavimento a juego matching floor:: Crystal Floor 59.6x59.6 cm										

*Valores aproximados Approximated values

CRYSTAL

REVESTIMIENTO
WALL TILE



CRYSTAL VANILLA
V1440104 - 100150942
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Special Vanilla ✓



CRYSTAL CHERRY
V1440027 - 100144346
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Special Cherry ✓




CRYSTAL ACID
V1440124 - 100154505
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Special Acid ✓



CRYSTAL DARK
V1440015 - 100143816
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Special Dark ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL
PERFIL CRYSTAL VANILLA V3960259 - 100062785
PERFIL CRYSTAL CHERRY V3960255 - 100062781
PERFIL CRYSTAL ACID V3960262 - 100062779
PERFIL CRYSTAL DARK V3960253 - 100062782

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description				x Caja Box			x Palet	
				Pieces	M**	Kg*	Box	M** Kg*
Crystal 33.3x100 cm				4	1.33	22.64	55	73.26 1245
Perfil 1.5x100 cm				15	0.45	5.56	28	12.60 156
				Recomendamos We recommend: Butech			Adhesivo Adhesive	
				Fr-One			Junta Grout	
							Colorstuk Special	

*Valores aproximados /approximated values



WALL TILES

Pared Wall
Crystal Dark 33.3x100 cm
Suelo Floor
Rhin Gris 59.6x59.6 cm



Pared Wall
Fantasy Blue 33.3x100 cm

FANTASY

RECTIFICADO
RECTIFIED

BRILLO
GLOSS

DESTONIFICADO
TONE VARIATIONS

WALL TILES

REVESTIMIENTO WALL TILE




FANTASY WHITE
V1389633 - 100135427
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Blanco ✓



FANTASY BLUE
V1389625 - 100135426
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL SPECIAL PIECE



PERFIL


PERFIL FANTASY WHITE V3960323 - 100138129
PERFIL FANTASY BLUE V3960321 - 100138128

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
Fantasy 33.3x100 cm Perfil 1.5x100 cm	Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive	Junta Grout	pavimento a juego matching floor: Fantasy 59.6x59.6 cm
	4	1.33	22.40	55	73.26	Fr-One	Colorstuk	

*Valores aproximados Approximated values

REVESTIMIENTO
WALL TILE



FILO BLANCO
V1440103 - 100150944
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Blanco ✓



FILO MARFIL
V1440115 - 100152802
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Marfil ✓



FILO BLANCO
V1239871 - 100120264
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V2
G205
Butech: Junta Colorstuk Blanco ✓



FILO MARFIL
V1239872 - 100120265
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V2
G205
Butech: Junta Colorstuk Marfil ✓




DECO FILO GRIS
V1239869 - 100121005
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V2
G210
Butech: Junta Colorstuk Cemento ✓



DECO FILO MARRÓN
V1239874 - 100120263
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V2
G210
Butech: Junta Colorstuk Marrón ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL
PERFIL FILO BLANCO V3960217 - 100032521
PERFIL FILO MARFIL V3960216 - 100032522
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97



PAVIMENTO
FLOOR TILE



HORIZON GRIS
V5460014 - 100141225
44.3x44.3 cm (x9.4 mm) 17 1/2"x17 1/2"
Gres Porcelánico Porcelain tile
V2
G311
Butech: Junta Colorstuk Cemento ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech		
		Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout	
Filo 33.3x100 cm		4	1.33	21.68	55	73.26	1192	Fr-One	Colorstuk	
Filo-Deco Filo 20x33.3cm		17	1.13	14.75	68	76.99	1003			
Perfil 1.5x100 cm		15	0.45	5.40	28	12.60	151			
Horizon 44.3x44.3 cm		5	0.98	22.30	66	64.76	1471	Super-One		
								Junta Grout		
								✓ color de junta recomendado recommended grout colour		
								[DECO FILO] en la colocación, atención a las flechas de la parte posterior please see the arrows on the back:		
								Colocación vertical laid vertically		
								Colocación horizontal laid horizontally		
								[HORIZON] utilizar materiales de colocación específicos para Gres Porcelánico use specific Porcelain Tiles setting materials		

*Valores aproximados Approximated values

FLORENCIA

" Florencia: la delicadeza de la piedra."

Florencia es un revestimiento cerámico que posee el mismo aspecto noble y elegante de piedra labrada artesanalmente. La delicadeza de sus motivos florales imprime un fuerte carácter a la decoración del espacio.

"Florencia: the delicacy of stone."

Florencia are wall tiles with the same refined elegance as handcrafted stone. Its delicate floral motifs infuse settings with a strong sense of personality.

Pared Wall
Florencia Natural 33.3x100 cm
Canadá White Wash 19.3x120 cm
Suelo Floor
Canadá White Wash 19.3x120 cm

FLORENCIA

RECTIFICADO
RECTIFIED

MATE
MAT

REVESTIMIENTO
WALL TILE



FLORENCIA BLANCO
V1440092 - 100149902
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco



FLORENCIA BEIGE
V1440009 - 100142903
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Marfil



FLORENCIA NATURAL
V1440091 - 100149903
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Cemento

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
Florencia 33.3x100 cm	Piezas	M ² *	Kg*	Box	M ² * Kg*	Adhesivo Adhesive	Junta Grout	ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
	4	1.33	19.07	55	73.26 1074	Fr-One	Colorstuk	


*Valores aproximados Approximated values

REVESTIMIENTO
WALL TILE



GLOBE WHITE
V1440082 - 100148341
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL
PERFIL CRYSTAL WHITE V3960258 - 100062786
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour	
Globe 33.3x100 cm Perfil 1.5x100 cm	Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive Fr-One	Junta Grout Colorstuk	En la colocación, atención a las flechas de la parte posterior please see the arrows on the back: ⌚ Colocación vertical laid vertically ⌚ Colocación horizontal laid horizontally
	4	1.33	21.42	55	73.26			
	15	0.45	5.59	28	12.60			

*Valores aproximados /approximated values



Pared Wall
Globe White 33.3x100 cm



Pared Wall
Helsinki White 33.3x100 cm

HELSINKY




REVESTIMIENTO WALL TILE



HELSINKY WHITE
V1440041 - 100144835
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓

PIEZA ESPECIAL SPECIAL PIECE



PERFIL
PERFIL CRYSTAL WHITE V3960258 - 100062786
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
Helsinki 33.3x100 cm Perfil 1.5x100 cm	Pieces	M ² *	Kg*		Box	M ² *	Kg*		Adhesivo Adhesive Fr-One	Junta Grout Colorstuk
	4	1.33	21.68		55	73.26	1192			
	15	0.45	5.56		28	12.60	156			
										En la colocación, atención a las flechas de la parte posterior please see the arrows on the back:
										⬇ Colocación vertical laid vertically
										➡ Colocación horizontal laid horizontally

*Valores aproximados Approximated values



Pared Wall
Deco Irish Blanco 33.3x100 cm
Irish Blanco 33.3x100 cm
Suelo Floor
Cascais Natural 44x66 cm

IRISH

"Papel pintado cerámico."



Irish es un revestimiento cerámico cuyo diseño se inspira en los papeles fabricados a partir de fibras vegetales que, una vez son colocados sobre las paredes son pintados o encalados. De esta forma, aunque Irish tiene una inspiración rústico-colonial, su diseño se reinterpreta sobre un material completamente distinto como es la cerámica, con lo que se conseguimos un ambiente rústico chic muy actual. En cada pieza cerámica se aprecia la textura de dichas fibras vegetales, colocada de forma longitudinal sobre toda la superficie.

"Ceramic wallpaper."


Irish is a tile series with a pattern evocative of vegetable fibre wallpapers that are either painted over or whitewashed once laid. Inspired by a rustic colonial look, Irish's pattern has been reinterpreted by transferring it to a completely different material: ceramic tiles. The outcome is a tile series perfect for creating highly contemporary settings with a chic rustic allure. The whole surface of each tile is textured with a longitudinal vegetable fibre pattern.




REVESTIMIENTO
WALL TILE



IRISH BLANCO
V1440011 - 100142904
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



IRISH BEIGE
V1440073- 100148342
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Marfil ✓




IRISH NATURAL
V1440074 - 100148343
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Gris ✓



IRISH SILVER
V1389624 - 100135791
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Antracita ✓

PIEZA ESPECIAL
SPECIAL PIECE




PERFIL


PERFIL IRISH BLANCO V3960315 - 100121467
PERFIL IRISH BEIGE V3960317 - 100121466
PERFIL IRISH NATURAL V3960316 - 100121468
PERFIL IRISH SILVER V3960328 - 100141218

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

REVESTIMIENTO
WALL TILE



IRISH PROJECTION
V1440051 - 100145343
33.3x100 cm (x12 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



DECO IRISH BLANCO
V1440159 - 100155339
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



ZOE BLANCO
V1440058 - 100145350
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT		
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
		Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout		
Irish 33.3x100 cm		4	1.33	20.81	55	73.26	1144	Fr-One	Colorstuk	[IRISH SILVER] no limpiar con productos que contengan ácidos o álcalis don't clean with products which contain acids or alkalis	
Deco Irish 33.3x100 cm		3	1.00	18.98	55	54.95	1044				
Irish Projection 33.3x100 cm		3	1.00	18.43	55	54.95	1013				
Zoe 33.3x100 cm		4	1.33	20.81	55	73.26	1153				
Perfil		15	0.45	5.59	28	12.60	156			⬆ [ZOE] En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards	
										[IRISH, DECO IRISH] en la colocación, atención a las flechas de la parte posterior please see the arrows on the back	
										⬆ Colocación vertical laid vertically	
										⬆ Colocación horizontal laid horizontally	

*Valores aproximados Approximated values



Pared Wall
Irish Silver 33.3x100 cm
Montreal Nogal 22x90 - 14.3x90 cm
Suelo Floor
Montreal Nogal 22x90 - 14.3x90 cm

REVESTIMIENTO
WALL TILE



LAJA BLANCO
V1440075 - 100148345
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



LAJA NATURAL
V1440042 - 100144841
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Cemento ✓



LAJA BEIGE
V1440072 - 100148344
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Marfil ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour	
Laja 33.3x100 cm	Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive Fr-One	⚠ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards	
	3	1.00	18.44	55	54.94			

*Valores aproximados /approximated values



Pared Wall
Laja Beige 33.3x100 cm
Suelo Floor
Madagascar Beige 45x90 cm




Pared *Wall*
Lassa White 33.3x100 cm
Suelo *Floor*
Tavola White 19.3x120 cm

LASSA



LASSA WHITE
V1440043 - 100144836
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa *Wall tile*
V2
G261
Butech: Junta Colorstuk Blanco ✓



PERFIL
PERFIL LASSA WHITE V3960314 - 100121469
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa *Wall tile*
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
Lassa 33.3x100 cm	Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive Fr-One	Junta Grout Colorstuk	pavimento a juego matching floor: Lassa 59.6x59.6 cm
	4	1.33	21.72	55	73.26			
Perfil 1.5x100 cm		15	0.45	5.40	28	12.60	156	

*Valores aproximados Approximated values



Pared *Wall*
Lavagna Blanco 33.3x100 cm
Suelo *Floor*
Alaska Natural 19.3x120 cm

LAVAGNA



RECTIFICADO
RECTIFIED




MATE
MATT

REVESTIMIENTO
WALL TILE



LAVAGNA BLANCO
V1440038 - 100144837
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Blanco ✓

PIEZA ESPECIAL
SPECIAL PIECE




PERFIL

PERFIL LAVAGNA BLANCO V3960276 - 100090805
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
Lavagna 33.3x100 cm	Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive Fr-One	Junta Grout Colorstuk	
	4	1.33	22.64	55	73.26			
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60	151		

*Valores aproximados Approximated values

REVESTIMIENTO
WALL TILE




LINE EXTRA BLANCO
V1440023 - 100143818
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Blanco ✓



LINE BLANCO
V1440113 - 100152803
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Blanco ✓



LINE BLANCO
V1239866 - 100121031
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G205
Butech: Junta Colorstuk Blanco ✓




LINE CREMA
V1239860 - 100124184
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G205
Butech: Junta Colorstuk Marfil ✓



LINE ANTRACITA
V1239878 - 100120266
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G205
Butech: Junta Colorstuk Antracita ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

PERFIL LINE EXTRA BLANCO V3960250 - 100060173
PERFIL LINE BLANCO V3960200 - 100029900

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE / PACKAGING					COLOCACIÓN / FIXING			IMPORTANTE / IMPORTANT	
Descripción / Description		x Caja / Box			x Palet			Recomendamos / We recommend: Butech	
		Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo / Adhesive	Junta / Grout
Line 33.3x100 cm		4	1.33	22.08	55	73.26	1214	Fr-One	Colorstuk
Line 20x33.3 cm		17	1.13	14.75	68	76.99	1003		
Perfil 1.5x100 cm		15	0.45	5.40	28	12.60	151		
								✓ color de junta recomendado / recommended grout colour	

*Valores aproximados / Approximated values



Pared Wall
Line Extra Blanco 33.3x100 cm
Perfil Pro-Part Latón Cromado 9x8 mm (Butech)

MADAGASCAR.ONA

"Apreciar la piedra en su estado puro, elemento fundamental de la arquitectura."
La búsqueda de nuevos materiales y texturas cerámicas nos ha llevado a crear la piedra Madagascar. Cuatro tonalidades, Blanco, Natural, Beige y Marrón, dos acabados: con una suave textura lisa y a modo de piedra labrada con relieves denominado Ona.

*"Stone in its purest of states: a key feature in architecture."
The outcome of a quest to develop new ceramic materials and textures, Madagascar is a stone-effect tile collection in a choice of four colours (Blanco, Natural, Beige and Marrón). It comes in two finishes: either with a smooth texture or in resemblance of carved stone with relief called Ona.*




WALL TILES

Pared Wall
Ona Beige 33.3x100 cm
Suelo Floor
Madagascar Beige 45x90 cm



REVESTIMIENTO
WALL TILE



MADAGASCAR BLANCO
V1440025 - 100143819
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Blanco ✓



MADAGASCAR BEIGE
V1440030 - 100144349
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Marfil ✓




MADAGASCAR MARRÓN
V1440093 - 100149906
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Marrón ✓



MADAGASCAR NATURAL
V1440036 - 100144838
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL
SPECIAL PIECE




PERFIL

PERFIL MADAGASCAR BLANCO V3960306 - 100104718
PERFIL MADAGASCAR BEIGE V3960292 - 100099250
PERFIL MADAGASCAR MARRÓN V3960294 - 100099251
PERFIL MADAGASCAR NATURAL V3960293 - 100099252

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97



REVESTIMIENTO
WALL TILE



ONA BLANCO
V1440101 - 100150945
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Blanco ✓



ONA BEIGE
V1440017 - 100143850
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Marfil ✓



ONA MARRÓN
V1440070 - 100148346
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Marrón ✓



ONA NATURAL
V1440028 - 100144500
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓

WALL TILES

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout	ⓘ [ONA] en la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
Madagascar 33.3x100 cm	4	1.33	22.64	55	73.26	1245	Fr-One	Colorstuk	
Ona 33.3x100 cm	3	1.00	17.85	55	54.94	981			
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60	151			
pavimento a juego matching floor: Madagascar 45x90 / 44x66 / 44.3x44.3 cm									

*Valores aproximados Approximated values



REVESTIMIENTO
WALL TILE



MADAGASCAR BLANCO
V1349939 - 100115436
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G226
Butech: Junta Colorstuk Blanco ✓



MADAGASCAR BEIGE
V1349938 - 100115435
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G226
Butech: Junta Colorstuk Marfil ✓



MADAGASCAR NATURAL
V1349940 - 100115437
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G226
Butech: Junta Colorstuk Gris ✓



ONA BLANCO
V1349942 - 100115798
33.3x59.2 cm (x9.5 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Blanco ✓




ONA BEIGE
V1349943 - 100115797
33.3x59.2 cm (x9.5 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Marfil ✓



ONA NATURAL
V1349941 - 100115799
33.3x59.2 cm (x9.5 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Gris ✓



REVESTIMIENTO
WALL TILE



MADAGASCAR BLANCO
V1239861 - 100123692
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V2
G205
Butech: Junta Colorstuk Blanco ✓



MADAGASCAR BEIGE
V1239857 - 100124725
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V2
G205
Butech: Junta Colorstuk Marfil ✓




MADAGASCAR NATURAL
V1239858 - 100124185
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V2
G205
Butech: Junta Colorstuk Gris ✓



ZEUS BLANCO
V1239886 100104802
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G222
Butech: Junta Colorstuk Blanco ✓



ZEUS BEIGE
V1239889 100104800
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G222
Butech: Junta Colorstuk Marfil ✓



ZEUS NATURAL
V1239885 100104805
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G222
Butech: Junta Colorstuk Gris ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
		Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout
Madagascar 33.3x59.2 cm		6	1.18	19.02	48	56.77	912	Fr-One	Colorstuk
Ona 33.3x59.2 cm		5	0.98	15.85	48	47.31	760		
Madagascar 20x33.3 cm		17	1.13	14.75	68	76.99	1003		
Zeus 20x33.3 cm		15	1.00	17.10	48	47.95	821		
									✓ color de junta recomendado recommended grout colour
									ⓘ [ONA] en la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
									pavimento a juego matching floor: Madagascar 45x90 / 44x66 / 44.3x44.3 cm

*Valores aproximados Approximated values



Pared Wall
Mahe Natural 33.3x100 cm
Suelo Floor
Crystal Floor White 59.6x59.6 cm
Hampton Grey 14.3x90 cm

MAHE.NARA.DALIA

RECTIFICADO
RECTIFIED

MATE
MATT

WALL TILES

REVESTIMIENTO
WALL TILE



MAHE BLANCO
V1440001 - 100139151
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓




MAHE BEIGE
V1440000 - 100139150
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Beige ✓



MAHE NATURAL
V1440002 - 100139152
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Cemento ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

PERFIL MAHE BLANCO V3960326 - 100139148
PERFIL MAHE BEIGE V3960327 - 100139147
PERFIL MAHE NATURAL V3960325 - 100139149

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech			
		Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout		
Mahe 33.3x100 cm		4	1.33	19.34	55	73.26	1063	Fr-One	Colorstuk	✔ color de junta recomendado recommended grout colour ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards	
Perfil 1.5x100 cm		15	0.45	5.40	28	12.60	151				

*Valores aproximados / Approximated values

✓ color de junta recomendado recommended grout colour
ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba
If there are arrows on the back of the tiles, these should be laid pointing upwards



REVESTIMIENTO
WALL TILE



NARA BLANCO
V1389634 - 100135429
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



NARA BEIGE
V1389632 - 100135428
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Beige ✓



NARA NATURAL
V1389629 - 100135430
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Cemento ✓



DALIA BLANCO
V1440050 - 100145308
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



DALIA BEIGE
V1440049 - 100145307
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Beige ✓



DALIA NATURAL
V1440048 - 100145309
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Cemento ✓



“ Inspiración oriental.”

Nara es un relieve cerámico que tiene una clara inspiración en el tradicional jardín seco japonés, conocido como jardín Zen o Karesansui. En estos jardines, el agua que no suele estar incluida en su diseño, está representada simbólicamente por la grava que recubre gran parte del suelo. De esta forma se crean surcos que enmarcan y armonizan el resto de componentes que conforman el jardín.

Al ser un relieve, Nara se utiliza como revestimiento de paredes, enmarcando con sus surcos los distintos elementos decorativos existentes, ya sea del baño u otras estancias. La austeridad y sencillez de su diseño contrasta notablemente con la delicada riqueza y elegancia del resultado.

“ Oriental inspiration.”

Nara is a ceramic wall tile with relief inspired by traditional Japanese dry-landscape gardens, known as Zen or Karesansui gardens. Water is not normally a feature of these gardens. Instead, it is symbolically represented by the gravel which covers part of the ground. In this way, furrows can be created to frame and blend in with the garden's other components.

Due to its surface with relief, it is intended for walls, with the furrows being used to frame existing decorative features in bathrooms or other rooms. The simple and sober design creates an eye-catching contrast with the highly delicate and elegant final effect.

REVESTIMIENTO
WALL TILE



NARA BASIC BLANCO
V1440053 - 100145346
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓




NARA BASIC BEIGE
V1440052 - 100145345
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Beige ✓



NARA BASIC NATURAL
V1440056 - 100145347
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Cemento ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

PERFIL MAHE BLANCO V3960326 - 100139148
PERFIL MAHE BEIGE V3960327 - 100139147
PERFIL MAHE NATURAL V3960325 - 100139149

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
		Piezas	M²*	Kg*		Adhesivo Adhesive	Junta Grout	ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
Nara 33.3x100 cm		4	1.33	19.34	55	Fr-One	Colorstuk	
Nara Basic 33.3x100 cm		4	1.33	19.34	55			
Dalia 33.3x100 cm		4	1.33	19.34	55			
Perfil 1.5x100 cm		15	0.45	5.40	28			

*Valores aproximados / Approximated values





Pared Wall
Massina Caliza 33.3x100 cm

MASSINA

- 
RECTIFICADO
RECTIFIED
- 
MATE
MATT
- 
DESTONIFICADO
TONE VARIATIONS


WALL TILES

REVESTIMIENTO
WALL TILE



MASSINA CALIZA
V1440068 - 100145338
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V4
G261
Butech: Junta Colorstuk Blanco ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL
PERFIL MASSINA CALIZA V3960112 - 100029875
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE / PACKAGING						COLOCACIÓN / FIXING		IMPORTANTE / IMPORTANT
Descripción / Description	x Caja / Box			x Palet			Recomendamos / We recommend: Butech	✓ color de junta recomendado / recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*		
Massina 33.3x100 cm	4	1.33	21.68	55	73.26	1192	Adhesivo / Adhesive	Junta / Grout
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60	151	Fr-One	Colorstuk


*Valores aproximados Approximated values

REVESTIMIENTO
WALL TILE



MONTECARLO BEIGE
V1440067 - 100145339
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Marfil ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

PERFIL MONTECARLO BEIGE V3960313 - 100113303
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
Montecarlo 33.3x100 cm Perfil 1.5x100 cm	Piezas	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout	
	4	1.33	20.92	55	73.26	1150	Fr-One	Colorstuk	
	15	0.45	5.40	28	12.60	151			
								pavimento a juego matching floor: Montecarlo 44x66 cm	

*Valores aproximados /approximated values



WALL TILES

Pared Wall
Montecarlo Beige 33.3x100 cm



NEWPORT

"Newport: las huellas del paso del tiempo."

Las superficies revestidas con este audaz diseño, muestran una riqueza y naturalidad propia de las paredes en las que el paso del tiempo ha ido dejando sus huellas. Su autenticidad y realismo nos traslada a los edificios históricos restaurados, que preservan como un tesoro el estado original de paredes y suelos. El interiorismo que propone la colección Newport, está basado en la fusión de estas texturas retro con otros acabados, elementos y objetos actuales.

La colección Newport es muy amplia, ya que se compone de cinco colores básicos a elegir: White, Beige, Natural, Gray y Dark Gray, tanto para revestimiento de paredes como suelos.

Para revestir las paredes las posibilidades se multiplican, ya que existen cinco relieves distintos en todos los colores antes citados. Estos relieves se denominan Avenue, Century, Island, Park y Old.

"Newport: the traces left by time."


The surfaces covered by this daring design reveal all the rich natural splendour of walls on which the passing of time has left its mark. Authenticity and realism reminiscent of restored historic buildings, which jealously safeguard their original floors and walls. The interior designs reflected by the Newport collection are based on combining these retro textures with alternative finishes, elements and contemporary objects.

The Newport collection offers a wide choice of options, available in five basic colours: White, Beige, Natural, Gray and Dark Gray for both wall and floor tiles.

The number of wall tile options is further increased thanks to the range of five relief tiles, available in all the colours listed above. Take your pick from the Avenue, Century, Island, Park and Old models.

Pared Wall
Newport Natural 33.3x100 cm
Avenue Natural 33.3x100 cm
Suelo Floor
Newport Natural 59.6x59.6 cm

NEWPORT



REVESTIMIENTO
WALL TILE



NEWPORT WHITE
V1440128 - 100155773
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G271
Butech: Junta Colorstuk Blanco ✓



NEWPORT BEIGE
V1440125 - 100155172
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G271
Butech: Junta Colorstuk Marfil ✓



NEWPORT NATURAL
V1440126 - 100155174
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G271
Butech: Junta Colorstuk Gris ✓




NEWPORT GRAY
V1440127 - 100155772
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G271
Butech: Junta Colorstuk Gris ✓



NEWPORT DARK GRAY
V1440133 - 100155771
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G271
Butech: Junta Colorstuk Antracita ✓

PIEZA ESPECIAL
SPECIAL PIECE




PERFIL
PERFIL NEWPORT WHITE V3960333 - 100156334
PERFIL NEWPORT BEIGE V3960335 - 100156330
PERFIL NEWPORT NATURAL V3960337 - 100156333
PERFIL NEWPORT GRAY V3960338 - 100156332
PERFIL NEWPORT DARK GRAY V3960336 - 100156331

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
		Pieces	M²*	Kg*	Box	M²*	⚠ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
						Adhesivo Adhesive	
						Fr-One	
Newport 33.3x100 cm		4	1.33	21.45	55	73.26	pavimento a juego matching floor: Newport 80x80 / 59.6x59.6 / 44.3x44.3 cm
Avenue 33.3x100 cm		3	1.00	18.78	55	54.94	
Perfil 1.5x100 cm		15	0.45	5.40	28	12.60	

*Valores aproximados /approximated values

NEWPORT.AVENUE



REVESTIMIENTO
WALL TILE



AVENUE WHITE
V1440140 - 100155737
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Blanco ✓




AVENUE BEIGE
V1440129 - 100155733
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Marfil ✓



AVENUE NATURAL
V1440144 - 100155736
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



AVENUE GRAY
V1440132 - 100155735
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



AVENUE DARK GRAY
V1440143 - 100155734
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Antracita ✓



AVENUE WHITE MATT
V1440161 - 100159731
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



AVENUE DARK MATT
V1440160 - 100159730
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Special Dark ✓



REVESTIMIENTO
WALL TILE



CENTURY WHITE
V1440135 - 100155752
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Blanco ✓



CENTURY BEIGE
V1440138 - 100155738
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Marfil ✓



CENTURY NATURAL
V1440130 - 100155751
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



CENTURY GRAY
V1440145 - 100155750
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



CENTURY DARK GRAY
V1440134 - 100155739
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Antracita ✓



REVESTIMIENTO
WALL TILE



ISLAND WHITE
V1440142 - 100155766
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Blanco ✓



ISLAND BEIGE
V1440141 - 100155762
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Marfil ✓



ISLAND NATURAL
V1440131 - 100155765
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



ISLAND GRAY
V1440137 - 100155764
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



ISLAND DARK GRAY
V1440136 - 100155763
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Antracita ✓

WALL TILES

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² *	Kg*		
Century 33.3x100 cm	4	1.33	22.12	55	73.26	1216	Adhesivo Adhesive Fr-One	Junta Grout Colorstuk
Island 33.3x100 cm	3	1.00	17.96	55	54.94	987		

*Valores aproximados Approximated values

⚠ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba
If there are arrows on the back of the tiles, these should be laid pointing upwards

pavimento a juego matching floor: Newport 80x80 / 59.6x59.6 / 44.3x44.3 cm



REVESTIMIENTO
WALL TILE



OLD WHITE
V1440149 - 100155778
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Blanco ✓




OLD BEIGE
V1440139 - 100155774
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Marfil ✓



OLD NATURAL
V1440148 - 100155777
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



OLD GRAY
V1440147 - 100155776
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



OLD DARK GRAY
V1440146 - 100155775
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Antracita ✓



REVESTIMIENTO
WALL TILE



PARK WHITE
V1440151 - 100156062
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Blanco ✓




PARK BEIGE
V1440157 - 100155988
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Marfil ✓



PARK NATURAL
V1440150 - 100156061
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



PARK GRAY
V1440154 - 100156060
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Gris ✓



PARK DARK GRAY
V1440156 - 100155989
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Antracita ✓

WALL TILES

EMBALAJE PACKAGING				COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet		✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² * Kg*	
Old 33.3x100 cm	3	1.00	19.83	55	54.94 1090	En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
Park 33.3x100 cm	3	1.00	18.98	55	54.94 1044	
				Recomendamos We recommend: Butech		pavimento a juego matching floor: Newport 80x80 / 59.6x59.6 / 44.3x44.3 cm
				Adhesivo Adhesive	Junta Grout	
				Fr-One	Colorstuk	

*Valores aproximados Approximated values

NEWPORT



REVESTIMIENTO
WALL TILE



NEWPORT BEIGE
V1349958 - 100157847
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V3
G233
Butech: Junta Colorstuk Marfil



CENTURY BEIGE
V1349957 - 100157815
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Marfil



OLD BEIGE
V1349952 - 100157818
33.3x59.2 cm (x9.5 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Marfil



NEWPORT NATURAL
V1349955 - 100157817
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V3
G233
Butech: Junta Colorstuk Gris



CENTURY NATURAL
V1349956 - 100157816
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Gris



OLD NATURAL
V1349959 - 100157819
33.3x59.2 cm (x9.5 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Gris



Pared Wall
Old Beige 33.3x100 cm

WALL TILES


EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M**	Kg*	Box	M**	Kg*	Adhesive Adhesive	Junta Grout
Newport 33.3x59.2 cm	6	1.18	19.02	48	56.77	912	Fr-One	Colorstuk
Century 33.3x59.2 cm	6	1.18	19.02	48	56.77	912		
Old 33.3x59.2 cm	5	0.98	15.85	48	47.31	760		
								Ⓣ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
								pavimento a juego matching floor: Newport 80x80 / 59.6x59.6 / 44.3x44.3 cm

REVESTIMIENTO
WALL TILE



ONYX BEIGE
V1440110 - 100151574
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Marfil ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL
PERFIL ONYX BEIGE V3960272 - 100080800
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
Piezas	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout		
Onyx 33.3x100 cm	4	1.33	22.60	55	73.26	Fr-One	Colorstuk		
Perfil Onyx 1.5x100 cm	15	0.45	5.60	28	12.60				

*Valores aproximados Approximated values



Pared Wall
Onyx Beige 33.3x100 cm



Pared Wall
Ossidi Blanco 20x33.3 cm

OSSIDI



WALL TILES

REVESTIMIENTO
WALL TILE



OSSIDI BLANCO
V1239864 - 100121034
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V3
G205
Butech: Junta Colorstuk Manhattan ✓



TÁRTAR OSSIDI NEGRO
V1235404 - 100020247
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G222
Butech: Junta Colorstuk Cemento ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING	IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech
	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive Junta Grout
Ossidi 20x33.3 cm	17	1.13	14.75	68	76.99	1021	Fr-One Colorstuk
Tártar Ossidi 20x33.3 cm	18	1.20	19.80	48	57.54	950	

*Valores aproximados Approximated values

PEARLS



REVESTIMIENTO
WALL TILE



PEARLS WHITE
V1440020 - 100143851
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco



PEARLS WHITE
V1239884 - 100104789
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V1
G222
Butech: Junta Colorstuk Blanco

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet			Recomendamos We recommend: Butech	
		Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive	Junta Grout
Pearls 33.3x100 cm		4	1.33	18.76	55	73.26	Fr-One	Colorstuk
Pearls 20x33.3 cm		18	1.20	19.98	48	57.54		

*Valores aproximados / Approximated values



Pared Wall
Pearls White 33.3x100 cm
Suelo Floor
Montana Noce 19.3x120 cm

REVESTIMIENTO
WALL TILE



PRADA BEIGE
V1410041 - 100118725
33.3x66.6 cm (x8.6 mm) 13"x26"
Monoporosa Wall tile
V2
G244
Butech: Junta Colorstuk Marfil ✓

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
		Pieces	M²*	Kg*	Box	M²*	Kg*	✓ color de junta recomendado recommended grout colour	
Prada 33.3x66.6 cm		7	1.55	25.97	36	55.89	896		
								Adhesive Adhesive	
								Junta Grout	
								Fr-One	
								Colorstuk	

*Valores aproximados Approximated values



Pared Wall
Prada Beige 33.3x66.6 cm
Perfil Pro-Telo Inox 8x25 mm Cepillado (Butech)



Pared Wall
Suede Taupe 33.3x100 cm
Perfil Pro-Mat 5 (Butch)
Suelo Floor
Rhin Taupe 59.6x59.6 cm


REVESTIMIENTO
WALL TILE



RHIN NATURAL
V1440022 - 100143835
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Manhattan ✓




RHIN TAUPE
V1389642 - 100135432
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Cemento ✓



RHIN IVORY
V1389643 - 100135431
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Marfil ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

PERFIL RHIN NATURAL V3960320 - 100121472
PERFIL RHIN TAUPE V3960324 - 100138290
PERFIL RHIN IVORY V3960318 - 100121471

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive Fr-One	Junta Grout Colorstuk	
Rhin 33.3x100 cm	4	1.33	21.96	55	73.26	1208			
Suede 33.3x100 cm	3	1.00	18.43	55	54.94	1013			
Perfil 1.5x100 cm	15	0.45	5.59	28	12.60	156			
[SUEDE] en la colocación, atención a las flechas de la parte posterior please see the arrows on the back:									
 Colocación vertical laid vertically									
 Colocación horizontal laid horizontally									
pavimento a juego matching floor: Rhin 59.6x59.6 / 44.3x44.3 cm									

REVESTIMIENTO
WALL TILE



DESTONIFICADO
TONE VARIATONS



RHIN IVORY
V1349954 - 100157850
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V3
G226
Butech: Junta Colorstuk Marfil ✓



SUEDE IVORY
V1349953 - 100157851
33.3x59.2 cm (x9.5 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Marfil ✓



SUEDE TAUPE
V1349951 - 100157852
33.3x59.2 cm (x9.5 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Cemento ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
		Pieces	M ² *	Kg*		Adhesivo Adhesive	Junta Grout	
Rhin 33.3x59.2 cm		6	1.18	19.02	Box 48	Fr-One	Colorstuk	[SUEDE] en la colocación, atención a las flechas de la parte posterior please see the arrows on the back: ⌚ colocación vertical laid vertically ⌚ colocación horizontal laid horizontally pavimento a juego matching floor: Rhin 59.6x59.6 / 44.3x44.3 cm
Suede 33.3x59.2 cm		5	0.98	15.85	Box 48			

*Valores aproximados /approximated values



Pared Wall
Rhin Natural 33.3x100 cm
Suelo Floor
Rhin Natural 59.6x59.6 cm

REVESTIMIENTO
WALL TILE



RUGGINE
V1440035 - 100144839
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Antracita ✓



RUGGINE ALUMINIO
V1440008 - 100142906
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Manhattan ✓



RUGGINE CALDERA
V1440094 - 100149908
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Marrón ✓



RUGGINE LATÓN
V1440108 - 100151493
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Marfil ✓

REVESTIMIENTO
WALL TILE



RUGGINE NÍQUEL
V1440029 - 100144502
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Gris ✓




RUGGINE PLATINO
V1440031 - 100144503
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Blanco ✓



RUGGINE TITANIO
V1440012 - 100142907
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Marfil ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

- PERFIL RUGGINE V3960170 - 100024179
- PERFIL RUGGINE ALUMINIO V3960171 - 100029889
- PERFIL RUGGINE NÍQUEL V3960290 - 100091984
- PERFIL RUGGINE CALDERA V3960173 - 100029891
- PERFIL RUGGINE LATÓN V3960172 - 100024182
- PERFIL RUGGINE TITANIO V3960289 - 100091986
- PERFIL RUGGINE PLATINO V3960286 - 100091985

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
		Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout
Ruggine 33.3x100 cm		4	1.33	21.68	55	73.26	1192	Fr-One	Colorstuk
Perfil 1.5x100 cm		15	0.45	5.40	28	12.60	151		
		colecciones complementarias complementary collection:: Queens							
		pavimento a juego matching floor: Ferroker 59.6x120 / 59.6x59.6 / 45x90 / 44x66 / 44.3x44.3 cm							

*Valores aproximados Approximated values

REVESTIMIENTO
WALL TILE



RUGGINE
V1290027 - 100118730
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V3
G218
Butech: Junta Colorstuk Antracita ✓



RUGGINE ALUMINIO
V1290026 - 100118726
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V3
G218
Butech: Junta Colorstuk Gris ✓



RUGGINE NIQUEL
V1290028 - 100118727
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V2
G218
Butech: Junta Colorstuk Gris ✓



RUGGINE TITANIO
V1290025 - 100118729
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V2
G218
Butech: Junta Colorstuk Marfil ✓



RUGGINE PLATINO
V1290023 - 100118728
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V2
G218
Butech: Junta Colorstuk Blanco ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour	
Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive Junta Grout Colorstuk Fr-One	colecciones complementarias complementary collections: Queens	
Ruggine 33.3x44.6 cm	12	1.78	26.11	51	90.89	1331	pavimento a juego matching floor: Ferroker 59.6x120 / 59.6x59.6 / 45x90 / 44x66 / 44.3x44.3 cm	

*Valores aproximados / approximated values



Pared Wall
Ruggine Caldera 33.3x100 cm
Suelo Floor
Ferroker Caldera 44x66 cm



REVESTIMIENTO
WALL TILE



SHINE DARK
V1440021 - 100143837
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Antracita



SHINE ALUMINIO
V1440019 - 100143836
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Manhattan



SHINE NIQUEL
V1440037 - 100144840
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Gris



SHINE PLATINO
V1440062 - 100145410
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Blanco



SHINE LATÓN
V1440116 - 100152804
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Marfil



SHINE TITANIO
V1440063 - 100145411
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Marfil



REVESTIMIENTO
WALL TILE



SHINE ALUMINIO
V1349922 - 100085827
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V3
G226
Butech: Junta Colorstuk Cemento




SHINE PLATINO
V1349936 - 100094918
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G226
Butech: Junta Colorstuk Blanco



SHINE TITANIO
V1349937 - 100107850
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V2
G226
Butech: Junta Colorstuk Marfil

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

PERFIL SHINE DARK V3960228 - 100046496
PERFIL SHINE ALUMINIO V3960227 - 100046495
PERFIL SHINE NIQUEL V3960281 - 100091987
PERFIL SHINE PLATINO V3960283 - 100091988
PERFIL SHINE LATÓN V3960229 - 100046502
PERFIL SHINE TITANIO V3960280 - 100091989

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
		Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout
Shine 33.3x100 cm		4	1.33	22.40	55	73.26	1232	Fr-One	Colorstuk
Shine 33.3x59.2 cm		6	1.18	19.02	48	56.78	913		
Perfil 1.5x100 cm		15	0.45	5.40	28	12.60	151		
					colecciones complementarias complementary collection:: Queens				
					pavimento a juego matching floor: Ferroker 59.6x120 / 59.6x59.6 / 45x90 / 44x66 / 44.3x44.3 cm				

*Valores aproximados Approximated values

REVESTIMIENTO
WALL TILE



SHINE DARK
V1290020 - 100117653
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V3
G218
Butech: Junta Colorstuk Antracita ✓



SHINE ALUMINIO
V1290024 - 100118731
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V3
G218
Butech: Junta Colorstuk Gris ✓



SHINE NÍQUEL
V1290030 - 100123183
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V2
G218
Butech: Junta Colorstuk Gris ✓



SHINE TITANIO
V1290022 - 100117654
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V2
G218
Butech: Junta Colorstuk Marfil ✓



SHINE PLATINO
V1290029 - 100120456
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V2
G218
Butech: Junta Colorstuk Blanco ✓

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
Shine 33.3x44.6 cm	Piezas Pieces	M²	Kg*	Box	M²	Kg*	Adhesivo Adhesive	Junta Grout	✓ color de junta recomendado recommended grout colour
	12	1.78	30.96	51	90.89	1346	Fr-One	Colorstuk	
	pavimento a juego matching floor: Ferroker 59.6x120 / 59.6x59.6 / 45x90 / 44x66 / 44.3x44.3 cm								
colecciones complementarias complementary collection:: Queens									

*Valores aproximados / approximated values



Pared Wall
Shine Aluminio 33.3x100 cm
Suelo Floor
Tavola Kenya 19.3x120 cm



Pared Wall
Shine Dark 33.3x100 cm
Suelo Floor
Ferroker Platino 59.6x59.6 cm

SEATTLE

RECTIFICADO
RECTIFIED

MATE-BRILLO
MATT-GLOSS

“Acero puro.”

Para la arquitectura e interiorismo, el acero visto es un material que imprime un fuerte carácter, es contundente, rotundo. Por ello, esta función de acabado superficial del acero se utiliza para delimitar espacios, superficies verticales o planos horizontales que articulan cada proyecto. Además es un material que combina perfectamente con otros materiales muy utilizados actualmente, como la madera, el cemento, las piedras naturales...
Seattle es una colección cerámica en la que, utilizando los mejores avances a nivel tecnológico y de diseño, hemos plasmado el aspecto del acero. Dos colores básicos, Brown y Dark, y dos formatos distintos: 33.3x100 cm para revestimiento de paredes y 59.6x59.6 cm para pavimento de gres porcelánico.

“Pure steel.”

When it comes to architecture and interior design, the use of a forceful, strong material such as exposed steel always makes a bold statement. Indeed, this surface finish is ideal for marking out spaces and establishing vertical or flat horizontal boundaries that articulate each project. In addition, it is the perfect accompaniment for other materials that are currently right on trend, such as wood, cement and natural stone.
Seattle is a ceramic tile collection that mirrors the appearance of steel, thanks to the use of cutting-edge technology and design techniques. It is available in two basic colours – Brown and Dark – and a choice of two formats: 33.3 x 100 cm for the wall tiles and 59.6 x 59.6 cm in the case of the porcelain floor tiles.

REVESTIMIENTO WALL TILE




SEATTLE BROWN
V1440153 - 100156027
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Antracita ✓



SEATTLE DARK
V1440152 - 100156029
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Antracita ✓

PIEZA ESPECIAL SPECIAL PIECE



PERFIL

PERFIL SEATTLE BROWN V3960332 - 100156335
PERFIL SEATTLE DARK V3960334 - 100156336

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING							COLOCACIÓN FIXING			IMPORTANTE IMPORTANT		
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech			✓ color de junta recomendado recommended grout colour	
		Piezas	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout			
Seattle 33.3x100 cm		4	1.33	22.60	55	73.26	1243	Fr-One	Colorstuk			
Perfil Seattle 1.5x100 cm		15	0.45	5.60	28	12.60	157			pavimento a juego matching floor: Seattle 59.6x59.6 cm		

*Valores aproximados Approximated values



Pared Wall
Seattle Brown 33.3x100 cm
Newport Beige 33.3x100 cm
Suelo Floor
Seattle Brown 59.6x59.6 cm

SIENNA




REVESTIMIENTO
WALL TILE



SIENNA
V1440044 - 100145322
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V3
G261
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL
PERFIL SIENNA V5908359 - 100146702
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
Piezas	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout	
Sienna 33.3x100 cm	4	1.33	22.40	55	73.26	Fr-One	Colorstuk	
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60			

*Valores aproximados Approximated values

Pared Wall
Sienna 33.3x100 cm

WALL TILES



Pared Wall
Silk Blanco 20x33.3 cm

SILK



MATE-BRILLO
MATT-GLOSS

REVESTIMIENTO WALL TILE



SILK BLANCO
V1239877 - 100120267
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G210
Butech: Junta Colorstuk Blanco ✓

PAVIMENTO FLOOR TILE



SILK BLANCO
V5460013 - 100141219
44.3x44.3 cm (x9.4 mm) 17 1/2"x17 1/2"
Gres Porcelánico Porcelain tile
V1
G311
Butech: Junta Colorstuk Blanco ✓


EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
Silk 20x33.3 cm	Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive Fr-One One-Flex	Junta Grout Colorstuk	pavimento a juego matching floor: Silk 44.3x44.3 / 44x66 / 45x90 cm
	17	1.13	14.75	68	76.99			
Silk 44.3x44.3 cm		5	0.98	21.75	66	64.76	1435	

*Valores aproximados /approximated values


WAVE

RECTIFICADO
RECTIFIED


REVESTIMIENTO WALL TILE



WAVE WHITE
V1440039 - 100144842
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



WAVE WHITE METALLIC
V1389641 - 100135481
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



WAVE GREY METALLIC
V1389640 - 100135480
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Antracita ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet			Recomendamos We recommend: Butech	
Wave 33.3x100 cm	Piezas	M ² *	Kg*	Box	M ² *	Kg*	✓ color de junta recomendado recommended grout colour	
	3	1.00	19.31	55	54.95	1062	[WAVE METALLIC] no limpiar con productos que contengan ácidos o álcalis don't clean with products which contain acids or alkalis	
							ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards	

*Valores aproximados Approximated values



Pared Wall
Wave Grey Metallic 33.3x100 cm,
Suelo Floor
Ferroker Niquel 59.6x59.6 cm



Pared Wall
Diamond White 33.3x100 cm
Suelo Floor
Montana Cottage 19.3x120 cm







REVESTIMIENTO
WALL TILE




CRYSTAL WHITE
V1430001 - 100089882
59.6x100 cm (x9.5 mm) 23 1/2"x39 1/2"
Monoporosa Wall tile
V1
G279
Butech: Junta Colorstuk Special White



CRYSTAL WHITE
V1440005 - 100142878
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Special White




CRYSTAL WHITE
V1410042 - 100118723
33.3x66.6cm (x8.6 mm) 13"x17 1/2"
Monoporosa Wall tile
V1
G244
Butech: Junta Colorstuk Special White



CRYSTAL WHITE
V1239971 - 100084623
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G205
Butech: Junta Colorstuk Special White

PIEZA ESPECIAL
SPECIAL PIECE




PERFIL
PERFIL CRYSTAL WHITE V3960258 - 100062786
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97



REVESTIMIENTO
WALL TILE



SEA BLANCO
V1440006 - 100142839
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Special White



SEA SILVER
V1389740 - 100104794
33.3x100 cm (x12.0 mm) 13"x39 1/2"
(P.E.) Monoporosa Wall tile
V1
G291
Butech: Junta Colorstuk Graphite



EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive Fr-One	Junta Grout Colorstuk Special
Crystal 59.6x100 cm	3	1.79	30.87	20	35.80	617		
Crystal 33.3x100 cm	4	1.33	22.64	55	73.26	1245		[SEA] en la colocación, atención a las flechas de la parte posterior please see the arrows on the back:
Sea 33.3x100 cm	3	1.00	20.34	55	54.94	1118		Colocación vertical laid vertically
Sea (P.E.) 33.3x100 cm	3	1.00	20.34	42	41.95	854		Colocación horizontal laid horizontally
Crystal 33.3x66.6 cm	7	1.55	25.69	36	55.89	924		
Crystal 20x33.3 cm	17	1.13	16.66	68	76.99	1133		[CRYSTAL-SEA] consultar las instrucciones de colocación y mantenimiento en la Guía Técnica see Technical Guide for tile laying and maintenance instructions
Perfil Crystal 1.5x100 cm	15	0.45	5.60	28	12.60	157		[SEA SILVER] no limpiar con productos que contengan ácidos o álcalis, consultar las instrucciones de colocación y mantenimiento en la Guía Técnica don't clean with products which contain acids or alkalis, see Technical Guide for tile laying and maintenance instructions


*Valores aproximados Approximated values




Pared Wall
Ona White Matt 33.3x100 cm
Suelo Floor
Canada White Wash 19.3x120 cm




REVESTIMIENTO
WALL TILE




GLACIAR
V1430002 - 100089883
59.6x100 cm (x9.5 mm) 23 1/2"x39 1/2"
Monoporosa Wall tile
V1
G279
Butech: Junta Colorstuk Blanco ✓




GLACIAR
V1440040 - 100144834
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Blanco ✓



GLACIAR
V1410050 - 100124724
33.3x66.6 cm (x8.6 mm) 13"x26"
Monoporosa Wall tile
V1
G244
Butech: Junta Colorstuk Blanco ✓




GLACIAR
V1290021 - 100117645
33.3x44.6 cm (8.5 mm) 13"x17 1/2"
Monoporosa Wall tile
V1
G218
Butech: Junta Colorstuk Blanco ✓



GLACIAR
V1239973 - 100088321
20x33.3 cm (x8.5 mm) 8"x13"
Monoporosa Wall tile
V1
G205
Butech: Junta Colorstuk Blanco ✓

PIEZA ESPECIAL
SPECIAL PIECE




PERFIL

PERFIL GLACIAR V3960291 - 100099249
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97



REVESTIMIENTO
WALL TILE



GLACE
V5550011 - 100149802
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V1
G363
Butech: Junta Colorstuk Blanco ✓



DIAMOND WHITE
V1440081 - 100148340
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



ONA WHITE MATT
V1440033 - 100144501
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



WAVE WHITE
V1440039 - 100144842
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓

EMBALAJE PACKAGING					COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² *	Kg*	
Glaciár 59.6x100 cm	3	1.79	30.87	20	35.75	617	⬆️ [ONA, WAVE] En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
Glaciár 33.3x100 cm	4	1.33	20.96	55	71.92	1152	
Diamond 33.3x100 cm	3	1.00	20.34	55	54.95	1098	[DIAMOND] en la colocación, atención a las flechas de la parte posterior please see the arrows on the back:
Ona 33.3x100 cm	3	1.00	17.85	55	54.95	981	
Wave 33.3x100 cm	3	1.00	19.31	55	54.95	1062	⬆️ Colocación vertical laid vertically
Glaciár 33.3x66.6 cm	7	1.55	25.69	36	55.89	924	
Glaciár 33.3x44.6 cm	12	1.78	30.96	51	90.48	1346	⬆️ Colocación horizontal laid horizontally
Glaciár 20x33.3 cm	15	0.99	14.85	68	67.93	1009	
Glace 45x90 cm	3	1.21	30.00	44	53.46	1320	[GLACE] Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials
Perfil Glaciár 1.5x100 cm	15	0.45	5.60	28	12.60	157	
					Super-one		
					Fr-One		

*Valores aproximados Approximated values




BRILLO
GLOSS

REVESTIMIENTO
WALL TILE




RECTIFICADO
RECTIFIED




NIVAL
V1440010 - 100142905
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Blanco ✓



RECTIFICADO
RECTIFIED



NÍVEO
V1410044 - 100121033
33.3x66.6 cm (x8.6 mm) 13"x26"
Monoporosa Wall tile
V1
G244
Butech: Junta Colorstuk Blanco ✓




FORMAS BLANCO
V1239862 - 100121829
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G205
Butech: Junta Colorstuk Blanco ✓



MERIDIAN BLANCO
V1234500 - 100020138
20x33.3 cm (x8.9 mm) 8"x13"
Monoporosa Wall tile
V1
G210
Butech: Junta Colorstuk Blanco ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL

PERFIL NIVAL V3960295 - 100100278
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive Fr-One Junta Grout Colorstuk	
Nival 33.3x100 cm	4	1.33	22.68	55	73.26	1247		
Niveo 33.3x66.6 cm	7	1.55	24.78	36	55.89	892		
Formas 20x33.3 cm	17	1.13	14.75	68	76.99	1040		
Meridian 20x33.3 cm	15	1.00	14.70	68	67.93	999		
Perfil Nival 1.5x100 cm	15	0.45	5.60	28	12.60	157		

*Valores aproximados Approximated values




RECTIFICADO
RECTIFIED



MATE
MATT

REVESTIMIENTO
WALL TILE



ÁRTICA
V1440079 - 100148332
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Blanco ✓



STREET
V1440077 - 100148335
33.3x100 cm (x12.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓

EMBALAJE / PACKAGING				COLOCACIÓN / FIXING				IMPORTANTE / IMPORTANT	
Descripción / Description	x Caja / Box			x Palet			Recomendamos / We recommend: Butech		
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo / Adhesive	Junta / Grout	
Ártica 33.3x100 cm	4	1.33	22.60	55	73.26	1243	Fr-One	Colorstuk	
Street 33.3x100 cm	3	1.00	20.34	55	54.95	1118			
								ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards	

*Valores aproximados Approximated values




Pared Wall
Street 33.3x100 cm
Suelo Floor
Lavola Grigio 19.3x120 cm



Pared Wall
Luca 33.3x100 cm

REVESTIMIENTO
WALL TILE



SKY
V1440059 - 100145349
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓




LUCA
V1440055 - 100145344
33.3x100 cm (x12 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend Butech		✓ color de junta recomendado recommended grout colour
Sky 33.3x100 cm Luca 33.3x100 cm	Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive	Junta Grout	ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
	3	1.33	20.96	55	73.26	Fr-One	Colorstuk	


*Valores aproximados Approximated values

REVESTIMIENTO
WALL TILE



STAR WHITE
V1440084 - 100148334
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G261
Butech: Junta Colorstuk Blanco ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL
PERFIL STAR WHITE V3960239 - 100046527
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description						Recomendamos We recommend: Butech			✓ color de junta recomendado recommended grout colour	
x Caja Box			x Palet			Adhesivo Adhesive			Junta Grout	
Piezas	M²*	Kg*	Box	M²*	Kg*	Fr-One			Colorstuk	
Star 33.3x100 cm	4	1.33	21.68	55	73.26					
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60	151				

*Valores aproximados / approximated values



Pared Wall
Star White 33.3x100 cm
Dual Nero 20x33.3 cm



Pared Wall
Sweden 33.3x100 cm

WHITES SWEDEN



REVESTIMIENTO
WALL TILE



SWEDEN
V1440034 - 100144504
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco

EMBALAJE PACKAGING					COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
Sweden 33.3x100 cm		Pieces 3	M ² * 1.00	Kg* 18.68	Box 55	M ² * 54.94 Kg* 1027	ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
				Adhesivo Adhesive Fr-One		Junta Grout Colorstuk	


*Valores aproximados /approximated values

REVESTIMIENTO
WALL TILE



ZURICH SAND
V1440083 - 100148336
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G261
Butech: Junta Colorstuk Marfil ✓

PIEZA ESPECIAL
SPECIAL PIECE



PERFIL
PERFIL ZURICH SAND V3960304 - 100104723
1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech			✓ color de junta recomendado recommended grout colour
		Pieces	M ²	Kg*		Box	M ²	Kg*	
Zurich 33.3x100 cm		4	1.33	22.64		55	73.26	1245	
Perfil 1.5x100 cm		15	0.45	5.40		28	12.60	151	

*Valores aproximados / approximated values



Pared Wall
Zurich Sand 33.3x100 cm
Perfil Pro-Mate 5 (Butech)
Suelo Floor
Montana Cottage 19.3x120 cm



Pared Wall
Manhattan Negro 20x33.3 cm
Perfil Pro-Mate 5 (Butech)
Suelo Floor
Montana Noce 19.3x120 cm

Presentamos una nueva generación de mosaicos cerámicos de gran belleza, diferentes formatos y formas, en colores y lustres variados. Perlados, nacarados, metalizados, cristalinos..., todos tienen en común que, tras una colocación adecuada, resulta difícil distinguir las juntas de separación entre azulejos.

MOSAICS

We present a new generation of spectacular mosaic tiles in a range of shapes and formats, colours and lustre finishes. Pearl, nacre, metal, crystalline effect tiles all share a common feature: after they are properly fixed and grouted, joints between tiles are almost invisible.

A/Z MOSAICS COLLECTIONS:

CÚBICA / DOMUS / DUAL MINIDUAL / HUDSON / LIGNUM / MANHATTAN / NACARÉ / OASIS / PIETRA / QUEENS / SELENE

CÚBICA

"Cúbica tiene la apariencia de un mosaico de reducido tamaño. En realidad es un modelo de revestimiento de gran formato. Debido al relieve de sus pequeños tacos, posee unos brillos nacarados puntuales que van cambiando según la incidencia de la luz, aportando movimiento y dinamismo a las paredes."

"Appearances can be deceptive, and although Cúbica looks like a miniature mosaic, it is in fact a large format wall tile. The surface, made up of tiny chips, creates shiny nacre effects that glint and change in the light, adding a sense of movement and dynamism to any wall."

nk

MOSAICS

Pared Wall
Cúbica Blanco 33.3x100 cm
Suelo Floor
Block Wengé 21.9x66 cm

CÚBICA

REVESTIMIENTO WALL TILE



CÚBICA BLANCO
V1440003
100142900
33.3x100 cm (x9.2 mm)
13"x39 1/2"
Monoporosa
Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓



CÚBICA NEGRO
V1440107
100151464
33.3x100 cm (x9.2 mm)
13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Negro ✓



CÚBICA MARFIL
V1440032
100144347
33.3x100 cm (x9.2 mm)
13"x39 1/2"
Monoporosa
Wall tile
V1
G271
Butech: Junta Colorstuk Marfil ✓




CÚBICA GRIS
V1440066
100145927
33.3x100 cm (x9.2 mm)
13"x39 1/2"
Monoporosa
Wall tile
V1
G271
Butech: Junta Colorstuk Gris ✓

CÚBICA

REVESTIMIENTO WALL TILE




CÚBICA SILVER
V1440026
100144348
33.3x100 cm (x9.2 mm)
13"x39 1/2"
Monoporosa
Wall tile
V1
G271
Butech: Junta Colorstuk Antracita ✓



**CÚBICA BASIC
BLANCO**
V1440004
100142879
33.3x100 cm (x9.2 mm)
13"x39 1/2"
Monoporosa
Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓

PIEZA ESPECIAL SPECIAL PIECE



PERFIL

PERFIL CÚBICA BLANCO V3960241 - 100058563
PERFIL CÚBICA MARFIL V3960246 - 100058592
PERFIL CÚBICA GRIS V3960249 - 100058559
PERFIL CÚBICA NEGRO V3960269 - 100072097
PERFIL CÚBICA SILVER V3960273 - 100083733

1.5x100 cm (x14.4 mm) 5/8"x39 1/2"
Monoporosa Wall tile
G97

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	
Cúbica 33.3x100 cm	4	1.33	21.72	55	73.26	1194	Fr-One	
Cúbica Basic 33.3x100 cm	4	1.33	22.64	55	73.26	1245		recomendamos la colocación en vertical vertical fixing recommended
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60	151		
					Recomendamos We recommend: Butech			
					Adhesivo Adhesive			
					Fr-One			
					Junta Grout			
					Colorstuk			

*Valores aproximados Approximated values

CÚBICA

REVESTIMIENTO WALL TILE



MATE-BRILLO
MATT-GLOSS



CÚBICA BLANCO
V1349924 - 100088300
33.3x59.2 cm (x8.6 mm) 13"x23 1/4"
Monoporosa Wall tile
V1
G233
Butech: Junta Colorstuk Blanco ✓



MATE-BRILLO
MATT-GLOSS



CÚBICA BLANCO
V1239870 - 100120261
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G222
Butech: Junta Colorstuk Blanco ✓




MATE-BRILLO
MATT-GLOSS



CÚBICA GRIS
V1239859 - 100124181
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G222
Butech: Junta Colorstuk Gris ✓



MATE-BRILLO
MATT-GLOSS



CÚBICA NEGRO
V1239856 - 100125447
20x33.3 cm (x7.5 mm) 8"x13"
Monoporosa Wall tile
V1
G222
Butech: Junta Colorstuk Negro ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
	Piezas	M ² *	Kg*	Box	M ² *	Kg*	Adhesive Fr-One	Grout Colorstuk		
Cúbica 33.3x59.2 cm	6	1.18	19.02	48	56.78	913	Fr-One	Colorstuk	recomendamos la colocación en vertical vertical fixing recommended	
Cúbica 33.3x44.6 cm	12	1.78	24.36	51	90.89	1242				
Cúbica 20x33.3 cm	17	1.13	14.75	68	76.99	1003				
Perfil 1.5x100 cm	15	0.45	5.40	28	12.60	151				

*Valores aproximados /approximated values



Pared Wall
Cúbica Negro 33.3x100 cm
Suelo Floor
K2 44x66 cm



Pared Wall
Domus Mix 20x33.3 cm

DOMUS

REJUNTADO POSTERIOR
IT NEEDS TO BE GROUTED

MOSAICS

REVESTIMIENTO
WALL TILE



BRILLO
GLOSS



DOMUS WHITE
V1239841 - 100150616
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Blanco ✓



BRILLO
GLOSS



DOMUS BROWN
V1239844 - 100150613
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Marfil ✓



BRILLO
GLOSS



DOMUS BLACK
V1239843 - 100150612
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Blanco ✓



BRILLO
GLOSS



DOMUS MIX
V1239846 - 100150615
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Marfil ✓



MATE
MATT



DOMUS GREEN MATT
V1239845 - 100150614
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Gris ✓

EMBALAJE / PACKAGING					COLOCACIÓN / FIXING			IMPORTANTE / IMPORTANT	
Descripción / Description	x Caja / Box			x Palet			Recomendamos / We recommend: Butech		✓ color de junta recomendado / recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesive / Fr-One	Junta / Grout / Colorstuk	
Domus 20x33.3 cm	18	1,19	19.38	48	57.54	930			

*Valores aproximados Approximated values




Pared Wall
Dual Bianco 20x33.3 cm
Perfil Pro-Part Latón Cromado 12.5x8 mm (Butech)
Suelo Floor
Crystal Floor Dark 59.6x59.6 cm

REVESTIMIENTO
WALL TILE



DUAL BIANCO
V1239993 - 100099186
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Special White ✓



DUAL CHERRY
V1239997 - 100104760
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Special White ✓



DUAL NERO
V1239994 - 100099187
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Special White ✓


REVESTIMIENTO
WALL TILE



MINIDUAL BIANCO
V1239898 - 100104771
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Special White ✓



MINIDUAL CHERRY
V1239894 - 100104773
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Special White ✓



MINIDUAL NERO
V1239896 - 100104775
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Special White ✓



MINIDUAL BROWN
V1239899 - 100104772
20x33.3 cm (x11.6 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Special White ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
Dual 20x33.3 cm Minidual 20x33.3 cm	Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive Fr-One	Junta Grout Colorstuk Special	[Minidual] consejo de colocación: utilizar crucetas de separación de 1 mm advice on the fitting: use the 1 mm spacers
	15	1.00	17.10	48	47.95			

*Valores aproximados Approximated values



Pared Wall
Hudson Singapur 33.3x100 cm
Suelo Floor
Mónaco Beige 59.6x59.6 cm

REVESTIMIENTO
WALL TILE



HUDSON WHITE
V1440054 - 100145342
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Blanco ✓



HUDSON SINGAPUR
V1440060 - 100145341
33.3x100 cm (x12.0 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Cemento ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet		✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² *	ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba If there are arrows on the back of the tiles, these should be laid pointing upwards
Hudson 33.3x100 cm	3	1.00	19.60	55	54.95	
					Kg* 1078	
				Recomendamos We recommend: Butech		
				Adhesivo Adhesive	Junta Grout	
				Fr-One	Colorstuk	

REVESTIMIENTO
WALL TILE



LIGNUM SCURO
V1236501 - 100020374
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G222
Butech: Junta Colorstuk Manhattan ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT		
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
		Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout	
Lignum 20x33.3 cm		18	1.20	19.80	48	57.54	950	Fr-One	Colorstuk	



Pared *Wall*
Manhattan Gris 20x33.3 cm
Crystal White 33.3x100 cm
Perfil Pro-Part / Perfil Pro-Mate 3 (Butech)
Suelo *Floor*
Crystal Floor White 59.6x59.6 cm

MANHATTAN

MATE-BRILLO
MATT-GLOSS

REJUNTADO POSTERIOR
IT NEEDS TO BE GROUTED

REVESTIMIENTO WALL TILE



MANHATTAN BLANCO
V1239974 - 100090572
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Blanco ✓



MANHATTAN GRIS
V1239979 - 100090573
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Blanco ✓



MANHATTAN NEGRO
V1239976 - 100090575
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Antracita ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		✓ color de junta recomendado recommended grout colour
Manhattan 20x33.3 cm	Pieces	M²*	Kg*	Box	M²*	■ recomendamos la colocación en vertical vertical fixing recommended
	18	1.11	17.82	48	53.39	
						[MANHATTAN] consultar las instrucciones de colocación y mantenimiento en la Guía Técnica see Technical Guide for tile laying and maintenance instructions

*Valores aproximados / Approximated values



Pared *Wall*
Nacaré Gris 33.3x66.6 cm,
Deco Nacaré Blanco 33.3x66.6 cm
Suelo *Floor*
Crystal Floor Dark 59.6x59.6 cm

NACARÉ

RECTIFICADO
RECTIFIED

MATE-BRILLO
MATT-GLOSS

“El nácar o madreperla es un material semiprecioso con reflejos iridiscentes. Nacaré es un mosaico de reducido tamaño que posee la apariencia de nácar, siendo en realidad un modelo de revestimiento cerámico de gran formato.”

“*Nacre, or mother-of-pearl, is a semiprecious material characterised by the iridescent effects it creates. Nacaré looks like a small-sized mosaic with a mother-of-pearl sheen, although it is in fact a large format ceramic wall tile.*”

REVESTIMIENTO WALL TILE



NACARÉ BLANCO
V1410038 - 100117521
33.3x66.6 cm (x8.6 mm) 13"x26"
Monoporosa Wall tile
V1
G248
Butect: Junta Colorstuk Blanco ✓



DECO NACARÉ BLANCO
V1410047 - 100124182
33.3x66.6 cm (x8.6 mm) 13"x26"
Monoporosa Wall tile
V1
G248
Butect: Junta Colorstuk Blanco ✓



NACARÉ GRIS
V1410039 - 100117522
33.3x66.6 cm (x8.6 mm) 13"x26"
Monoporosa Wall tile
V1
G248
Butect: Junta Colorstuk Special Nacaré Gris ✓

MOSAICS

EMBALAJE PACKAGING					COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box			Recomendamos We recommend: Butect		✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*		Adhesivo Adhesive		
Nacaré 33.3x66.6 cm	7	1.55	25.69	Box	36	55.89 908	
Deco Nacaré 33.3x66.6 cm	7	1.55	25.69	Box	36	55.89 908	■ recomendamos la colocación en vertical vertical fixing recommended

*Valores aproximados Approximated values

OASIS

RECTIFICADO
RECTIFIED

BRILLO
GLOSS

REVESTIMIENTO
WALL TILE



OASIS
V1440057 - 100145348
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V1
G271
Butech: Junta Colorstuk Blanco ✓


EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	
	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout
Oasis 33.3x100 cm	4	1.33	20.96	55	73.26	1153	Fr-One	Colorstuk

ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba
If there are arrows on the back of the tiles, these should be laid pointing upwards



Pared Wall
Oasis 33.3x100 cm
Irish Projection 33.3x100 cm

PIETRA



REVESTIMIENTO
WALL TILE



PIETRA CALIZA
V1440076 - 100148333
33.3x100 cm (x9.2 mm) 13"x39 1/2"
Monoporosa Wall tile
V2
G271
Butech: Junta Colorstuk Marfil

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box				x Palet			
		Pieces	M ² *	Kg*		Box	M ² *	Kg*	
Pietra 33.3x100 cm		4	1.33	19.92		55	73.26	1095	
		Recomendamos We recommend: Butech				✓ color de junta recomendado recommended grout colour			
		Adhesivo Adhesive				ⓘ En la colocación, las flechas de la parte posterior deben de apuntar siempre hacia arriba			
		Fr-One				If there are arrows on the back of the tiles, these should be laid pointing upwards			
		Junta Grout							
		Colorstuk							

*Valores aproximados /approximated values



MOSAICS

Pared Wall
Pietra Caliza 33.3x100 cm



Pared Wall
Queens 20x33.3 cm
Suelo Floor
Ferroker 45x90 cm

QUEENS

edilose^{by}
VENIS

MATE-BRILLO
MATT-GLOSS

REJUNTADO POSTERIOR
IT NEEDS TO BE GROUTED



QUEENS
V1239882 - 100104790
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Antracita ✓



QUEENS ALUMINIO
V1239887 - 100104791
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Cemento ✓



QUEENS TITANIO
V1239891 - 100104792
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Marfil ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
		Piezas	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout
Queens 20x33.3 cm		18	1.11	17.82	48	53.39	855	Fr-One	Colorstuk

*Valores aproximados Approximated values



Pared Wall
Selene Sand 20x33.3 cm

SELENE


MATE
MATT


REJUNTADO POSTERIOR
IT NEEDS TO BE GROUTED

REVESTIMIENTO
WALL TILE



SELENE SAND
V1239842 - 100150617
20x33.3 cm (x9.5 mm) 8"x13"
Monoporosa Wall tile
V2
G233
Butech: Junta Colorstuk Marfil ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech		
Selene 20x33.3 cm	Pieces	M ² *	Kg*		Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout	
	18	1.19	19.11		48	57.54	917	Fr-One	Colorstuk	
								✓ color de junta recomendado recommended grout colour		

*Valores aproximados Approximated values



Nuestra colección de pavimentos cerámicos está inspirada en las piedras naturales, superficies de cemento, metales, textiles, barro cocido..., a los que la cerámica como tal, les aporta superiores prestaciones técnicas, así como las ventajas ligadas a la reducción de costes en el transporte y puesta en obra.

FLOOR TILES

Our collection of ceramic floor tiles takes its inspiration from natural stone, cement, metals, textiles and terracotta, contributing the enhanced technical characteristics of ceramics, as well as the advantages associated with savings in transport and installation costs.

A/Z FLOOR TILES COLLECTIONS:

ARGENTA / BRAZIL / CAPPUCCINO / CASCAIS / CRYSTAL FLOOR / ESTOCOLMO / FANTASY / FERROKER / IRONKER / K2 / LASSA / LISBOA /
MADAGASCAR / METALKER / MÓNACO / MONTECARLO / NÁPOLES / NAZCA / NEWPORT / RHIN / ROCHER / SANDSTONE / SEATTLE / SILK /
STONE FLAMÉ / STYLKER / TALAVERA / TISSUE / ZURICH



Suelo Floor
Argenta Antracita 59.6x59.6 cm

ARGENTA

STON-KER

RECTIFICADO
RECTIFIED

MATE
MATT

EXTERIORES
EXTERIORS

PAVIMENTO
FLOOR TILE



ARGENTA ANTRACITA
V5590655 - 100150724
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico Porcelain tile
V2
G354
Butech: Junta Colorstuk Antracita ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
ARGENTA ANTRACITA V7710005 - 100128128
31.6x59.6 cm 12 1/2"x23 1/2"
G130




ZÓCALO
ARGENTA ANTRACITA V4460014 - 100150304
9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2 "
G30

EMBALAJE PACKAGING				COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet		✓ color de junta recomendado recommended grout colour [59.6x59.6 cm] disponible para CLI-KER n CLI-KER n also available Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials (1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions
	Pieces	M²*	Kg*	Box	M²*	
	4	1.42	35.45	32	45.46	
	2	0.41	12.00	48	19.96	
59.6x59.6 cm				56	54.07	
Huella Técnica 31.6x59.6 cm	18	0.96	25.68			
Zócalo 9x59.6 cm						
				Recomendamos We recommend: Butech		
				Adhesivo Adhesive Junta Grout		
				One-Flex, Maxifluid, Super-one Colorstuk		

*Valores aproximados Approximated values

BRAZIL



“ Por su diseño, variedad tonal y singular belleza, Brazil posee el aspecto de la pizarra natural. No obstante, se trata de gres porcelánico en pasta coloreada de gran formato. Sus características como producto cerámico de elevadas prestaciones, le eximen de los típicos problemas de diferencias en el espesor, ortogonalidad y planimetría que presenta el producto natural. ”

“ Characterised by its design, shade variety and exceptional beauty, Brazil has all the appearance of natural stone. Yet this series is in fact made up of large format coloured body porcelain tiles. The excellent qualities of these ceramic tiles mean that they present none of the problems associated with the natural product such as irregular thicknesses, squareness and flatness. ”

PAVIMENTO
FLOOR TILE



BRAZIL ARENA
V5629992 - 100091824
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Marfil



BRAZIL NATURAL
V5629980 - 100088273
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V4
G344
Butech: Junta Colorstuk Cemento

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
BRAZIL ARENA V7700048 - 100128995
BRAZIL NATURAL V7700033 - 100120576

31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
BRAZIL ARENA V4540027 - 100149040
BRAZIL NATURAL V4540040 - 100157285

9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			✓ color de junta recomendado recommended grout colour	
		Pieces	M²*	Kg*	Box	M²*	Kg*		
44x66 cm		3	0.87	20.79	60	52.27	1247		
Huella Técnica 31.6x66 cm		2	0.46	12.42	40	18.42	496		
Zócalo 9x66 cm		12	0.71	16.75	80	57.02	1340		
					Recomendamos We recommend: Butech			Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	
					Adhesivo Adhesive Fr-one+Unilax One-Flex, Maxifluid, Super-one			(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions	

*Valores aproximados /approximated values



Pared Wall
Brazil Natural 44x66 cm
Suelo Floor
Sandstone Beige 45x90 cm



Suelo Floor
Cappuccino 59.6x59.6 cm

CAPPUCCINO

- 
RECTIFICADO
RECTIFIED
- 
BRILLO
GLOSS
- 
DESTONIFICADO
TONE VARIATIONS

PAVIMENTO FLOOR TILE



CAPPUCCINO
V5590625 - 100135794
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Stoneware tile
V3
G347
Butech: Junta Colorstuk Caramelo ✓



CAPPUCCINO BEIGE
V5590631 - 100145215
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Stoneware tile
V3
G347
Butech: Junta Colorstuk Marfil ✓



CAPPUCCINO GRIS
V5590630 - 100145216
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Stoneware tile
V3
G347
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL SPECIAL PIECE



HUELLA TÉCNICA (1)
CAPPUCCINO V7710008 - 100138283
CAPPUCCINO BEIGE V7710018 - 100148016
CAPPUCCINO GRIS V7710017 - 100148017

31.6x59.6 cm 12 1/2"x23 1/2"
G130



ZÓCALO
CAPPUCCINO V4830069 - 100138291
CAPPUCCINO BEIGE V4830071 - 100146710
CAPPUCCINO GRIS V4830072 - 100146711

10x59.6 cm (x10.5 mm) 4"x23 1/2 "
G30

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech
		Piezas	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive Junta Grout
59.6x59.6 cm		4	1.42	35.45	32	45.46	1134	One-Flex, Flexitec
Huella Técnica 31.6x59.6 cm		2	0.41	12.00	48	19.96	576	Super-one
Zócalo 10x59.6 cm		18	1.07	22.93	56	60.07	1284	
								</



Pared Wall
Florenca Beige 33.3x100 cm
Cascais Noce 44x66 cm
Suelo Floor
Cascais Noce 44x66 cm



PAVIMENTO
FLOOR TILE



CASCAIS NATURAL
V5629861 - 100113255 G344

V5629842 - 100124277 Clase Class 2 G344

V5629847 - 100124278 Clase Class 3 G354

44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
Butech: Junta Colorstuk Cemento ✓

CLASE 2
CLASE 3
ANTISLIP



CASCAIS NOCE
V5629860 - 100113256 G344

V5629845 - 100124279 Clase Class 2 G344

V5629846 - 100124280 Clase Class 3 G354

44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
Butech: Junta Colorstuk Tabaco ✓

CLASE 2
CLASE 3
ANTISLIP



CASCAIS BEIGE
V5629862 - 100113254 G344

V5629843 - 100124275 Clase Class 2 G344

V5629844 - 100124276 Clase Class 3 G354

44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
Butech: Junta Colorstuk Marfil ✓

CLASE 2
CLASE 3
ANTISLIP

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
CASCAIS NATURAL V7700016 - 100117563
CASCAIS NOCE V7700021 - 100117564
CASCAIS BEIGE V7700011 - 100117562

31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
CASCAIS NATURAL V4540009 - 100144099
CASCAIS NOCE V4540026 - 100149041
CASCAIS BEIGE V4540007 - 100143829

9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
		Pieces	M ² * Kg*	Box	M ² * Kg*	Adhesivo Adhesive Fr-one+Unilax	Junta Grout Colorstuk	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	
44x66 cm		3	0.87 20.87	60	52.27 1272				
Huella Técnica 31.6x66 cm		2	0.46 12.42	40	18.42 496	One-Flex, Maxifluid			
Zócalo 9x66 cm		12	0.71 16.75	80	57.02 1340	Super-one			
								(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions	

*Valores aproximados /approximated values

Suelo Floor
Cascais Noce Clase 3 44x66 cm



Suelo Floor
Crystal Floor Dark 59.6x59.6 cm

CRYSTAL FLOOR



PAVIMENTO FLOOR TILE



CRYSTAL FLOOR WHITE
V5590675 - 100157525
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Stoneware tile
V1
G347
Butech: Junta Colorstuk Special White ✓



CRYSTAL FLOOR DARK
V5590674 - 100157524
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Stoneware tile
V1
G347
Butech: Junta Colorstuk Special Dark ✓

PIEZA ESPECIAL SPECIAL PIECE



HUELLA TÉCNICA (1)
CRYSTAL FLOOR WHITE V7700032 - 100117671
CRYSTAL FLOOR DARK V7700026 - 100117670

31.6x59.6 cm 12 1/2"x23 1/2"
G130

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
59.6x59.6 cm Huella Técnica 31.6x59.6 cm	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout
	4	1.42	35.45	32	45.46	1134	One-Flex, Flexitex,	Colorstuk Special
	2	0.41	12.00	48	19.96	576	Super-one	
(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions								

*Valores aproximados Approximated values



PAVIMENTO
FLOOR TILE



ESTOCOLMO
NATURAL
V5590640
100145245
59.6x59.6 cm
(x10.5 mm)
23 1/2"x23 1/2"
Gres Porcelánico
Porcelain tile
V3
G354
Butech: Junta Colorstuk Cemento ✓



ESTOCOLMO
GRIS
V5590637
100145242
59.6x59.6 cm
(x10.5 mm)
23 1/2"x23 1/2"
Gres Porcelánico
Porcelain tile
V3
G354
Butech: Junta Colorstuk Gris ✓



Gres Porcelánico
Porcelain tile
V4
Butech: Junta Colorstuk Cemento ✓

ESTOCOLMO NATURAL

22x90 cm (x10.5 mm) 8 5/8"x35 3/8" V5050020 - 100145244 G372
14.3x90 cm (x10.5 mm) 5 5/8"x35 3/8" V2950038 - 100145243 G372



Gres Porcelánico
Porcelain tile
V4
Butech: Junta Colorstuk Gris ✓

ESTOCOLMO GRIS

22x90 cm (x10.5 mm) 8 5/8"x35 3/8" V5050022 - 100145241 G372
14.3x90 cm (x10.5 mm) 5 5/8"x35 3/8" V2950037 - 100145240 G372

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
ESTOCOLMO NATURAL V7570022 - 100148021
ESTOCOLMO GRIS V7570021 - 100148019

31.6x90 cm 12 1/2"x35 3/8"
G146



ZÓCALO
ESTOCOLMO NATURAL V4830078 - 100146715
ESTOCOLMO GRIS V4830075 - 100146713

10x59.6 cm (x10.5 mm) 4"x23 1/2 "
G30

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
	Pieces	M²*	Kg*		Box	M²*	Kg*		
59.6x59.6 cm	4	1.42	35.45		32	45.46	1134		
22x90 cm	6	1.19	28.98		52	61.78	1540		
14.3x90 cm	8	1.03	25.04		60	61.80	1502		[59.6x59.6 cm] disponible para CLI-KER n CLI-KER n also available
Huella Técnica 31.6x90 cm	2	0.62	17.18		13	8.16	223		Utilizar materiales de colocación específicos para Gres Porcelánico
Zócalo 10x59.6 cm	18	1.07	22.93		56	60.07	1284		Use specific Porcelain Tiles setting materials
								(1) Huella Técnica, Huella Técnica Esquina DE / IZ:	
								Consultar Guía Técnica. No disponible en stock. Consultar condiciones	
								See Technical Guide. Not in stock. Check conditions	

*Valores aproximados Approximated values



FANTASY



PAVIMENTO
FLOOR TILE



FANTASY BLUE
V5590626 - 100135795
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Stoneware tile
V3
G347
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
FANTASY BLUE V7710009 - 100138284
31.6x59.6 cm 12 1/2"x23 1/2"
G130



ZÓCALO
FANTASY BLUE V4830070 - 100138292
10x59.6 cm (x10.5 mm) 4"x23 1/2"
G30

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet			Recomendamos We recommend: Butech	
		Pieces	M ² *	Kg*	Box	M ² *	Adhesivo Adhesive	Junta Grout
59.6x59.6 cm		4	1.42	35.45	32	45.46	One-Flex, Flexitec	Colorstuk Special
Huella Técnica 31.6x59.6 cm		2	0.41	12.00	48	19.96	Super-one	
Zócalo 10x59.6 cm		18	1.07	22.93	56	60.07		
							✓ color de junta recomendado recommended grout colour	
							[59.6x59.6 cm] disponible para CLI-KER n CLI-KER n also available	
							(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones	
							See Technical Guide. Not in stock. Check conditions	

*Valores aproximados / approximated values



Suelo Floor
Fantasy Blue 59.6x59.6 cm

PAVIMENTO
FLOOR TILE



FERROKER
V5900300 - 100027092
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V3
G381
Butech: Junta Colorstuk Antracita ✓



FERROKER ALUMINIO
V5908221 - 100031361
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V3
G381
Butech: Junta Colorstuk Manhattan ✓



FERROKER NÍQUEL
V5908323 - 100094915
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Gris ✓

PAVIMENTO
FLOOR TILE



FERROKER PLATINO
V5908324 - 100094916
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Blanco ✓



FERROKER TITANIO
V5908325 - 100094917
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Marfil ✓

FLOOR TILES

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
59.6x120 cm	Pieces	M²*	Kg*	Box	M²*	Adhesivo Adhesive	Junta Grout	[59.6x120 cm] No disponible en stock. Consultar condiciones Not in stock. Check conditions
	2	1.43	38.40	25	35.76	One-Flex, Maxifluid Super-one	Colorstuk	
Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials								Colecciones complementarias Complementary collections: [Ruggine, Shine, Queens]

*Valores aproximados Approximated values

PAVIMENTO
FLOOR TILE




FERROKER
V5590652 - 100149092
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico Porcelain tile
V3
G354
Butech: Junta Colorstuk Antracita ✓



FERROKER ALUMINIO
V5590658 - 100151466
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico Porcelain tile
V3
G354
Butech: Junta Colorstuk Manhattan ✓



FERROKER NÍQUEL
V5590653 - 100149093
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico Porcelain tile
V2
G354
Butech: Junta Colorstuk Gris ✓



FERROKER PLATINO
V5590651 - 100148909
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico Porcelain tile
V2
G354
Butech: Junta Colorstuk Blanco ✓



FERROKER TITANIO
V5590661 - 100153213
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico Porcelain tile
V2
G354
Butech: Junta Colorstuk Marfil ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet		✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² * Kg*	
59.6x59.6 cm	4	1.42	35.45	32	45.46 1134	[59.6x59.6 cm] disponible para CLI-KER n CLI-KER n also available
				Recomendamos We recommend: Butech		Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials
				Adhesivo Adhesive One-Flex, Maxifluid Super-one		Colecciones complementarias Complementary collections: [Ruggine, Shine, Queens]
				Junta Grout Colorstuk		

*Valores aproximados Approximated values

PAVIMENTO
FLOOR TILE



STON-KER



RECTIFICADO
RECTIFIED



DESTONIFICADO
TONE VARIATIONS



FERROKER
V7590155 - 100103298
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V3
G363
Butect: Junta Colorstuk Antracita ✓



STON-KER



RECTIFICADO
RECTIFIED



DESTONIFICADO
TONE VARIATIONS



FERROKER ALUMINIO
V7590192 - 100106345
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V3
G363
Butect: Junta Colorstuk Manhattan ✓



STON-KER



RECTIFICADO
RECTIFIED



FERROKER NIQUEL
V7590193 - 100106346
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V2
G363
Butect: Junta Colorstuk Gris ✓



STON-KER



RECTIFICADO
RECTIFIED



FERROKER PLATINO
V7590171 - 100105297
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V2
G363
Butect: Junta Colorstuk Blanco ✓

PAVIMENTO
FLOOR TILE



STON-KER



RECTIFICADO
RECTIFIED



FERROKER TITANIO
V7590164 - 100104642
45x90 cm - (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V2
G363
Butect: Junta Colorstuk Marfil ✓



STON-KER



RECTIFICADO
RECTIFIED



DESTONIFICADO
TONE VARIATIONS



FERROKER LATÓN
V7590172 - 100105296
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V3
G363
Butect: Junta Colorstuk Beige ✓

Suelo Floor
Ferroker Aluminio 44x66 cm

FLOOR TILES

PAVIMENTO
FLOOR TILE



FERROKER
V5621700 - 100026602
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Antracita ✓



FERROKER ALUMINIO
V5621701 - 100026606
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Manhattan ✓



FERROKER NÍQUEL
V5629990 - 100091783
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Gris ✓



FERROKER PLATINO
V5629989 - 100091784
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Blanco ✓

PAVIMENTO
FLOOR TILE



FERROKER CALDERA
V5621703 - 100026614
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Marrón ✓



FERROKER LATÓN
V5621702 - 100026610
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Beige ✓



FERROKER TITANIO
V5629988 - 100091785
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Marfil ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout
45x90 cm	3	1.22	30.75	44	53.68	1353	One-Flex, Maxifluid,	Colorstuk
44x66 cm	3	0.87	21.18	60	52.27	1270	Super-one	
				Recomendamos We recommend: Butech				
				Adhesivo Adhesive				Junta Grout
				One-Flex, Maxifluid,				Colorstuk
				Super-one				
								Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials
								Colecciones complementarias Complementary collection: [Ruggine, Shine, Queens]

*Valores aproximados Approximated values

PAVIMENTO
FLOOR TILE



FERROKER
V2449923
100046033
44.3x44.3 cm
(x9.4 mm)
17 1/2"x17 1/2"
Gres Porcelánico
Porcelain tile
V3
G311
Butech: Junta Colorstuk Antracita ✓



FERROKER
ALUMINIO
V2449928
100088015
44.3x44.3 cm
(x9.4 mm)
17 1/2"x17 1/2"
Gres Porcelánico
Porcelain tile
V3
G311
Butech: Junta Colorstuk Manhattan ✓



FERROKER
PLATINO
V5460025
100160743
44.3x44.3 cm
(x9.4 mm)
17 1/2"x17 1/2"
Gres Porcelánico
Porcelain tile
V2
G311
Butech: Junta Colorstuk Blanco ✓



FERROKER
NÍQUEL
V5460004
100091833
44.3x44.3 cm
(x9.4 mm)
17 1/2"x17 1/2"
Gres Porcelánico
Porcelain tile
V2
G311
Butech: Junta Colorstuk Gris ✓



FERROKER
TITANIO
V5460002
100091838
44.3x44.3 cm
(x9.4 mm)
17 1/2"x17 1/2"
Gres Porcelánico
Porcelain tile
V2
G311
Butech: Junta Colorstuk Marfil ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive One-Flex, Maxifluid, Super-one	Junta Grout Colorstuk
44.3x44.3 cm	5	0.98	22.30	66	64.76	1471	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	Colecciones complementarias Complementary collections: [Ruggine, Shine, Queens]
44.3x44.3 cm (new packing Platino)	7	1.37	30.38	52	71.43	1580		

*Valores aproximados /approximated values



Suelo y pared Floor and wall
Ferroker 44x66 cm

FLOOR TILES

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
FERROKER V7700055 - 100139155
FERROKER ALUMINIO V7700052 - 100139156
FERROKER CALDERA V7700054 - 100139157
FERROKER LATÓN V7700051 - 100139158
FERROKER NÍQUEL V7700034 - 100121575
FERROKER PLATINO V7700056 - 100139159
FERROKER TITANIO V7700042 - 100126687

31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
FERROKER V4460015 - 100150646
FERROKER ALUMINIO V4460002 - 100142946
FERROKER NÍQUEL V4830067 - 100136641
FERROKER PLATINO V4460001 - 100142949
FERROKER TITANIO V4460000 - 100142951

9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2"
G30



ZÓCALO
FERROKER V4540002 - 100142945
FERROKER ALUMINIO V4540004 - 100142947
FERROKER CALDERA V4540006 - 100142948
FERROKER LATÓN V4540028 - 100149042
FERROKER NÍQUEL V4540033 - 100151809
FERROKER PLATINO V4540005 - 100142950
FERROKER TITANIO V4540030 - 100149043

9x66 cm (x10.1 mm) 3 1/2"x26"
G34



ZÓCALO
FERROKER V4859942 - 100121763
FERROKER ALUMINIO V4859925 - 100110237
FERROKER LATÓN V4859926 - 100110296
FERROKER NÍQUEL V4859923 - 100110238
FERROKER PLATINO V4859929 - 100110819
FERROKER TITANIO V4859928 - 100110820

10x44.3 cm (x9.4 mm) 4"x17 1/2"
G7

EMBALAJE PACKAGING					COLOCACIÓN FIXING				IMPORTANTE IMPORTANT		
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour		
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout			
Huella Técnica 31.6x66 cm	2	0.46	12.42	40	18.42	496	One-Flex, Maxifluid,	Colorstuk	Utilizar materiales de colocación específicos para Gres Porcelánico		
Zócalo 10x44.3 cm	20	0.88	17.94	72	63.79	1369	Super-one		Use specific Porcelain Tiles setting materials		
Zócalo 9x66 cm	12	0.71	16.75	80	57.02	1340					
Zócalo 9x59.6 cm	18	0.96	25.68	56	54.07	1438			Colecciones complementarias Complementary collections: [Ruggine, Shine, Queens]		
										(1) Huella Técnica, Huella Técnica Esquina DE / IZ:	
										Consultar Guía Técnica. No disponible en stock. Consultar condiciones	
										See technical Guide. Not in stock. Check conditions	

*Valores aproximados /approximated values



Suelo Floor
Ironker Cobre 44x66 cm

PAVIMENTO
FLOOR TILE



IRONKER COBRE
V5622501 - 100026645
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Antracita ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
IRONKER COBRE V7700058 - 100139160
31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
IRONKER COBRE V4540034 - 100152151
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
	Pieces	M²*	Kg*		Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout
44x66 cm	3	0.87	21.48		60	52.27	1288	One-Flex, Maxifluid,	Colorstuk
Huella Técnica 31.6x66 cm	2	0.46	12.42		40	18.42	496	Super-one	
Zócalo 9x66 cm	12	0.71	16.75		80	57.02	1340		



Suelo Floor
K2 56.6x120 cm

K2



PAVIMENTO
FLOOR TILE



K2
V5908280 - 100062841
59.6x120 cm (x11.5 mm) 23 1/2"x47 1/4"
Gres Porcelánico Porcelain tile
V2
G381
Butech: Junta Colorstuk Gris ✓



K2
V5629950 - 100062286
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
K2 V7520249 - 100137627
31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
K2 V4540043 - 100158821
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive One-Flex, Maxifluid, Super-one	
59.6x120 cm	2	1.43	38.10	25	35.76	952	Junta Grout Colorstuk	
44x66 cm	3	0.87	21.24	60	52.27	1274		[59.6x120 cm] No disponible en stock. Consultar condiciones Not in stock. Check conditions
Huella Técnica 31.6x66 cm	2	0.84	22.35	26	21.78	851		
Zócalo 9x66 cm	12	0.71	16.75	80	57.02	1340		Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials
								(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions

*Valores aproximados Approximated values



Suelo Floor
Lassa White 56.6x59.6 cm

LASSA



PAVIMENTO FLOOR TILE



LASSA WHITE
V5590656 - 100150725
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Stoneware tile
V2
G347
butech colorstuk blanco ✓

PIEZA ESPECIAL SPECIAL PIECE



HUELLA TÉCNICA (1)
LASSA WHITE V7710004 - 100121741
31.6x59.6 cm 12 1/2"x23 1/2"
G130



ZÓCALO
LASSA WHITE V4830058 - 100121474
10x59.6 cm (x10.5 mm) 4"x23 1/2"
G30

EMBALAJE PACKAGING							COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description				x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
59.6x59.6 cm	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout	[59.6x59.6 cm] disponible para CLI-KER n CLI-KER n also available
Huella Técnica 31.6x59.6 cm	4	1.42	35.45	32	45.46	1134	One-Flex, Flexitec	Colorstuk Special	
Zócalo 10x59.6 cm	2	0.41	12.00	48	19.96	576	Super-one		
	18	1.07	22.93	56	60.07	1284			(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions

*Valores aproximados Approximated values

PAVIMENTO
FLOOR TILE



LISBOA CALIZA
V7590268 - 100145323
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V3
G363
Butech: Junta Colorstuk Blanco ✓



LISBOA TAUPE
V7590269 - 100145324
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V3
G363
Butech: Junta Colorstuk Cemento ✓



LISBOA CALIZA
V5629823 - 100145440
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Blanco ✓



LISBOA TAUPE
V5629822 - 100145441
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Cemento ✓



Suelo Floor
Llisboa Taupe 45x90 cm

FLOOR TILES

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
LISBOA CALIZA V7700077 - 100148022
LISBOA TAUPE V7700074 - 100148023

31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
LISBOA CALIZA V4540023 - 100146668
LISBOA TAUPE V4540022 - 100146669


9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout	
45x90 cm	3	1.22	30.75	44	53.68	1353	Fr-one+Unilax	Colorstuk	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials
44x66 cm	3	0.87	20.85	60	52.27	1260	One-Flex, Maxifluid, Super-one		
Huella Técnica 31.6x66 cm	2	0.46	12.42	40	18.42	496			(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions
Zócalo 9x66 cm	12	0.71	18.00	50	35.64	900			

*Valores aproximados Approximated values




PAVIMENTO
FLOOR TILE



MADAGASCAR BLANCO
V5550005 - 100104769
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V2
G363
Butech: Junta Colorstuk Blanco ✓



MADAGASCAR NATURAL
V5550006 - 100105298
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V2
G363
Butech: Junta Colorstuk Gris ✓



MADAGASCAR BEIGE
V5550007 - 100108579
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V2
G363
Butech: Junta Colorstuk Marfil ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box		x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
45x90 cm	Pieces 3	M ² * 1.22	Kg* 29.04	Box 44	M ² * 53.68	Kg* 1278	Adhesivo Adhesive One-Flex, Maxifluid, Super-one Junta Grout Colorstuk	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials

*Valores aproximados Approximated values

Suelo Floor
Madagascar Marrón 44x66 cm


PAVIMENTO
FLOOR TILE




MADAGASCAR BLANCO
V5629881 - 100105105
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Blanco ✓



MADAGASCAR NATURAL
V5629890 - 100099197
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Gris ✓



MADAGASCAR BEIGE
V5629892 - 100099195
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Marfil ✓



MADAGASCAR MARRÓN
V5629891 - 100099196
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Marrón ✓

PAVIMENTO
FLOOR TILE



MADAGASCAR BLANCO
V5460010 - 100106055
44.3x44.3 cm (x9.4 mm) 17 1/2"x17 1/2"
Gres Porcelánico Porcelain tile
V2
G311
Butech: Junta Colorstuk Blanco ✓



MADAGASCAR NATURAL
V5460008 - 100100421
44.3x44.3 cm (x9.4 mm) 17 1/2"x17 1/2"
Gres Porcelánico Porcelain tile
V2
G311
Butech: Junta Colorstuk Gris ✓



MADAGASCAR BEIGE
V5460007 - 100100419
44.3x44.3 cm (x9.4 mm) 17 1/2"x17 1/2"
Gres Porcelánico Porcelain tile
V2
G311
Butech: Junta Colorstuk Marfil ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
MADAGASCAR BLANCO V7700015 - 100117570
MADAGASCAR NATURAL V7700053 - 100139161
MADAGASCAR BEIGE V7700014 - 100117569
MADAGASCAR MARRÓN V7700023 - 100117571

31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
MADAGASCAR BLANCO V4540039 - 100156058
MADAGASCAR NATURAL V4540018 - 100145170
MADAGASCAR BEIGE V4540041 - 100157287
MADAGASCAR MARRÓN V4540029 - 100149044

9x66 cm (x10.1 mm) 3 1/2"x26"
G34



ZÓCALO
MADAGASCAR BLANCO V4859933 - 100114982
MADAGASCAR NATURAL V4859931 - 100114984
MADAGASCAR BEIGE V4859930 - 100114981

10x44.3 cm (x9.4 mm) 4"x17 1/2"
G7

EMBALAJE PACKAGING					COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box			x Palet		
		Pieces	M²*	Kg*	Box	M²*	Kg*
44x66 cm		3	0.87	20.58	60	52.27	1235
44.3x44.3 cm		5	0.98	21.60	66	64.76	1426
Huella Técnica 31.6x66 cm		2	0.46	12.42	40	18.42	496
Zócalo 10x44.3 cm		20	0.88	19.02	72	63.79	1369
Zócalo 9x66 cm		12	0.71	16.75	80	57.02	1340
					Recomendamos We recommend: Butech		
					Adhesivo Adhesive	Junta Grout	
					One-Flex, Maxifluid,	Colorstuk	
					Super-one		

*Valores aproximados Approximated values



Pared Wall
Sea Silver 33.3x100 cm
Suelo Floor
Madagascar Natural 45x90 cm



Suelo Floor
Metalker 44x66 cm

METALKER



PAVIMENTO
FLOOR TILE



METALKER
V5622400 - 100026637
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V1
G344
Butech: Junta Colorstuk Antracita ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
METALKER V7700004 - 100117572
31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
METALKER V7070180 - 100027226
10x44 cm (x10.1 mm) 4"x17 3/8"
G11

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
		Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout
Metalker 44x66 cm		3	0.87	21.00	60	52.27	1260	One-Flex, Maxifluid	Colorstuk
Huella Técnica 31.6x66 cm		2	0.46	12.42	40	18.42	496	Super-one	
Zócalo 10x44 cm		20	0.88	20.40	42	36.96	856		

PAVIMENTO
FLOOR TILE



MÓNACO BEIGE
V5590634 - 100145229
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico Porcelain tile
V3
G354
Butech: Junta Colorstuk Beige ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
MÓNACO BEIGE V7700072 - 100148009
31.6x59.6 cm 12 1/2"x23 1/2"
G130



ZÓCALO
MÓNACO BEIGE V4540024 - 100146720
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
		Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout
59.6x59.6 cm		4	1.42	35.45	32	45.46	1134	One-Flex, Flexitec	Colorstuk Special
Huella Técnica 31.6x59.6 cm		2	0.46	12.42	40	18.42	496	Super-one	
Zócalo 9x66 cm		12	0.71	18.00	50	35.64	900		
								✓ color de junta recomendado recommended grout colour	
								[59.6x59.6 cm] disponible para CLI-KER n CLI-KER n also available	
								Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	
								(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions	

*Valores aproximados /approximated values



Suelo Floor
Mónaco Beige 59.6x59.6 cm



PAVIMENTO
FLOOR TILE



MONTECARLO NATURAL
V5629863 - 100113136
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Antracita ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
MONTECARLO NATURAL V7700018 - 100117583
31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
MONTECARLO NATURAL V4540001 - 100142952
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING				COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box		x Palet	Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² * Kg*	
44x66 cm	3	0.87	21.13	60	52.27 1288	
Huella Técnica 31.6x66 cm	2	0.46	12.42	40	18.42 496	
Zócalo 9x66 cm	12	0.71	16.75	80	57.02 1340	
				Adhesivo Adhesive	Junta Grout	
				Fr-one+Unilax	Colorstuk	
				One-Flex, Maxifluid,		
				Super-one		

*Valores aproximados Approximated values

Pared Wall
Montecarlo Natural 44x66 cm
Suelo Floor
Montecarlo Natural 44x66 cm

PAVIMENTO
FLOOR TILE



NÁPOLES
V5629864 - 100113135
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Blanco ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
NÁPOLES V7700017 - 100117587
31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
NÁPOLES V4540042 - 100158822
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet			Recomendamos We recommend: Butech	
		Piezas	M²*	Kg*	Box	M²*	Adhesivo Adhesive	Junta Grout
44x66 cm		3	0.87	20.85	60	52.27	Fr-one+Unilax	Colorstuk
Huella Técnica 31.6x66 cm		2	0.46	12.42	40	18.42	One-Flex, Maxifluid,	
Zócalo 9x66 cm		12	0.71	16.75	80	57.02	Super-one	
							Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	
							(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions	

*Valores aproximados / Approximated values





NAZCA ANTRACITA
V5550009 - 100108581
 45x90 cm (x10.5 mm)
 17 3/4" x 35 3/8"
Gres Porcelánico
 Porcelain tile
V3
G363
 Butech: Junta Colorstuck Antracita ✓

HUELLA TÉCNICA (1)
NAZCA ANTRACITA V7700006 - 100117588
31.6x90 cm 12 1/2"x35 3/8"
G146



ZÓCALO
NAZCA ANTRACITA V7071632 - 100099010
10x44 cm (x10.1 mm) 4"x17 3/8"
G11

*Valores aproximados Approximated values



Pared Wall
Newport Natural 33.3x100 cm
Suelo Floor
Newport Natural 59.6x59.6 cm

NEWPORT

- 
MATE-BRILLO
MATT-GLOSS
- 
DESTONIFICADO
TONE VARIATIONS
- 
EXTERIORES
EXTERIORS

PAVIMENTO FLOOR TILE



NEWPORT
BEIGE
V5700018
100156056
80x80 cm
(x11.0 mm)
31 1/2"x31 1/2"
Gres Porcelánico
Porcelain tile
V3
G381
Butech: Junta Colorstuk Marfil ✓



NEWPORT
NATURAL
V5700019
100156057
80x80 cm
(x11.0 mm)
31 1/2"x31 1/2"
Gres Porcelánico
Porcelain tile
V3
G381
Butech: Junta Colorstuk Gris ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box		x Palet		Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
80x80 cm	Pieces 2	M ² * 1.28	Kg* 34.28	Box 36	M ² * 46.08 Kg* 1234	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials

*Valores aproximados Approximated values

PAVIMENTO
FLOOR TILE



STON-KER



RECTIFICADO
RECTIFIED



NEWPORT
WHITE
V5590670
100155941
59.6x59.6 cm
(x10.5 mm)
23 1/2"x23 1/2"
Gres Porcelánico
Porcelain tile
V3
G354
Butech: Junta Colorstuk Blanco ✓



NEWPORT
BEIGE
V5590666
100155173
59.6x59.6 cm
(x10.5 mm)
23 1/2"x23 1/2"
Gres Porcelánico
Porcelain tile
V3
G354
Butech: Junta Colorstuk Marfil ✓



STON-KER



RECTIFICADO
RECTIFIED



NEWPORT
NATURAL
V5590665
100155175
59.6x59.6 cm
(x10.5 mm)
23 1/2"x23 1/2"
Gres Porcelánico
Porcelain tile
V3
G354
Butech: Junta Colorstuk Gris ✓



NEWPORT
GRAY
V5590669
100155940
59.6x59.6 cm
(x10.5 mm)
23 1/2"x23 1/2"
Gres Porcelánico
Porcelain tile
V3
G354
Butech: Junta Colorstuk Gris ✓



STON-KER



RECTIFICADO
RECTIFIED



NEWPORT
DARK GRAY
V5590668
100155919
59.6x59.6 cm
(x10.5 mm)
23 1/2"x23 1/2"
Gres Porcelánico
Porcelain tile
V3
G354
Butech: Junta Colorstuk Antracita ✓

PAVIMENTO
FLOOR TILE



STON-KER



RECTIFICADO
RECTIFIED

CLASE
3



ANTISLIP



NEWPORT NATURAL
Clase Class 3
V5590676 - 100157891
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico Porcelain tile
V3
G359
Butech: Junta Colorstuk Gris ✓

PAVIMENTO
FLOOR TILE



NEWPORT BEIGE
V5460023 - 100157853
44.3x44.3 cm (x9.4 mm) 17 1/2"x17 1/2"
Gres Porcelánico Porcelain tile
V3
G311
Butech: Junta Colorstuk Marfil ✓



NEWPORT NATURAL
V5460024 - 100157854
44.3x44.3 cm (x9.4 mm) 17 1/2"x17 1/2"
Gres Porcelánico Porcelain tile
V3
G311
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
NEWPORT WHITE V7710030 - 100156341
NEWPORT BEIGE V7710028 - 100156317
NEWPORT NATURAL V7710029 - 100156340
NEWPORT GRAY V7710027 - 100156319
NEWPORT DARK GRAY V7710026 - 100156318

31.6x59.6 cm 12 1/2"x23 1/2"
G130



ZÓCALO
NEWPORT WHITE V4460021 - 100156325
NEWPORT BEIGE V4460025 - 100156321
NEWPORT NATURAL V4460019 - 100156324
NEWPORT GRAY V4460023 - 100156323
NEWPORT DARK GRAY V4460024 - 100156322

9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2"
G30



ZÓCALO
NEWPORT BEIGE V4859972 - 100158461
NEWPORT NATURAL V4859973 - 100158462

10x44.3 cm (x9.4 mm) 4"x17 1/2"
G7

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
	Pieces	M²*	Kg*		Box	M²*	Kg*		
59.6x59.6 cm	4	1.42	35.45		32	45.46	1134		[59.6x59.6 cm] disponible para CLI-KER n CLI-KER n also available
44.3x44.3 cm	7	1.37	29.58		52	71.43	1560		
Huella Técnica 31.6x59.6 cm	2	0.41	12.00		48	19.96	576		
Zócalo 9x59.6 cm	18	0.96	25.68		56	54.07	1438		Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials
Zócalo 10x44.3 cm	20	0.88	18.84		72	63.79	1356		

*Valores aproximados Approximated values





RHIN GRIS
V5590660
100151974
 59.6x59.6 cm
 (x10.5 mm)
 23 1/2"x23 1/2"
Gres Porcelánico
 Porcelain tile
V3
G354
 Butech: Junta Colostuk Cemento ✓



RHIN TAUPE
V5590650
100148920
 59.6x59.6 cm
 (x10.5 mm)
 23 1/2" x 23 1/2"
Gres Porcelánico
 Porcelain tile
V3
G354
 Butech: Junta Colorstuck Cemento ✓



RHIN TAUPE
V5460015 - 100141938
 44.3x44.3 cm (x9.4 mm)
 17 1/2" x 17 1/2"
 Gres Porcelánico
 Porcelain tile
 V3
G311
 Butech: Junta Colorstuk Cemento ✓



31.6x59.6 cm 12 1/2"x23 1/2"
G130



9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2 "
G30



10x44.3 cm (x9.4 mm) 4"x17 1/2"
G7

EMBALAJE / PACKAGING				COLOCACIÓN / LAYING				IMPORTANTE / IMPORTANT	
Descripción / Description	x Caja / Box			x Palet			Recomendamos / We recommend: Butech		
	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo / Adhesive	Junta / Grout	
59.6x59.6 cm	3	1.07	26.19	32	34.10	838	One-Flex, Maxifluid, Super-one	Junta / Grout Colorstuk	
44.3x44.3 cm	5	0.98	21.75	66	64.76	1435			
Huella Técnica 31.6x59.6 cm	2	0.41	12.00	48	19.96	576			
Zócalo 9x59.6 cm	18	0.96	25.68	56	54.07	1438			
Zócalo 10x44.3 cm	20	0.88	18.84	72	63.79	1356	✓ color de junta recomendado / recommended grout colour		
								[59.6x59.6 cm] disponible para CLI-KER n / CLI-KER n also available	
								Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	
								(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions	

225



Pared y suelo Wall and floor
Rocher Natural 44x66 cm

PAVIMENTO
FLOOR TILE



ROCHER
NATURAL
V5590624
100130297
59.6x59.6 cm
(x10.5 mm)
23 1/2"x23 1/2"
Gres Porcelánico
Porcelain tile
V3
G354
Butech: Junta Colorstuk Cemento ✓



ROCHER NATURAL
V5629834 - 100130296
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Cemento ✓



ROCHER IVORY
V5629824 - 100145325
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Gris ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
ROCHER NATURAL V7700060 - 100139163
ROCHER IVORY V7700070 - 100148030

31.6x66 cm 12 1/2"x26"
G130




ZÓCALO
ROCHER NATURAL V4540000 - 100140418
ROCHER IVORY V4540021 - 100146722

9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING				COLOCACIÓN FIXING	IMPORTANTE IMPORTANT
Descripción Description	x Caja Box		x Palet		✓ color de junta recomendado recommended grout colour [59.6x59.6 cm] disponible para CLI-KER n CLI-KER n also available Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials (1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions
	Pieces	M²*	Kg*	Box	
59.6x59.6 cm	3	1.07	26.19	32	
44x66 cm	3	0.87	20.85	60	
Huella Técnica 31.6x66 cm	2	0.46	12.42	40	
Zócalo 9x66 cm	12	0.71	18.00	50	
				M²* Kg*	
				32 34.10 838	
				60 52.27 1271	
				40 18.42 496	
				50 35.64 900	
				Recomendamos We recommend: Butech	
				Adhesivo Adhesive	Junta Grout
				Fr-one+Unilax	Colorstuk
				One-Flex, Maxifluid	
				Super-one	

*Valores aproximados approximated values

SANDSTONE



PAVIMENTO
FLOOR TILE



SANDSTONE BEIGE
V7590156 - 100103324
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V3
G363
Butech: Junta Colorstuk Beige ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
SANDSTONE BEIGE V7570013 - 100136456
31.6x90 cm 12 1/2"x35 3/8"
G146



ZÓCALO
SANDSTONE BEIGE V9100430 - 100139099
9x90 cm (x10.5 mm) 3 1/2"x35 3/8"
G63

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
		Pieces	M ² *	Kg*		Box	M ² * Kg*	Junta Grout	
45x90 cm		3	1.22	31.11		44	53.68 1369	One-Flex, Maxifluid, Super-one	
Huella Técnica 31.6x90 cm		2	0.62	17.18		13	8.16 223	Colorstuk	
Zócalo 9x90 cm		9	0.73	18.98		36	26.24 683		

*Valores aproximados /approximated values



FLOOR TILES

Suelo Floor
Sandstone Beige 45x90 cm



Pared *Wall*
Seattle Dark 33.3x100 cm
Suelo *Floor*
Seattle Dark 59.6x59.6 cm

SEATTLE

- 

STON-KER
- 

RECTIFICADO
RECTIFIED
- 

MATE-BRILLO
MATT-BLOSS
- 

DESTONIFICADO
TONE VARIATIONS
- 

EXTERIORES
EXTERIORS

PAVIMENTO
FLOOR TILE



SEATTLE BROWN
V5590672 - 100156028
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico *Porcelain tile*
V3
G354
Butech: Junta Colorstuk Antracita ✓



SEATTLE DARK
V5590671 - 100156070
59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
Gres Porcelánico *Porcelain tile*
V3
G354
Butech: Junta Colorstuk Antracita ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
SEATTLE BROWN V7710032 - 100156342
SEATTLE DARK V7710031 - 100156343

31.6x59.6 cm 12 1/2"x23 1/2"
G130



ZÓCALO
SEATTLE BROWN V4460022 - 100156326
SEATTLE DARK V4460020 - 100156327

9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2"
G30

EMBALAJE PACKAGING					COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
		Pieces	M²*	Kg*	Box	M²*	[59.6x59.6 cm] disponible para CLI-KER n <i>CLI-KER n</i> also available Utilizar materiales de colocación específicos para Gres Porcelánico <i>Use specific Porcelain Tiles setting materials</i> (1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones <i>See Technical Guide. Not in stock. Check conditions</i>
59.6x59.6 cm		4	1.42	35.45	32	45.46	
Huella Técnica 31.6x59.6 cm		2	0.46	12.42	40	18.42	
Zócalo 9x59.6 cm		18	0.96	25.68	56	54.07	
		x Palet			Adhesivo / adhesive		
					One-Flex, Flexitec	Junta Grout Colorstuk Special	
					Super-one		

*Valores aproximados *Approximated values*

PAVIMENTO
FLOOR TILE



STON-KER



RECTIFICADO
RECTIFIED



SILK BLANCO
V7590291 - 100154521
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V1 - G363
Butech: Junta Colorstuk Blanco ✓



STON-KER



RECTIFICADO
RECTIFIED



SILK BLANCO
V5622900 - 100026674
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V1
G344
Butech: Junta Colorstuk Blanco ✓



STON-KER



RECTIFICADO
RECTIFIED



SILK VERDE
V5622902 - 100026682
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V1
G344
Butech: Junta Colorstuk Manhattan ✓



SILK BLANCO
V5460013 - 100141219
44.3x44.3 cm (x9.4 mm) 17 1/2"x17 1/2"
Gres Porcelánico Porcelain tile
V1
G311
Butech: Junta Colorstuk Blanco ✓



Suelo Floor
Silk Blanco 44x66 cm

FLOOR TILES

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
SILK BLANCO V7700059 - 100139164
SILK VERDE V7700064 - 100139165

31.6x66 cm 12 1/2"x26"
G130




ZÓCALO
SILK BLANCO V4540015 - 100144131
SILK VERDE V4540020 - 100145172

9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
		Pieces	M** Kg*	Box	M** Kg*	Adhesivo Adhesive	Junta Grout		
45x90 cm		3	1.22 29.86	44	53.46 1314	One-Flex, Maxifluid, Super-one	Colorstuk	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	
44x66 cm		3	0.87 21.27	60	52.27 1276				
44.3x44.3 cm		5	0.98 21.75	66	64.76 1435				
Huella Técnica 31.6x66 cm		2	0.46 12.42	40	18.42 496				
Zócalo 9x66 cm		12	0.71 16.75	80	57.02 1340			(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See technical Guide. Not in stock. Check conditions	

*Valores aproximados Approximated values

STONE FLAMÉ



PAVIMENTO
FLOOR TILE



STONE FLAMÉ NATURAL
V7590163 - 100104295
45x90 cm (x10.5 mm) 17 3/4"x35 3/8"
Gres Porcelánico Porcelain tile
V3
G363
Butech: Junta Colorstuk Cemento ✓



STONE FLAMÉ NATURAL
V5629962 - 100068470
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Cemento ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
STONE FLAMÉ NATURAL V7570017 - 100139166
31.6x90 cm 12 1/2"x35 3/8"
G146



ZÓCALO
STONE FLAMÉ NATURAL V4540010 - 100144132
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
		Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout
45x90 cm		3	1.22	30.18	44	53.68	1328	One-Flex, Maxifluid, Super-one	Colorstuk
44x66 cm		3	0.87	21.03	60	52.27	1262		
Huella Técnica 31.6x90 cm		2	0.62	17.18	13	8.16	223		
Zócalo 9x66 cm		12	0.71	16.75	80	57.02	1340		
									✓ color de junta recomendado recommended grout colour
									Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials
									(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions

*Valores aproximados /approximated values



Pared y suelo Wall and floor
Stone Flamé Natural 44x66 cm



STYCKER



“Fusión de Materiales.”


Stylker es el resultado de la fusión de materiales tales como piedra, metal y cerámica. Este concepto de fusión es el que nos ha llevado a crear un diseño único, que aúna características estéticas de materiales tan diversos sobre un soporte cerámico de gran formato. Su aspecto y color de metal se funde con veteados y formas típicos de las piedras naturales, originando un producto realmente novedoso. El alto grado de destonificación entre piezas y un agradable tacto sedoso, son otras de sus características principales.

"An Amalgam of Materials."

Stylker is an amalgam of stone, metal and ceramic. Inspired by the idea of fusing different materials, the final outcome is a unique product that unites the visual characteristics of materials as diverse as these on a large-format tile body.

Its metal appearance and colour has been combined with a veined pattern typical of natural stone, with genuinely innovative end results. Stylker also stands out for the high degree of shade variation of its tiles and their pleasant silky feel.

PAVIMENTO
FLOOR TILE

**PIEZA ESPECIAL**
SPECIAL PIECE

ZÓCALO
STYLER DARK V4540012 - 100144133
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE/PACKAGING				COLOCACIÓN/FIXING				IMPORTANTE/IMPORTANT	
Descripción/Description	x Caja/Box			x Palet			Recomendamos/We recommend: Butech		
	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo/Adhesive	Junta Grout	
59.6x120 cm	2	1.43	38.10	25	35.76	952	Super-one	Colorstuck	
19.3x120 cm	6	1.39	32.34	48	66.72	1552			
Huella Técnica 31.6x120 cm	2	0.83	22.35	26	21.77	581			
Zócalo 9x66 cm	12	0.71	16.75	80	57.02	1340			
							✓ color de junta recomendado/recommended grout colour		
							Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain tiles setting materials		
							[59.6x120 cm] No disponible en stock. Consultar condiciones Not in stock. Check conditions		
							(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions		

*Valores aproximados Approximated values

Suelo Floor
Stylker Dark 19.3x120 cm



Suelo Floor
Talavera Caldera Oct. 44.6x44.6 cm
Tacos Estrella Romancos 6.7x6.7 cm

TALAVERA

- 
MATE
MATT
- 
DESTONIFICADO
TONE VARIATONS
- 
EXTERIORES
EXTERIORS

PAVIMENTO FLOOR TILE



TALAVERA CALDERA
V2460300 - 100022877
Oct. 44.6x44.6 cm (x9.4 mm) Oct.17 1/2"x17 1/2"
Gres porcelánico Porcelain tile
V3
G314
Butech: Junta Colorstuk Cemento ✓

PIEZA ESPECIAL SPECIAL PIECE



TACOS ESTRELLA ROMANCOS V4800405 - 100030036
(P.E) 6.7x6.7 cm (x 8.0 mm) 2 5/8"x2 5/8"
G4



TACOS ESTRELLA CAZORLA V4800415 - 100025067
(P.E) 6.7x6.7 cm 2 5/8"x2 5/8"
G4



ZÓCALO
TALAVERA CALDERA V4860220 - 100025557
10x44.3 cm (x9.4 mm) 4"x17 1/2"
G7

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
Pieces	M**	Kg*		Box	M**	Kg*	Adhesivo Adhesive	Junta Grout	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials
Talavera Oct. 44.6x44.6 cm	5	0.99	22.25	66	65.64	1468	One-Flex, Maxifluid,	Colorstuk	
Taco Estrella 6.7x6.7 cm	80	0.36	4.16	171	61.41	711	Super-one		
Zócalo Talavera 10x44.3 cm	20	0.88	18.84	72	63.79	1356			
								[P.E.] Producto Especial Special Product	

*Valores aproximados Approximated values

PAVIMENTO
FLOOR TILE



TISSUE SILVER
V5623400 - 100026705
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V1
G344
Butech: Junta Colorstuk Cemento ▼



TISSUE GOLD
V5623401 - 100026709
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V1
G344
Butech: Junta Colorstuk Cemento ▼

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
TISSUE SILVER V7700007 - 100117602
TISSUE GOLD V7700019 - 100117601
31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
TISSUE SILVER V4540016 - 100144911
TISSUE GOLD V4540011 - 100144135
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech		
	Pieces	M**	Kg*	Box	M**	Kg*	Adhesivo Adhesive	Junta Grout	
44x66 cm	3	0.87	21.24	60	52.27	1274	One-Flex, Maxifluid, Super-one	Colorstuk	
Huella Técnica 31.6x66 cm	2	0.46	12.42	40	18.42	496			
Zócalo 9x66 cm	12	0.71	16.75	80	57.02	1340			
							✓ color de junta recomendado recommended grout colour		
							No limpiar con productos que contengan ácidos o álcalis Don't clean with products which contain acids or alkalis		
							Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials		
							(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See technical Guide. Not in stock. Check conditions		

*Valores aproximados / approximated values



Pared Wall
Bluebell White 33.3x100 cm
Suelo Floor
Tissue Silver 44x66 cm

PAVIMENTO
FLOOR TILE



ZURICH SAND
V7590166 - 100104827
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Marfil ✓



ZURICH ASH
V7590167 - 100104819
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V2
G344
Butech: Junta Colorstuk Manhattan ✓



ZURICH GREY
V7590170 - 100104825
44x66 cm (x10.1 mm) 17 3/8"x26"
Gres Porcelánico Porcelain tile
V3
G344
Butech: Junta Colorstuk Manhattan ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
ZURICH SAND V7700010 - 100117606
ZURICH ASH V7700002 - 100117604
ZURICH GREY V7700063 - 100139168

31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
ZURICH GREY V7071648 - 100104816
10x44 cm (x10.1 mm) 4"x17 3/8"
G11



ZÓCALO
ZURICH SAND V4540025 - 100148146
ZURICH ASH V4540031 - 100149045
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
		Pieces	M**	Kg*		Box	M**	Junta Grout	
								Colorstuk	
44x66 cm		3	0.87	21.24		60	52.27	One-Flex, Maxifluid,	
Huella Técnica 31.6x66 cm		2	0.46	12.42		40	18.42	Super-one	
Zócalo 10x44 cm		20	0.88	20.40		42	36.96		
Zócalo 9x66 cm		12	0.71	16.75		80	57.02		

*Valores aproximados /approximated values



Pared y suelo Wall and floor
Zurich Grey 44x66 cm



PAR-KER®, el proyecto más ecológico.

Más ecológico, porque evita la tala de árboles.

Más resistente. Soporta sin alteraciones la radiación solar, el uso y el paso del tiempo, de manera que mejora sensiblemente la características técnicas de la madera natural, reinventando incluso su belleza.

Más seguro. Es ignífugo, por lo que resiste la acción del fuego sin propagarlo.

Su superficie antideslizante lo convierte además,

en un material óptimo para la utilización en zonas húmedas y exteriores.

Mejor, porque repele el agua y mantiene en su presencia tanto la estructura formal de las piezas, como el aspecto y capacidad de resistencia.

PAR-KER®, el auténtico parquet cerámico.

PAR-KER

PAR-KER®, the most ecological project.

The most ecological because it prevents trees from being felled.

More resistant. It withstands solar radiation and wear and tear, undergoing no change in appearance, substantially improving on real wood's technical characteristics without relinquishing its beauty.

Safer. It is fire retardant, withstanding fire and stopping it from spreading.

Thanks to its non-slip surface, it is also the perfect choice for wet areas and outdoor environments.

Better because the flooring repels water and conserves its formal structure, appearance and resistance.

PAR-KER®, genuine ceramic parquet flooring.




"Alaska, Canadá, Hampton, Montana, Montreal.... todas nuestras maderas cerámicas han sido seleccionadas a partir de las maderas naturales. Nuestros modelos de PAR-KER poseen veteados, texturas y colores que han sido elegidos con sumo cuidado para ofrecer el mismo aspecto que posee el producto natural. PAR-KER, el auténtico parquet cerámico."

"Alaska, Canada, Hampton, Montana, Montreal....all our wood-effect tiles emulate different types of natural wood. Our PAR-KER models stand out for their wood grain pattern, textures and colours, all carefully selected to look just like real wood. PAR-KER, genuine ceramic parquet flooring."

PAR-KER

Pared y suelo Wall and floor
Hampton Brown 22x90 - 14.3x90 cm

PAVIMENTO
FLOOR TILE



ALASKA NATURAL 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920050 - 100088442 G384

Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Marrón

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
ALASKA NATURAL V7520210 - 100117555
31.6x120 cm 12 1/2"x47 1/4"
G180



ZÓCALO
ALASKA NATURAL V7060000 - 100092766
10x43.5 cm (x9.5 mm) 4"x17 1/8"
G11

EMBALAJE PACKAGING					COLOCACIÓN FIXING				IMPORTANTE IMPORTANT		
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
		Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	
19.3x120 cm		6	1.39	32.34	48	66.72	1552	Super-one	Colorstuk		
Huella Técnica 31.6x120 cm		2	0.83	22.35	26	21.77	581				
Zócalo 10x43.5 cm		20	0.87	18.42	54	46.98	939				
(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions											

*Valores aproximados /approximated values



Suelo Floor
Alaska Natural19.3x120 cm

PAVIMENTO
FLOOR TILE



Gres Porcelánico
Porcelain tile
V3

Butech: Junta Colorstuk Antracita ✓

BLOCK WENGÉ
21.9x66 cm (x10.1 mm) 8 5/8"x26"
V5219957 - 100143841 G359

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
WENGÉ V7700025 - 100117603
31.6x66 cm 12 1/2"x26"
G130



ZÓCALO
WENGÉ V4540036 - 100153917
9x66 cm (x10.1 mm) 3 1/2"x26"
G34

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour	
		Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout	
Block 21.9x66 cm		7	1.01	25.00	56	56.66	1359	Super-one	Colorstuk	
Huela Técnica 31.6x66 cm		2	0.46	12.42	40	18.42	496			
Zócalo 9x66 cm		12	0.71	16.75	80	57.02	1340			

*Valores aproximados /approximated values



Suelo y pared Floor and wall
Block Wengé 21.9x66 cm



Suelo Floor
Bruselas Vintage 22x90 - 14.3x90 cm

PAVIMENTO
FLOOR TILE



Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Antracita

BRUSELAS VINTAGE
22x90 cm (x10.5 mm) 8 5/8"x35 3/8"
14.3x90 cm (x10.5 mm) 5 5/8"x35 3/8"

V5050019 - 100145234 G372
V2950040 - 100145233 G372



Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Cemento

BRUSELAS ACERO
22x90 cm (x10.5 mm) 8 5/8"x35 3/8"
14.3x90 cm (x10.5 mm) 5 5/8"x35 3/8"

V5050018 - 100145232 G372
V2950039 - 100145231 G372

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
BRUSELAS VINTAGE V7570018 - 100148015
BRUSELAS ACERO V7570020 - 100148014

31.6x90 cm 12 1/2"x35 3/8"
G146



ZÓCALO
BRUSELAS VINTAGE V4859958 - 100146697
BRUSELAS ACERO V4859960 - 100146696

10x44.3 cm (x9.5 mm) 4"x17 1/2 "
G11

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend Butech		color de junta recomendado recommended grout colour
		Pieces	M²*	Kg*		Adhesivo adhesive	Junta Grout	
22x90 cm		6	1.19	28.98	52	61.78	1540	
14.3x90 cm		8	1.03	25.04	60	61.80	1502	
Huella Técnica 31.6x90 cm		2	0.62	17.18	13	8.16	223	
Zócalo 10x44.3 cm		20	0.88	17.94	72	63.79	1369	
						Super-one	Colorstuk	

*Valores aproximados Approximated values



Pared y suelo *Wall and floor*
Canada White Wash 19.3x120 cm

PAVIMENTO
FLOOR TILE



Gres Porcelánico
Porcelain tile
V3

Butech: Junta Colorstuk Caramelo

CANADÁ COPPER 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920072 - 100099181 G384



Gres Porcelánico
Porcelain tile
V2

Butech: Junta Colorstuk Manhattan

CANADÁ WHITE WASH 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920073 - 100099183 G384

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
CANADÁ COPPER V7520211 - 100117559
CANADÁ WHITE WASH V7520209 - 100117560

31.6x120 cm 12 1/2"x47 1/4"
G180



ZÓCALO
CANADÁ COPPER V4859947 - 100139307
CANADÁ WHITE WASH V4859948 - 100139308

10x44.3 cm (x9.5 mm) 4"x17 1/2 "
G11

EMBALAJE PACKAGING				COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box		x Palet		Recomendamos We recommend: Butech	color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² *	Kg*
19.3x120 cm	6	1.39	32.34	48	66.72	1552
Huella Técnica 31.6x120 cm	2	0.83	22.35	26	21.77	581
Zócalo 10x44.3 cm	20	0.88	17.94	72	63.79	1369
					Adhesivo Adhesive Super-one	Junta Grout Colorstuk

Utilizar materiales de colocación específicos para Gres Porcelánico
Use specific Porcelain Tiles setting materials

(1) Huella Técnica, Huella Técnica Esquina DE / IZ:
Consultar Guía Técnica. No disponible en stock. Consultar condiciones
See Technical Guide. Not in stock. Check conditions

*Valores aproximados Approximated values

PAVIMENTO
FLOOR TILE



Gres Porcelánico
Porcelain tile
V2
Butech: Junta Colorstuk Antracita ✓

DUBLÍN

22x90 cm (x10.5 mm) 8 5/8" x35 3/8" V5050024 - 100146499 G372
14.3x90 cm (x10.5 mm) 5 5/8" x35 3/8" V2950043 - 100146498 G372

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
DUBLÍN V7570025 - 100148109
31.6x90 cm 12 1/2" x35 3/8"
G146



ZÓCALO
DUBLÍN V4550001 - 100152844
9x90 cm (x10.5 mm) 3 1/2" x35 3/8"
G63

EMBALAJE PACKAGING					COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive Super-one	Junta Grout Colorstuk	
22x90 cm	6	1.19	28.98	52	61.78	1540			Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials (1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See technical Guide. Not in stock. Check conditions
14.3x90 cm	8	1.03	25.04	60	61.80	1502			
Huella Técnica 31.6x90 cm	2	0.62	17.18	13	8.16	223			
Zócalo 9x90 cm	10	0.81	19.50	36	29.16	702			
							Recomendamos We recommend: Butech		
							Adhesivo Adhesive Super-one	Junta Grout Colorstuk	

*Valores aproximados /approximated values



PAVIMENTO
FLOOR TILE



Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Marrón ✓

HAMPTON BEIGE
22x90 cm (x10.5 mm) 8 5/8" x 35 3/8" V5050010 - 100135336 G372
14.3x90 cm (x10.5 mm) 5 5/8" x 35 3/8" V2950029 - 100135335 G372



Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Antracita ✓

HAMPTON BROWN
22x90 cm (x10.5 mm) 8 5/8" x 35 3/8" V5050012 - 100135338 G372
14.3x90 cm (x10.5 mm) 5 5/8" x 35 3/8" V2950032 - 100135337 G372



CLASE
3

HAMPTON BROWN Clase Class 3
14.3x90 cm (x10.5 mm) 5 5/8" x 35 3/8" V2950048 - 100157867 G372



Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Cemento ✓

HAMPTON GREY
22x90 cm (x10.5 mm) 8 5/8" x 35 3/8" V5050013 - 100135420 G372
14.3x90 cm (x10.5 mm) 5 5/8" x 35 3/8" V2950030 - 100135339 G372



CLASE
3

HAMPTON GREY Clase Class 3
14.3x90 cm (x10.5 mm) 5 5/8" x 35 3/8" V2950035 - 100138125 G372

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
HAMPTON BEIGE V7570014 - 100138286
HAMPTON BROWN V7570015 - 100138287
HAMPTON GREY V7570016 - 100138266

31.6x90 cm 12 1/2" x 35 3/8"
G146



ZÓCALO
HAMPTON BEIGE V4859944 - 100138300
HAMPTON BROWN V4859945 - 100138301
HAMPTON GREY V4859946 - 100138302

10x44.3 cm (x9.5 mm) 4" x 17 1/2"
G11

EMBALAJE PACKAGING						COLOCACIÓN FIXING			IMPORTANTE IMPORTANT		
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
		Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout		
22x90 cm		6	1.19	28.98	52	61.78	1540	Super-one	Colorstuk	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	
14.3x90 cm		8	1.03	25.04	60	61.80	1502				
Huella Técnica 31.6x90 cm		2	0.62	17.18	13	8.16	223				
Zócalo 10x44.3 cm		20	0.88	17.94	72	63.79	1369				
										(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions	

*Valores aproximados / approximated values





Suelo Floor
Misuri Natural 22x90 - 14.3x90 cm

PAVIMENTO
FLOOR TILE



Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Marrón ✓

MISURI NATURAL	
22x90 cm (x10.5 mm) 8 5/8"x35 3/8"	V5050028 - 100155768 G372
14.3x90 cm (x10.5 mm) 5 5/8"x35 3/8"	V2950046 - 100155767 G372
21.9x66 cm (x10.1 mm) 8 5/8"x26"	V7590302 - 100157783 G359

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
MISURI NATURAL V7570034 - 100156316
31.6x90 cm 12 1/2"x35 3/8"
G146



ZÓCALO
MISURI NATURAL V4859971 - 100156337
10x44.3 cm (x9.5 mm) 4"x17 1/2 "
G11

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend Butech		✓ color de junta recomendado recommended grout colour
		Pieces	M²*	Kg*		Adhesivo / adhesive Super-one	Junta Grout Colorstuk	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials (1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions
22x90 cm		6	1.19	28.98	Box			
14.3x90 cm		8	1.03	25.04	52			
21.9x66 cm		7	1.01	25.00	60			
Huella Técnica 31.6x90 cm		2	0.62	17.18	56			
Zócalo 10x44.3 cm		20	0.88	17.94	13	8.16	223	
					72	63.79	1369	

*Valores aproximados Approximated values



Pared Wall
Montana Honey 19.3x120 cm
Suelo Floor
Brazil Arena 44x66 cm

PAR-KER

PAVIMENTO
FLOOR TILE



MONTANA COTTAGE 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920056 - 100091786 G384

Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Antracita ✓



MONTANA NOCE 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920060 - 100091856 G384

Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Antracita ✓



MONTANA HONEY
19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920058 - 100091787 G384
21.9x66 cm (x10.1 mm) 8 5/8"x26" V5219940 - 100091853 G359

Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Marrón ✓

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
MONTANA NOCE V7520216 - 100117578
MONTANA COTTAGE V7520203 - 100117575
MONTANA HONEY V7520219 - 100117577

31.6x120 cm 12 1/2"x47 1/4"
G180



ZÓCALO
MONTANA NOCE V4859950 - 100139330
MONTANA COTTAGE V4859963 - 100149402
MONTANA HONEY V4859951 - 100139309

10x44.3 cm (x9.5 mm) 4"x17 1/2"
G11

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour	
		Pieces	M²*	Box	M²*	Adhesivo Adhesive		
			Kg*		Kg*	Super-one	Junta Grout	
							Colorstuk	
19.3x120 cm		6	1.39	48	66.72			
21.9x66 cm		7	1.01	42	42.48			
Huella Técnica 31.6x120 cm		2	0.83	26	21.77			
Zócalo 10x44.3 cm		20	0.88	72	63.79			

*Valores aproximados /approximated values



Suelo Floor
Montana Cottage 19.3x120 cm



PAVIMENTO
FLOOR TILE



Gres Porcelánico
Porcelain tile
V4
Butech: Junta Colorstuk Marrón ✓

MONTREAL NOGAL
22x90 cm (x10.5 mm) 8 5/8"x35 3/8" V5050005 - 100113260 G372
14.3x90 cm (x10.5 mm) 5 5/8"x35 3/8" V2950018 - 100113259 G372



Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Caramelo ✓

MONTREAL VINTAGE
22x90 cm (x10.5 mm) 8 5/8"x35 3/8" V5050006 - 100113262 G372
14.3x90 cm (x10.5 mm) 5 5/8"x35 3/8" V2950016 - 100113261 G372

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
MONTREAL NOGAL V7570003 - 100117650
MONTREAL VINTAGE V7570004 - 100117651

31.6x90 cm 12 1/2"x35 3/8"
G146



ZÓCALO
MONTREAL NOGAL V4859964 - 100149403
MONTREAL VINTAGE V4859953 - 100141913

10x44.3 cm (x9.5 mm) 4"x17 1/2 "
G11

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout
22x90 cm	6	1.19	28.98	52	61.78	1540	Super-one	Colorstuk
14.3x90 cm	8	1.03	25.04	60	61.80	1502		
Huella Técnica 31.6x90 cm	2	0.62	17.18	13	8.16	223		
Zócalo 10x44.3 cm	20	0.88	17.94	72	63.79	1369		

*Valores aproximados Approximated values

Pared y suelo Wall and floor
Montreal Vintage 22x90 - 14.3x90 cm



PAVIMENTO
FLOOR TILE




TAVOLA WHITE 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920030 - 100073598 G384



TAVOLA KENYA 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920018 - 100069301 G384



TAVOLA MOGANO 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920033 - 100073592 G384



TAVOLA GRIGIO 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920034 - 100073590 G384



TAVOLA FORESTA 19.3x120 cm (x10.5 mm) 7 5/8"x47 1/4" V5920017 - 100069288 G384



TAVOLA FORESTA ANTISLIP 19.3x120 cm (x10.5 mm) 5 5/8"x47 1/4"

V5920043 - 100083528 G384

Gres Porcelánico
Porcelain tile
V2
Butech: Junta Colorstuk Blanco ✓

Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Negro ✓

Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Antracita ✓

Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Antracita ✓

Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Antracita ✓



Pared Wall
Wave White 33.3x100 cm
Tavola Kenya 19.3x120 cm
Suelo Floor
Tavola Kenya 19.3x120 cm

PAR-KER

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
TAVOLA WHITE V7520222 - 100117600
TAVOLA KENYA V7520220 - 100117596
TAVOLA MOGANO V7520207 - 100117597
TAVOLA GRIGIO V7520206 - 100117595
TAVOLA FORESTA V7520208 - 100117594

31.6x120 cm 12 1/2"x47 1/4"
G180



ZÓCALO
TAVOLA MOGANO V4830048 - 100111583
10x59.6 cm (x10.5 mm) 4"x23 1/2 "
G30

ZÓCALO
TAVOLA WHITE V4460006 - 100144134
TAVOLA GRIGIO V4460003 - 100142953
TAVOLA KENYA V4460004 - 100143861
TAVOLA FORESTA V4460028 - 100160631
9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2 "
G30

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech			
		Pieces	M** Kg*	Box	M** Kg*	Adhesivo Adhesive	Junta Grout	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	
						Super-one	Colorstuk		
19.3x120 cm		6	1.39 33.06	48	66.72 1587			(1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See Technical Guide. Not in stock. Check conditions	
Huella Técnica 31.6x120 cm		2	0.83 22.35	26	21.77 581				
Zócalo 10x59.6 cm		18	1.07 26.26	56	60.07 1470				
Zócalo 9x59.6 cm		18	0.96 25.68	56	54.07 1438				

✓ color de junta recomendado recommended grout colour

Utilizar materiales de colocación específicos para Gres Porcelánico
Use specific Porcelain Tiles setting materials

(1) Huella Técnica, Huella Técnica Esquina DE / IZ:
Consultar Guía Técnica. No disponible en stock. Consultar condiciones
See Technical Guide. Not in stock. Check conditions

*Valores aproximados Approximated values



PAVIMENTO
FLOOR TILE



Gres Porcelánico
Porcelain tile
V3
Butech: Junta Colorstuk Manhattan ✓

WASHINGTON WHITE

22x90 cm (x10.5 mm) 8 5/8" x35 3/8" V5050021 - 100145304 G372
14.3x90 cm (x10.5 mm) 5 5/8" x35 3/8" V2950041 - 100145303 G372

PIEZA ESPECIAL
SPECIAL PIECE



HUELLA TÉCNICA (1)
WASHINGTON WHITE V7570024 - 100148034
31.6x90 cm 12 1/2" x35 3/8"
G146



ZÓCALO
WASHINGTON WHITE V4859959 - 100146699
10x44.3 cm (x9.5 mm) 4" x17 1/2"
G11

EMBALAJE PACKAGING					COLOCACIÓN FIXING				IMPORTANTE IMPORTANT		
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
		Pieces	M**	Kg*	Box	M**	Kg*	Adhesivo Adhesive	Junta Grout		
22x90 cm		6	1.19	28.98	52	61.78	1540	Super-one	Colorstuk	Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials (1) Huella Técnica, Huella Técnica Esquina DE / IZ: Consultar Guía Técnica. No disponible en stock. Consultar condiciones See technical Guide. Not in stock. Check conditions	
14.3x90 cm		8	1.03	25.04	60	61.80	1502				
Huella Técnica 31.6x90 cm		2	0.62	17.18	13	8.16	223				
Zócalo 10x44.3 cm		20	0.88	17.94	72	63.79	1369				

*Valores aproximados / approximated values



Pared y suelo Wall and floor
Washington White 22x90 - 14.3x90 cm



Pared Wall
Ferroker 59.6x120 - 59.6x59.6 - 44x66 cm
Suelo Floor
Washington White 22x90 - 14.3x90 cm


Las fachadas de STON-KER® aúnan en la actualidad el valor estético del revestimiento cerámico de alta calidad con otros aspectos como la ligereza y un gran comportamiento ante agentes químicos y atmosféricos, dotando a los edificios de un acabado innovador y perdurable en el tiempo.

FACADES

STON-KER® facades combine the beauty of top quality ceramic claddings with other advantages such as their reduced weight and excellent performance when exposed to adverse weather conditions and chemical agents, providing an innovative and long-lasting finish for buildings.

COLLECTIONS TILES FOR FACADES:


AVENUE / CÚBICA / FERROKER / K2 / LAVAGNA / STYLKER / MADAGASCAR



REVESTIMIENTO
WALL TILE



AVENUE DARK MATT
V5908367 - 100156054
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V1 - G381
Butech: Junta Colorstuk Special Dark ✓




AVENUE WHITE MATT
V5908368 - 100156055
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V1 - G381
Butech: Junta Colorstuk Blanco ✓



AVENUE NATURAL
V5908373 - 100159732
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V1 - G381
Butech: Junta Colorstuk Gris ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M ² *	Kg*	Box	M ² *	Kg*		
59.6x120 cm	2	1.43	38.04	25	35.76	951	Adhesivo Adhesive Fr-one+Unilax, Super-one One-Flex	Adhesivo Adhesive Fr-one+Unilax, Super-one One-Flex
							En caso de que la parte trasera de las piezas contenga flechas, estas deben de apuntar siempre hacia arriba If there are arrows on the underside of the tiles, the latter should be laid so that the arrows point upwards	

*Valores aproximados /approximated values



REVESTIMIENTO
WALL TILE



CÚBICA BLANCO
V5908246 - 100046892
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2 - G381
Butech: Junta Colorstuk Blanco ✓



CÚBICA
V5908226 - 100032558
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2 - G381
Butech: Junta Colorstuk Cemento ✓



CÚBICA
V5629906 - 100032564
44x66 cm (x10.1 mm)
17 3/8"x26"
Gres Porcelánico
Porcelain tile
V2 - G344
Butech: Junta Colorstuk Cemento ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING			IMPORTANTE IMPORTANT	
Descripción Description	x Caja Box			x Palet			Recomendamos We recommend: Butech	✓ color de junta recomendado recommended grout colour
	Pieces	M²*	Kg*	Box	M²*	Kg*	Adhesivo Adhesive	Junta Grout
59.6x120 cm	2	1.43	38.04	25	35.76	951	Fr-one+Unilax, Super-one	Colorstuk
44x66 cm	3	0.87	20.13	60	52.27	1208	One-Flex	
Uso exclusivo en fachadas y paredes Only for use on façades and walls								
Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials								
METALIA: No limpiar con productos que contengan ácidos o álcalis Don't clean with products which contain acids or alkalis								

*Valores aproximados /approximated values

PAVIMENTO
FLOOR TILE



FERROKER PLATINO
V5908324 - 100094916
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Blanco ✓



FERROKER TITANIO
V5908325 - 100094917
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Marfil ✓



FERROKER NÍQUEL
V5908323 - 100094915
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Gris ✓

PAVIMENTO
FLOOR TILE




FERROKER
V5900300 - 100027092
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V3
G381
Butech: Junta Colorstuk Antracita ✓



FERROKER ALUMINIO
V5908221 - 100031361
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V3
G381
Butech: Junta Colorstuk Manhattan ✓

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
		Pieces	M²*	Kg*	Box	M²*	Kg*	✓ color de junta recomendado recommended grout colour	
59.6x120 cm		2	1.43	38.40	25	35.76	960	[59.6x120 cm] No disponible en stock. Consultar condiciones Not in stock. Check conditions	
								Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	

*Valores aproximados Approximated values



PAVIMENTO
FLOOR TILE



K2
V5908280 - 100062841
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Gris ✓

PAVIMENTO
FLOOR TILE



MADAGASCAR NATURAL
V5908339 - 100106577
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Gris ✓

REVESTIMIENTO
WALL TILE



LAVAGNA NEGRO
V5900202 - 100030281
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V1
G381
Butech: Junta Colorstuk Negro ✓



MADAGASCAR BLANCO
V5908337 - 100106575
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Blanco ✓

PAVIMENTO
FLOOR TILE



STYLKER DARK
V5908351 - 100121315
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V3
G381
Butech: Junta Colorstuk Antracita ✓



MADAGASCAR BEIGE
V5908336 - 100106574
59.6x120 cm (x11.5 mm)
23 1/2"x47 1/4"
Gres Porcelánico
Porcelain tile
V2
G381
Butech: Junta Colorstuk Marfil ✓

EMBALAJE PACKAGING				COLOCACIÓN FIXING				IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box		x Palet		Recomendamos We recommend: Butech		✓ color de junta recomendado recommended grout colour	
		Piezas	M²*	Kg*	Box	M²*	Kg*		
59.6x120 cm		2	1.43	38.16	25	35.76	954	[59.6x120 cm] No disponible en stock. Consultar condiciones Not in stock. Check conditions	
						Adhesivo Adhesive Fr-one+Unilax Super-one		[Lavagna] Uso exclusivo en fachadas y paredes Only for use on facades and walls	
								Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials	

*Valores aproximados /approximated values

EMBALAJE PACKAGING						COLOCACIÓN FIXING		IMPORTANTE IMPORTANT	
Descripción Description		x Caja Box			x Palet			Recomendamos We recommend: Butech	
59.6x120 cm	Pieces	M ² *	Kg*	Box	M ² *	Kg*	Adhesivo Adhesive	Junta Grout	✓ color de junta recomendado recommended grout colour [59.6x120 cm] No disponible en stock. Consultar condiciones Not in stock. Check conditions Utilizar materiales de colocación específicos para Gres Porcelánico Use specific Porcelain Tiles setting materials
	2	1.43	38.10	25	35.76	952	Fr-one+Unilax	Colorstuk	
								Super-one	

*Valores aproximados /approximated values

Información para la utilización del catálogo
Características técnicas
Certificaciones
Instrucciones para la colocación
Instrucciones para la limpieza y mantenimiento

TECHNICAL GUIDE

Information for the use of the catalogue
Technical characteristics
Certifications
Installation instructions
Cleaning and maintenance instructions

INFORMACIÓN PARA LA UTILIZACIÓN DEL CATÁLOGO
INFORMATION FOR THE USE OF THE CATALOGUE

VENIS®

VENIS®

Diagram showing the structure of the VENIS catalog. It includes sections for 'NOMBRE DE LA COLECCIÓN' (Collection Name), 'SIMBOLOGÍA' (Symbols), 'TIPO DE PRODUCTO' (Type of Product), 'SECCIONES DEL CATÁLOGO' (Catalog Sections), 'EMBALAJE' (Packaging), 'COLOCACIÓN' (Fixing), 'INFORMACIÓN ESPECÍFICA DE LA COLECCIÓN' (Specific Information about the Collection), and 'Nº PÁGINA' (Page Number). The main catalog page is titled 'MADAGASCAR. ONA' and features four product tiles: 'ONA BLANCO', 'ONA BEIGE', 'ONA MARRÓN', and 'ONA NATURAL'. Each tile includes technical specifications and a 'REVESTIMIENTO RECTIFICADO' (Rectified Wall Tile) symbol. The catalog is organized into sections: WALL TILES, MOSAICS, FLOOR TILES, PAR-KER, FACADES, TECHNICAL GUIDE, and DISTRIBUTORS.

1 INFORMACIÓN ESPECÍFICA DEL MODELO. MODEL-SPECIFIC INFORMATION

Diagram showing the structure of the VENIS catalog. It includes sections for 'FORMATOS' (Sizes), 'TIPOS DE PRODUCTO' (Types of Products), 'ESCALA DE DESTONIFICACIÓN DEL COLOR' (Scale of Shade Variation), 'GRUPO DE VENTA' (Price Group), 'JUNTA' (Grout), and 'EMBALAJE' (Packaging). The main catalog page is titled 'MADAGASCAR. ONA' and features four product tiles: 'ONA BLANCO', 'ONA BEIGE', 'ONA MARRÓN', and 'ONA NATURAL'. Each tile includes technical specifications and a 'REVESTIMIENTO RECTIFICADO' (Rectified Wall Tile) symbol. The catalog is organized into sections: WALL TILES, MOSAICS, FLOOR TILES, PAR-KER, FACADES, TECHNICAL GUIDE, and DISTRIBUTORS.

2 ESTOS SÍMBOLOS HAN SIDO CREADOS PARA QUE SE PUEDA INTERPRETAR DE FORMA RÁPIDA EL TIPO DE PRODUCTO QUE SE ESTÁ VISUALIZANDO. THESE SYMBOLS HAVE BEEN CREATED TO THAT THE TYPE OF PRODUCT THAT IS BEING OBSERVED CAN BE QUICKLY CLASSIFIED.

Diagram showing the structure of the VENIS catalog. It includes sections for 'ECLIPSE', 'RECTIFICADO', 'NECESITA REJUNTADO POSTERIOR', 'BRILLO', 'MATE', 'MATE-BRILLO', 'METALIZADO', 'LAPPATO', and 'DESTONIFICADO'. The main catalog page is titled 'MADAGASCAR. ONA' and features four product tiles: 'ONA BLANCO', 'ONA BEIGE', 'ONA MARRÓN', and 'ONA NATURAL'. Each tile includes technical specifications and a 'REVESTIMIENTO RECTIFICADO' (Rectified Wall Tile) symbol. The catalog is organized into sections: WALL TILES, MOSAICS, FLOOR TILES, PAR-KER, FACADES, TECHNICAL GUIDE, and DISTRIBUTORS.

CTE CÓDIGO TÉCNICO DE LA EDIFICACIÓN

SPANISH BUILDING CODE

El CTE, Código Técnico de la Edificación, dentro de su Documento Básico de seguridad de Utilización 1 “DB SU 1 – seguridad frente al riesgo de caídas”, define los requisitos que debe cumplir un suelo para poder ser utilizado como pavimento de los edificios o zonas de uso sanitario, docente, comercial, administrativo, aparcamiento y pública concurrencia (excluidas las zonas de uso restringido). Para ello, el pavimento deberá cumplir con un valor mínimo al deslizamiento “Rd”.

El valor de resistencia al deslizamiento “Rd”, se determina mediante el ensayo del péndulo descrito en el Anexo A de la norma UNE-ENV 12633: 2003.


“Safety of Use” Basic Document 1 (“DB SU 1 – Preventing Falls”) of the Spanish Building Code (the CTE in Spanish) defines the requirements that a floor covering must meet in buildings or areas used for health-related, educational, commercial, administrative or public purposes or for parking (excluding areas of restricted use). To comply, the flooring must achieve a minimum slip resistance (Rd) value.

The slip resistance (Rd) value is determined using the pendulum test described in Appendix A of standard UNE-ENV 12633: 2003.

La siguiente tabla establece la clasificación de los suelos según su resbalacidad:

The following table shows the rating system for flooring, depending on its slip resistance:

Resistencia al deslizamiento Rd Slip resistance Rd	Clase Rating	VENIS
Rd ≤ 15	0	
15 < Rd ≤ 35	1	CLASE 1
35 < Rd ≤ 45	2	CLASE 2
Rd > 45	3	CLASE 3



Clase exigible a los suelos en función de su localización

Rating required for flooring depending on its location:

Localización y características de suelo Location and characteristics of the floor	Clase Rating
Zonas interiores secas: Dry indoor areas:	
-Superficies con pendiente menor que el 6% -Surfaces with a slope of less than 6%	1
-Superficies con pendiente igual o mayor que el 6% y escaleras -Surfaces with a slope equal to or higher than 6% and stairs	2
Zonas interiores húmedas, tales como las entradas a los edificios desde el espacio exterior⁽¹⁾, terrazas cubiertas, vestuarios, baños, aseos, cocinas, etc. : Indoor areas subject to moisture, such as entrances to buildings from outdoor areas ⁽¹⁾ , covered terraces and balconies, changing rooms, bathrooms, cloakrooms, kitchens etc:	
-Superficies con pendiente menor que el 6% -Surfaces with a slope of less than 6%	2
-Superficies con pendiente igual o mayor que el 6% y escaleras -Surfaces with a slope equal to or higher than 6% and stairs	3
Zonas exteriores. Piscinas. Duchas ⁽²⁾ Outdoor areas. Swimming pools. Showers ⁽²⁾	3

- (1) Excepto cuando se trate de accesos directos a zonas de uso restringido
Except for accesses that lead directly to areas of restricted use
- (2) En zonas previstas para usuarios descalzos y en el fondo de los vasos, en las zonas en las que la profundidad no exceda de 1.50 m.
In places where users are expected to go barefoot and in the bottom of swimming pools in areas with a depth of less than 1.50 m.

Dicha clase se mantendrá durante la vida útil del pavimento.

This rating is maintained throughout the useful life of the flooring.

RESISTENCIA AL DESLIZAMIENTO SEGÚN NORMA DIN 51130

SLIP RESISTANCE ACCORDING TO STANDARD DIN 51130

Muchos fabricantes europeos de suelos, usan ensayos del tipo de la rampa para clasificar sus productos en función del grado de deslizamiento. Estos ensayos se llevan a cabo generalmente, usando la norma alemana DIN 51130.

El método implica el uso de sujetos que caminan adelante y atrás a través de un suelo impregnado y utilizado como banco de ensayos en forma de rampa. El grado de inclinación de la rampa se va incrementando gradualmente hasta que el sujeto que está ensayando, resbala. El ángulo medio de inclinación al que el sujeto resbala, es utilizado para calcular el CoF (Coeficiente de fricción).

La norma DIN 51130 utiliza unas botas de seguridad según norma EN 345 y aceite de motor como sustancia que impregne la superficie a ensayar.

Many European flooring manufacturers use tests like the ramp test to rate their products according to their slip resistance. These tests are generally conducted using the German standard, DIN 51130.

With this method, a person walks backwards and forwards on an impregnated ramp-type floor used as a test bench.

The angle of the ramp is gradually increased until the person slips. The average angle at which the person slips is used to calculate the CoF (coefficient of friction).

DIN 51130 uses approved safety boots according to standard EN 345 and engine oil to impregnate the test surface.

Método de la Rampa (DIN 51130):

Ramp method (DIN 51130):

Valor Total Medio del Ángulo de Caída Total mean value of slip angle	Grupo de Clasificación Rating	VENIS
6º <= Ángulo <= 10º	R9	R9
10º < Ángulo <= 19º	R10	R10
19º < Ángulo <= 27º	R11	R11
27º < Ángulo <= 35º	R12	R12
35º <= Ángulo	R13	R13




Tabla de valoración de riesgo de deslizamiento Slip risk assessment table:

Locales y áreas de trabajo Premises and work areas	Valor orientativo Approximate value
Locales y áreas de trabajo generales General types of premises and work areas	
Entradas Entrances (*)	R9
Escaleras Stairs (**)	R9
Espacios comunes (lavabos, lavaderos, etc) Communal areas (toilets, laundries etc)	R10
Salas de reunión Meeting rooms	R9
Sanitaria Areas for health-related use	R9
Cocinas, comedores Kitchens, dining rooms	
Cocinas gastronómicas (restaurantes y hoteles) Hospitality-industry kitchens (restaurants and hotels)	
Hasta 100 cubiertos por día Up to 100 diners a day	R11
Más de 100 cubiertos por día Over 100 diners a day	R12
Cocinas cooperativas en residencias, colegios, sanatorios Cooperative-type kitchens in residences, schools or nursing homes	R11
Cocinas cooperativas en hospitales y clínicas Cooperative-type kitchens in hospitals and clinics	R12
Grandes cocinas cooperativas en ferias, cantinas y móviles Large cooperative-type kitchens at trade fairs and in canteens and mobile kitchens	R12
Cocinas para comida rápida Fast-food kitchens	R12
Cocinas para calentado de comidas preparadas Kitchens for heating up precooked food	R10
Salas de café y te Tearooms and coffee shops	R10
Comedores, salas de clientes, cantinas incluidos pasillos de servicio Dining rooms, client rooms, and canteens including corridors leading to them	R9
Locales de los servicios sanitarios Facilities used for health services	
Baños termales, hidroterapia y fangos Thermal spas, and hydrotherapy and mud-treatment facilities	R11
Zonas de baño Bathing areas	R10
Zonas sanitarias, estaciones de baño Health facilities, spas	R10
Zonas de diagnóstico médico y terapéutico, salas de masaje Areas for medical diagnostic and therapeutic purposes, and massage rooms	R9
Plantas con habitaciones de enfermos y pasillos Floors containing rooms for patients and corridors	R9
Consultorios médicos, ambulatorios Medical surgeries and outpatient clinics	R9
Farmacias Chemists	R9
Laboratorios Laboratories	R9
Garajes Garages	
Garajes, (en edificio o subterráneos) sin influencia climática Garages (indoor or underground), unaffected by the climate	R10
Parking al aire libre Open-air car parks	R11
Colegios y guarderías Schools and nursery schools	
Entradas, pasillos, zonas de descanso Entrances, corridors, rest areas	R9
Aulas, salas para grupos Classrooms, rooms for groups	R9
Escaleras Stairs	R9
Lavabos Toilets	R10
Zonas de tránsito exteriores Outdoor transit areas	
Aceras Pavements	R11

(*) Las entradas se refieren a aquellas zonas a las que se puede acceder directamente desde el exterior y en donde la humedad puede llegar o ser introducida desde el exterior.
Entrances refer to places with direct access from the outside of the building where wetness might be brought inside.

(**) Las escaleras se refieren únicamente a aquellas a las que puede llegar o ser introducida la humedad desde el exterior, como las situadas directamente a continuación de las entradas con acceso desde el exterior.
Stairs only refer to ones where wetness might be brought inside from outside the building or ones located directly after entrances with direct access from the outside.

NORMA	NORM		GRUPO GROUP BIII	
			ISO 13006 UNE EN 14411	Monoporosa Wall Tile
UNE-EN ISO 10545-2		ENSAYO - TEST - ESSAI VERSUCHSNORM - PROVA - ENSAIO		
		MEDIDA DE LONGITUD Y DE LA ANCHURA LENGTH AND WIDTH LONGUEUR ET LARGEUR LÄNGE UND BREITE LUNGHEZZA E LARGHEZZA	DESVIACIÓN RESPECTO DEL VALOR MEDIO $\pm 0,5\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
		MEDIDA DEL GROSOR THICKNESS ÉPAISSEUR STÄRKE SPESORE	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 10\% \text{ ó } \pm 0,5 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
		MEDIDA DE LA RECTITUD DE LOS LADOS MEASUREMENT OF SIDE STRAIGHTNESS MESURE DE LA LONGUEUR DES CÔTÉS KANTENGERADIGKEIT MISURA DELLA LUNGHEZZA DEI LATI	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,3\% \text{ ó } \pm 1,5 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
		MEDIDA DE LA ORTOGONALIDAD SQUARENESS ORTHOGONALITÉ RECHTWINKLIGKEIT ORTOGONALITÀ	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,5\% \text{ ó } \pm 2,0 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
UNE-EN ISO 10545-3		MEDIDA DE LA PLANITUD DE LA SUPERFICIE FLATNESS PLANÉTE EBENFLÄCHIGKEIT PLANARITÀ	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $+ 0,5\% \text{ ó } \pm 2,0 \text{ mm}$ $- 0,3\% \text{ ó } - 1,5 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
		DETERMINACIÓN DE LA ABSORCIÓN DE AGUA WATER ABSORPTION ABSORPTION D'EAU WASSERAUFNAHME ASSORBIMENTO D'ACQUA ABSORÇÃO DE ÁGUA	VALOR MEDIO $> 10\%$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
UNE-EN ISO 10545-4		RESISTENCIA A LA FLEXIÓN BENDING STRENGTH RÉSISTANCE À LA FLEXION BIEGEFESTIGKEIT RESISTENZA ALLA FLESSIONE RESISTÊNCIA A FLEXÃO	MÍNIMO VALOR INDIVIDUAL $\geq 12 \text{ N / mm}^2$	$\geq 15 \text{ N / mm}^2$
		FUERZA DE ROTURA BREAKING STRENGTH FORCE DE RUPTURE BRUCHFESTIGKEIT FORZA DI ROTURA FORÇA DE RUPTURA	$> 600 \text{ N}$	$\geq 640 \text{ N}$
UNE-EN ISO 10545-7/6		DETERMINACIÓN DE LA RESISTENCIA A LA ABRASIÓN SUPERFICIAL RESISTANCE TO ABRASION RÉSISTANCE À L'ABRASION ABRIEBHÄRTE RESISTENZA ALL'ABRASIONE	SEGÚN LOS VALORES DEL FABRICANTE AS PER MANUFACTURER SELON LES VALEURS DU FABRICANT VORGESCHRIEBENER WERT SECONDO LE INDICAZIONI DEL PRODUTTORE	- - -
UNE-EN ISO 10545-8		DETERMINACIÓN DE LA DILATACIÓN TÉRMICA LINEAL THERMAL EXPANSION COEFFICIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE WÄRMESCHWÜNGUNGSKOEFFIZIENT COEFFICIENTE DI ESPANSIONE TERMICA LINEARE METODO DI DILATAÇÃO TÉRMICA LINEAR	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	$\leq 7 \times 10^{-6} \text{ }^{\circ}\text{K}^{-1}$
UNE-EN ISO 10545-9		DETERMINACIÓN DE LA RESISTENCIA AL CHOQUE TÉRMICO RESISTANCE TO THERMAL SHOCK RÉSISTANCE AUX VARIATIONS THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT RESISTENZA AGLI SBALZI TERMICI RESISTÊNCIA AOS CHOQUES TÉRMICOS	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	RESISTE RESISTS RÉSISTE RESISTANCE BESTÄNDIG RESISTE
UNE-EN ISO 10545-11		DETERMINACIÓN DE LA RESISTENCIA AL CUARTEO BALDOSAS ESMALTADAS CRACKING RESISTANCE RÉSISTANCE AU TRESSAILLAGE BESTÄNDIG GEGEN RISSE RESISTENZA AL CAVILLO RESISTÊNCIA A GRETADURA	EXIGIDO DEMANDED EXIGÉ VORGESCHRIEBEN RICHIESTO	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
UNE-EN ISO 10545-12		DETERMINACIÓN DE LA RESISTENCIA A LA HELADA FROST RESISTANCE RÉSISTANCE AU GEL FROSTBESTÄNDIGKEIT RESISTENZA AL GELO RESISTÊNCIA AO GELO	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	NO RESISTE DOES NOT RESIST NE RESISTE PAS NICHT BESTÄNDIG NON RESISTE
UNE-EN ISO 10545-13		DETERMINACIÓN DE LA RESISTENCIA A LOS ÁCIDOS Y BASES RESISTANCE AGAINST ACIDS AND BASES RÉSISTANCE AUX ACIDES ET AUX BASES BESTÄNDIG GEGEN SÄUREN UND LAUGEN RESISTENZA AGLI ACIDI ED ALLE BASI RESISTÊNCIA AOS ÁCIDOS E ALCALINOS	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	$\geq \text{GHB - GLB}$
		RESISTENCIA A LOS PRODUCTOS DE LIMPIEZA Y REACTIVOS DE PISCINA HOUSEHOLD DETERGENTS AND ADDITIVES FOR SWIMMING-POOLS PRODUITS DOMESTIQUES POUR LE NETTOYAGE ET ADDITIFS POUR EAUX DE PISCINES HAUSHALTSPRODUKTE FÜR DIE REINIGUNG UND ZUSATZSTOFFE FÜR SCHWIMMBADWASSER PRODOTTI DI USO DOMESTICO PER PULIZIA ED ADDITIVI PER ACQUE DI PISCINE PRODUTOS DOMÉSTICOS DE LIMPEZA E ADITIVOS PARA ÁGUA DE PISCINAS	CLASE - CLASS - CLASSE - KLASSE - CLASSE GB MIN	GA
UNE-EN ISO 10545-14		DETERMINACIÓN DE LA RESISTENCIA A LAS MANCHAS RESISTANCE TO STAINING RÉSISTANCE AUX PRODUITS TACHANTS BESTÄNDIG GEGEN FLECKEN RESISTENZA ALLE MACCHIE RESISTÊNCIA ÀS MANCHAS	CLASE - CLASS - CLASSE - KLASSE - CLASSE 3 MIN	5

GRUPO GROUP Bib	ISO 13006 UNE EN 14411	Gres StonewareTile	GRUPO GROUP Bla [GL]		GRUPO GROUP Bla [UGL]	
			ISO 13006 UNE EN 14411	Gres Porcelánico Porcelain Tile STON-KER® - PAR-KER® METALIA® (1)	ISO 13006 UNE EN 14411	STON-KER® PLUS
	DESVIACIÓN RESPECTO DEL VALOR MEDIO $\pm 0,6\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO DEL VALOR MEDIO $\pm 0,6\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO DEL VALOR MEDIO $\pm 0,6\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 5\% \text{ ó } \pm 0,5 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 5\% \text{ ó } \pm 0,5 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 5\% \text{ ó } \pm 0,5 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,5\% \text{ ó } \pm 1,5 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,5\% \text{ ó } \pm 1,5 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,5\% \text{ ó } \pm 1,5 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,6\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,6\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,6\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,5\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,5\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	DESVIACIÓN RESPECTO MEDIDA DE FABRICACIÓN $\pm 0,5\% \text{ ó } \pm 2 \text{ mm}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	VALOR MEDIO $0,5\% < E \leq 3\%$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	VALOR MEDIO $E \leq 0,5\%$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	VALOR MEDIO $E \leq 0,5\%$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	MÍNIMO VALOR INDIVIDUAL $\geq 27 \text{ N / mm}^2$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	MÍNIMO VALOR INDIVIDUAL $\geq 32 \text{ N / mm}^2$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	MÍNIMO VALOR INDIVIDUAL $\geq 32 \text{ N / mm}^2$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	$> 1.100 \text{ N}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	$\geq 30 \text{ N / mm}^2$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	$\geq 35 \text{ N / mm}^2$	$\geq 38 \text{ N / mm}^2$
	$> 1.300 \text{ N}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	$\geq 1.800 \text{ N}$	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	$\geq 2.000 \text{ N}$	$\geq 2.500 \text{ N}$
	SEGÚN LOS VALORES DEL FABRICANTE AS PER MANUFACTURER SELON LES VALEURS DU FABRICANT VORGESCHRIEBENER WERT SECONDO LE INDICAZIONI DEL PRODUTTORE	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	SEGÚN LOS VALORES DEL FABRICANTE AS PER MANUFACTURER SELON LES VALEURS DU FABRICANT VORGESCHRIEBENER WERT SECONDO LE INDICAZIONI DEL PRODUTTORE	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	≤ 175	≤ 150
	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	$\leq 7 \times 10^{-6} \text{ }^{\circ}\text{K}^{-1}$
	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	RESISTE RESISTS RÉSISTE RESISTANCE BESTÄNDIG RESISTE	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	RESISTE RESISTS RÉSISTE RESISTANCE BESTÄNDIG RESISTE	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	RESISTE RESISTS RÉSISTE RESISTANCE BESTÄNDIG RESISTE
	EXIGIDO DEMANDED EXIGÉ VORGESCHRIEBEN RICHIESTO	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	EXIGIDO DEMANDED EXIGÉ VORGESCHRIEBEN RICHIESTO	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	EXIGIDO DEMANDED EXIGÉ VORGESCHRIEBEN RICHIESTO	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	EXIGIDO DEMANDED EXIGÉ VORGESCHRIEBEN RICHIESTO	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	EXIGIDO DEMANDED EXIGÉ VORGESCHRIEBEN RICHIESTO	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	EXIGIDO DEMANDED EXIGÉ VORGESCHRIEBEN RICHIESTO	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	METODO DE ENSAYO DISPONIBLE TEST METHOD AVAILABLE METHODE D'ESSAI DISPONIBLE TESTNORM METODO DI PROVA DISPONIBILE	$\geq \text{GHB - GLB (1)}$
	CLASE - CLASS - CLASSE - KLASSE - CLASSE GB MIN	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	CLASE - CLASS - CLASSE - KLASSE - CLASSE GB MIN	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	CLASE - CLASS - CLASSE - KLASSE - CLASSE GB MIN	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME
	CLASE - CLASS - CLASSE - KLASSE - CLASSE 3 MIN	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	CLASE - CLASS - CLASSE - KLASSE - CLASSE 3 MIN	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME	CLASE - CLASS - CLASSE - KLASSE - CLASSE 3 MIN	CUMPLE LA NORMA COMPLIES WITH THE STANDARDS CONFORME A LA NORME ERFÜLLT DIE ANFORDERUNGEN CONFORME



METALIA

(1) [METALIA]
Importante: Resistencia Química ISO 10545-13. Ácidos y alcalis: Clase GLB-GHB. No limpiar con productos que contengan ácidos o alcalis.
Important: Chemical resistance: ISO 10545-13. Acids and alkalis: Class GLB-GHB. Don't clean with products which contain acids or alkalis.
Attention: Résistance Chimique: ISO 10545-13. Acides et Alkalis: Classe GLB-GHB. Ne pas nettoyer avec des produits qui contiennent des acides et alkalis.
Achtung: Bestimmung der chemischen Beständigkeit: ISO 10545-13. Säure und Alkali: Sorte GLB-GHB. Verwenden Sie keine Reinigungsmittel die Fluorwasserstoffsäure enthalten.
Attenzione: Resistenza chimica: ISO 10545-13. Acidi e alcalini: Classe GLB-GHB. Non pulire con prodotti che contengono acidi e alcalini.
Atenção: Resistência química: ISO 10545-13. Ácidos e alcalis: Classe GLB-GHB. Não limpar com produtos que contenham ácidos ou alcalis.

ISO 9001



ISO 14001



INSTRUCCIONES PARA LA COLOCACIÓN

BALDOSAS CERÁMICAS



1

1- Resulta de gran importancia en la colocación la elección de las herramientas y útiles adecuados (llana dentada, maza de goma, ventosas y crucetas para la colocación y la llana de goma para el rejuntado).



2

2- El soporte (pared o suelo) que se va a revestir debe estar perfectamente nivelado, no presentando defectos de planitud. Recomendamos la impermeabilización previa de los ambientes húmedos. Una diferencia en el grosor de la capa de adhesivo origina diversas tensiones con la superficie cerámica que terminan provocando "cejas".



3

3- La superficie a revestir debe estar totalmente limpia de polvo o cualquier otra sustancia que pueda perjudicar la adhesión de las baldosas. Así se facilita una mejor adherencia del material de agarre sobre el soporte utilizado.



4

4- Durante la colocación la intensidad de luz debe ser tal que nos permita distinguir con facilidad la presencia de cualquier defecto, en especial la aparición de "cejas". Durante esta fase, se debe trabajar con una intensidad de luz superior a la que iluminará el ambiente una vez finalizada la obra. La utilización de focos nos ayudará a evitar este problema.



5

5- La elección del tipo de adhesivo a emplear resulta fundamental. Se debe tener en cuenta las propiedades del soporte que vamos a revestir (superficie de ladrillo, madera, yeso, metal...), las características del material cerámico elegido (revestimiento poroso, gres o porcelánico), el formato de la baldosa y el destino de uso. En los catálogos de VENIS se recomienda el material de agarre adecuado.



6

6- Se recomienda el sistema de colocación en capa fina, con un adhesivo flexible. Para formatos superiores a 33x33 (1.000 cm²) se recomienda la técnica de doble encolado, que consiste en la aplicación del adhesivo tanto sobre la superficie de colocación como sobre el dorso de la baldosa cerámica.




7

7- Todas las baldosas cerámicas y en especial los materiales rectificados, requieren una manipulación cuidadosa, para evitar despuntados, desconchados o la aparición de rayas en la superficie. La GUIA DE LA BALDOSA CERÁMICA recomienda no hacer la colocación con separación inferior a 1,5 mm. entre pieza y pieza.




8

8- En la colocación de baldosas cerámicas se recomienda utilizar crucetas de al menos 1 mm. En modelos rústicos la junta mínima aconsejada es de 3 mm. Para formatos rectangulares, cuando se colocan a junta trabada, se aconseja igualmente colocar a 3/4 de pieza.




9

9- En los paros de colocación, se debe tener en cuenta que el material ya colocado ha retraído y que el que vamos a colocar va a sufrir el mismo movimiento. Se debe de predecir, por lo tanto, el posible movimiento o retracción, ya que si seguimos colocando al mismo nivel, la posterior retracción puede originar un pequeño desnivel.



10

10- Hay que considerar en cualquier caso la presencia de juntas perimetrales que ayudarán a absorber cualquier movimiento post-obra. Estas juntas han de permanecer vacías o rellenas de cualquier material compresible y deben tener una anchura mínima de 8 mm. Esta junta se disimula con el zócalo o con el propio azulejo.



11

11- Si el soporte lleva ya sus propias juntas estructurales o de partición, éstas deben de respetarse cuando se proceda a la colocación del recubrimiento cerámico. Se recuerda que la superficie máxima a revestir con baldosas cerámicas sin juntas de partición es de 50 m² a 70 m² si se trata de un interior, y de la mitad si se trata de un ambiente exterior.



12

12- Durante la fase de colocación, cuando aún no se ha completado la fase de fraguado (sobre todo al finalizar la jornada o al inicio del día siguiente), debemos revisar lo ya colocado, ya que todavía estamos a tiempo de corregir cualquier defecto de colocación, utilizando para ello el mazo de goma y las ventosas.



13

13- Antes del rejuntado se comprueba que las juntas de colocación (entre baldosa y baldosa) están vacías y limpias de materiales de agarre y restos de suciedad. Cualquier agente intermedio puede restar efectividad a la junta de colocación, dificultando además la adherencia del material de juntas.



14



15

15- El material de rejuntado se aplicará con llana de goma, evitando en todo momento la utilización de llanas metálicas, que puedan dañar la superficie esmaltada. Existe en el mercado material de juntas en una amplia gama de colores, para poder asegurar la uniformidad de tono de cualquier ambiente formado. En los catálogos de VENIS se recomienda el color de junta adecuado.



16

16- La retirada de los restos de material de rejuntado se debe realizar utilizando una esponja humedecida en agua limpia. Esta operación no se debe prolongar en el tiempo, ya que un excesivo tiempo de contacto del material de rejuntado con la superficie esmaltada, dificulta la posterior eliminación del mismo, en especial aquellos modelos que su superficie presenta relieves.



17

17- Se hace imprescindible, en la colocación del pavimento, la protección del material ya colocado con sistemas adecuados, para impedir posibles daños hasta la finalización de la obra, debido a la presencia de material abrasivo y continuo trasiego de herramientas. De esta forma, además de la protección del material, se facilitan así las posteriores tareas de limpieza.



18

18- Se deben evitar agentes de limpieza que contengan ácido fluorhídrico (HF) y detergentes sólidos que contengan partículas susceptibles de abrasionar el material. El ácido fluorhídrico eliminaría totalmente la superficie esmaltada del material, causando así daños irreparables.

Consultar: Instrucciones de Limpieza y Mantenimiento.

La técnica de colocación recomendada por PORCELANOSA Grupo y descrita en este documento se ha desarrollado tomando como referencia las directrices marcadas en la Guía de la Baldosa Cerámica, editada por el Instituto Valenciano de la Edificación. Colegio Oficial de Arquitectos de la Comunidad Valenciana. Conselleria de Obras Públicas, Urbanismo y Transportes de la Generalitat Valenciana.

INSTRUCCIONES PARA LA COLOCACIÓN

BALDOSAS CERÁMICAS EN EXTERIORES



1

1- Resulta de gran importancia en la colocación la elección de las herramientas y útiles adecuados (llana dentada, maza de goma, crucetas para la colocación así como llana de goma y esponja con el fin de facilitar una operación de rejuntado adecuada).



2

2- Es imprescindible proyectar y realizar las pendientes de evacuación correspondientes hacia los desagües con el fin de evitar estancamientos y formación de charcos o acumulaciones de agua.



3

3- Es fundamental realizar una correcta impermeabilización del terreno con la finalidad de evitar filtraciones de humedad desde el suelo así como la formación de fenómenos de eflorescencias, generación de musgo, etc.



4

4- La base o fondo de colocación será compacta en todo su espesor y superficie, eliminándose las partes que puedan desprenderse fácilmente. Debe estar limpia de polvo, grasas o cualquier otra sustancia que pueda impedir la adhesión. Además, no debe presentar defectos de planitud. En la realización del soporte se respetaran las pendientes realizadas anteriormente.



5

5- El soporte debe ser dimensionalmente estable y no deformable, habiendo completado las posibles contracciones por secado y fraguado. Es recomendable esperar una semana por cada centímetro de espesor aplicado o bien, utilizar conglomerantes de fraguado rápido, si lo que deseamos es acelerar la puesta en servicio del pavimento cerámico.

6- Es necesario efectuar un correcto replanteo del espacio a embaldosar. En esta fase es indispensable prever la ubicación de las juntas de fraccionamiento y perimetrales, respetar las juntas estructurales y evitar colocar sobres estas, si queremos prevenir potenciales roturas o agrietados por movimientos posteriores a la finalización de la obra.



7

7- Los adhesivos a utilizar para colocar las baldosas cerámicas en exteriores serán siempre del tipo C2, según normativa EN 12004 (Adhesivos para baldosas cerámicas). Se deben respetar en cualquier caso las instrucciones de utilización del fabricante, lo que nos permitirá hacer un uso óptimo y obtener las máximas prestaciones del adhesivo.



8

8- La aplicación se realizará siempre en capa fina utilizando una llana dentada. El tamaño de ésta dependerá del formato de la baldosa a colocar. Para una aplicación en exteriores y sobre baldosas de gran formato se ha de utilizar siempre la técnica del doble encolado, aplicando adhesivo tanto sobre el soporte como en el dorso de la pieza.



9

9- Para el correcto sellado de las juntas de colocación es necesario usar morteros de juntas adecuados para uso en exteriores (morteros de rejuntado base cemento tipo CG2 según normativa EN 13888, Material de rejuntado para baldosas cerámicas). Se recomienda mezclar los morteros de rejuntado cementoso con aditivos látex especiales en aquellos casos donde sea necesario conseguir una mayor elasticidad, adherencia y resistencia mecánica.



10

10- El correcto sellado de las juntas es una parte muy importante en el proceso de solado. No se admite la colocación "a tope" en exteriores, recomendando una separación mínima entre baldosas de 5 mm. que puede verse incrementada en zonas de grandes variaciones térmicas. Antes del relleno de las juntas es necesario realizar una correcta limpieza de las mismas.



11

11- En el proceso de rejuntado respetar las condiciones de aplicación indicadas por el fabricante. En el caso de colocación de baldosas antideslizantes o si se utiliza látex, limpiar los restos de rejuntado antes de que seque.



12

12- Considerar en cualquier caso la presencia de juntas perimetrales. Se realizarán en el encuentro de los pavimentos con elementos verticales, como muros, pilares y bloques de cimen-tación, así como entre pavimentos de distinto tipo. Deberán tener una anchura mínima de 8 mm.



13

13- Las juntas estructurales presentes en el pavimento deben respetarse escrupulosamente en toda su anchura y profundidad. Las juntas de movimiento representan un factor fundamental en la conservación del recubrimiento cerámico frente a movimientos, tanto los propios de la edificación como los inducidos (cambios de temperatura, humedad...), que puedan tener lugar en el pavimento.



14



15

15- Es necesario efectuar juntas de fraccionamiento en tramos superficiales comprendidos entre los 9 y los 25 m² formando una cuadrícula de lado no superior a 5 m. El ancho de las juntas de fraccionamiento será como mínimo de 8 mm, pudiendo ampliarse en caso de condiciones de uso extremas.



16

16- Para ambientes exteriores de zonas con riesgo de heladas se debe elegir material gres porcelánico (Absorción de agua inferior al 0.5%). En época de heladas evitar la acumulación de agua en las juntas, cuando todavía no se ha efectuado la operación de rejuntado ya que el cambio de fase agua-hielo puede provocar desperfectos. Para la colocación de peldaños, seguir rigurosamente las instrucciones editadas por VENIS.



17

17- En zonas húmedas dónde exista riesgo de deslizamiento, para aumentar la seguridad, se debe utilizar un pavimento con características antideslizantes, teniendo en cuenta la dificultad para su limpieza intrínseca a los mismos (mayor facilidad en acumular suciedad y mayor dificultad en la eliminación de la misma).



18

18- La retirada de los restos de material y adhesivos tras la colocación no se debe demorar ya que un excesivo tiempo de contacto con la superficie cerámica dificulta la posterior eliminación de los mismos. Se deben evitar agentes de limpieza que contengan ácido fluorhídrico y materiales agresivos.

Consultar: Instrucciones de Limpieza y Mantenimiento.


Generalmente en ambientes exteriores, los recubrimientos cerámicos están expuestos a la intemperie y sufren, por lo tanto, altas agresiones mecánicas y químicas. Las causas de los deterioros más habituales se resumen en dos factores que influyen negativamente a las construcciones en exteriores; tales como la presencia de agua y/o humedad y las agresiones térmicas producidas por los grandes cambios de temperatura y presencia de helada.

INSTALLATION INSTRUCTIONS
CERAMIC TILES

VENIS®



- 1- Choosing the proper tools and implements (notched trowel, rubber mallet, suction-cups and cross-spacers for installing tiles, rubber trowel for grouting) is of the utmost importance.
- 2- The substrate (wall or floor) to be tiled must be perfectly level, with no defects in planarity. We recommend that damp areas be waterproofed beforehand. A difference in thickness in the adhesive layer will produce different stresses on the ceramic tile surface which will result in projecting tile edges.
- 3- The surface to be tiled must be completely free of dust or any other substance that could negatively affect tile adhesion. This will promote better bonding strength of the adhesive on the substrate.
- 4- During installation, there should be enough light to allow us to easily spot any sort of defect, especially the appearance of projecting tile edges. During this phase, work should be performed with more lighting than that which will illuminate the area once the work is finished. The use of spotlights will prove helpful in this regard.
- 5- Selecting the type of adhesive to use is fundamental. We must take into account the properties of the substrate to be tiled (surface of brick, wood, plaster, metal , etc.), as well as the characteristics of the chosen ceramic tiles (porous wall tiles, stoneware tiles or porcelain tiles). The appropriate adhesive is recommended in the VENIS catalogues.
- 6- The thin-bed installation method is recommended, with a flexible adhesive. For formats larger than 33x33 (1.000 cm²) the buttering-floating technique is recommended, that consists of applying the adhesive on both the substrate and the back of the tile.



- 7- Being as these are rectified tiles, they require careful handling, to avoid nipped edges, chipping or scratches on the surface of tiles. The Ceramic Tile Guide* recommends that tiles not be installed with a joint width less than 1.5 mm. between pieces.
- 8- For the installation of rectified materials, it is recommended that cross-spacers of at least 1 mm. be used. In rustic models the minimum joint recommended is 3 mm. It is recommended that rectangular tiles, when arranged in a staggered layout, be installed at 3/4th-piece intervals.
- 9- During installation stoppages, it should be kept in mind that the tiles already installed have contracted, and those which we are going to install will experience the same movement. Therefore, it is necessary to predict the possible movement, since if we continue tiling on the same level, the subsequent contraction may give rise to a slight difference in level.
- 10- It is recommended that you consider the inclusion of perimeter joints, which will help to absorb any movements after installation. These joints must be left empty, or else filled with a compressible material; the minimum recommended width for those joints is 8 mm. This joint is concealed with the skirting or with the tile itself.
- 11- If the substrate already has its own structural joints or dividing joints, these should be respected when ceramic tiles are installed. It must be remembered that the maximum surface area to be covered with ceramic tiles without dividing joints is 50 m² to 70 m² for interiors and half that size for exteriors.
- 12- During the installation phase, before setting has fully taken place, we should continuously check already installed pieces, since there is still time to fix any faults. A rubber mallet can be used to tap down projecting tiles and a suction-cup can be used to pull up pieces that are sunken in excess.



- 13- Before grouting, it should be made sure that installation joints (between tile and tile) are empty and free of bonding materials and traces of dirt and grime. Any intermediary substance may make installation joints less effective, in addition to hindering the adhesion of the grout.
- 14- Joints should be grouted once tiles are firmly bonded to the substrate. In the special case of floor tiles, the manufacturer's recommendations should be followed, so as to enable enough time to elapse before tiles are walked on or subjected to any loads.
- 15- The grouting material should be applied with a rubber trowel, and the use of metallic trowels should be avoided at all times, since they may damage the glazed surface of tiles. Grouts in a wide range of colours are available on the market, which make it possible to match the shade of any setting created. The appropriate grout colour is recommended in the VENIS catalogues.
- 16- Removing excess grouting material should be performed using a sponge dampened in water. This operation should be done in timely fashion, since if the grouting material is left in contact with the glazed surface of tiles for too long, it hinders cleaning, especially in those models the surface of which has relief.
- 17- It is absolutely necessary that already installed ceramic floor tiles be protected with the proper means so as to prevent possible damages until the building project is complete, due to the presence of abrasive materials and ongoing movement of tools. This will not only help to protect tiles, but it will also make subsequent cleaning easier.
- 18- The use of cleaning agents that contain hydrofluoric acid (HF) and solid detergents with particles that may abrade the tile surface should be avoided. Hydrofluoric acid would completely remove the glazed surface of tiles, thus causing irreparable damage.

See: Cleaning and Maintenance Instructions.

The tile-laying methods recommended by PORCELANOSA Grupo and described in this document are based on the guidelines of the Ceramic Tile Guide, published by the Valencia Building Institute, the Valencia Regional Association of Architects, and the Valencia Regional Department of Public Works, Urban Planning and Transport.

INSTALLATION INSTRUCTIONS
OUTDOOR CERAMIC TILES


VENIS®



- 1- When installing tiles, it is extremely important that you choose suitable tools and instruments (notched trowel, rubber mallet, tile spacers, rubber trowel, and sponge for optimum results when grouting).
- 2- It is essential that you design and create suitable drainage slopes to avoid stagnation problems and prevent the build-up of surface water.
- 3- Make sure that the ground is properly waterproofed to prevent ground moisture from filtering through and to protect against the formation of bloom, moss, etc.
- 4- The substrate must be compact throughout in terms of thickness and surface finish, and any parts that are brittle or that could become easily detached should be removed. The substrate must also be free of dust, fat, or any other substances that could interfere with adhesion. Finally, make sure that the surface is completely even. All drainage slopes that you have previously created must be maintained when preparing the substrate.
- 5- The installation substrate must be stable in terms of dimension and structure, and sufficient time left for drying and setting shrinkage to occur. We recommend leaving one week for each centimetre of adhesive applied. If the surface needs to be used sooner, you might consider using a quick-setting compound.
- 6- Correctly plan the layout of the area to be tiled in advance. When planning the layout, decide where to place perimeter and intermediate expansion joints, maintain structural joints, and do not install any tiles on these to prevent any breakage or cracking after installation.



- 7- In outdoor areas prone to frost, the crack must be covered well and y class C2 cement-based adhesives as per European standard EN 12004 (Adhesives for Ceramic Tiles) to install outdoor ceramic tiles. Follow the manufacturer's instructions at all times to enjoy the full benefits offered by the adhesive's properties.
- 8- Apply all adhesives with a notched trowel using the thin-bed method. Make sure that the size of your trowel is suited to the size of the tiles you are installing. For outdoor or large-format tiles, always use the floating and buttering method, i.e. spread the adhesive over both the substrate and the underside of the tile.
- 9- Ensure that you seal tile joints properly by using a grouting mortar suited to outdoor use (Class CG2 cement-based grouting mortars as per EN 13888 - Grouting Material for Ceramic Tiles). For applications requiring greater elasticity, adhesion, and mechanical resistance, we recommend mixing your cement-based mortar with a special latex additive.
- 10- The correct sealing of joints is a very important part of the tiling process. Outdoor tiles should never be butted together. A joint of at least 5 mm should be left between tiles although this can be increased in areas subject to sharp temperature changes. Make sure that all joints are clean before grouting them.
- 11- Make sure that you follow the manufacturer's instructions when applying the grouting material. If you are using anti-slip tiles or a latex-based grout, make sure you clean away all traces of grout before it has time to dry.
- 12- In all cases, consider the creation of perimeter joints. These should be created at all transitions between floor tiles and vertical elements such as walls, pillars, foundation blocks, or other types of flooring. Perimeter joints should have a minimum width of 8 mm.



- 13- The width and depth of all floor structural joints must be strictly observed. Movement joints are critical to protecting ceramic tiles against damage caused by movements – both normal building movements and movements caused by changes in temperature, moisture, etc.
- 14- When filling movement joints, do not use absorbent, closed-cell, high-compression, or temperature-resistant grouting materials. Seal joints with a highly elastic, waterproof material that is suited to the width of the joint. This sealant must also offer sufficient mechanical and thermal resistance.
- 15- Intermediate expansion joints must be created in areas measuring between 9 and 25 m². These joints should form a square with each side measuring no more than 5 m. A joint width of at least 8 mm should be left although this
- 16- Porcelain tiles should always be used in outdoor areas prone to frost (these tiles have a water-absorption rate of under 0.5%). Do not allow water to accumulate in ungrouted joints during frost periods as freezing-thawing cycles could damage the tiles. When installing steps, strictly follow all instructions provided by VENIS.
- 17- You can increase safety levels in wet areas where there is a risk of slippage by choosing a tile with anti-slip properties. Bear in mind, however, that these tiles are more difficult to clean (they are more susceptible to the build-up of dirt, and dirt, in general, tends to be more difficult to remove).
- 18- When finished tiling, make sure that you remove all traces of grout and adhesive promptly as the longer that these are in contact with the tiled surface, the more difficult they are to remove. Do not use cleaning agents containing fluorhydric acid or any other aggressive materials.

See: Cleaning and Maintenance Instructions.

Ceramic tiles are generally exposed to indement weather, and as such, are subject to considerable mechanical and chemical aggressions. Damage is most frequently caused by two factors, which are generally unkind to outdoor constructions: the presence of water and/or moisture and thermal aggressions caused by sharp changes in temperature and freezing cycles. Porcelain tiles should always be used in these cases to avoid these problems.

INSTRUCCIONES PARA LA COLOCACIÓN

INSTALLATION INSTRUCTIONS

REVESTIMIENTO WALL TILES



INSTRUCCIONES ESPECÍFICAS DE COLOCACIÓN PARA LOS MODELOS CON DIRECCIONLALIDAD:
SPECIFIC TILE-LAYING INSTRUCTIONS FOR MODELS THAT MUST BE LAID FACING A PARTICULAR WAY:

- Para la correcta instalación de ciertos modelos, aconsejamos un sentido de colocación único.
- Estos modelos tienen unas flechas en la parte posterior, que sirven de guía para la colocación.
- En caso de que la parte trasera de las piezas contenga flechas, estas deben de apuntar siempre hacia arriba.

- To ensure that all models listed below are correctly laid, they must be laid facing a particular way.
- These models have arrows on the back to show which way to lay them.
- If there are arrows on the back of the tiles, these should be laid pointing upwards.

COLOCACIÓN HORIZONTAL LAID HORIZONTALLY

AVENUE	CENTURY	↑	↑	↑	↑	↑	↑	↑	↑
DALIA	HUDSON	↑	↑	↑	↑	↑	↑	↑	↑
IRISH PROJECTION	ISLAND	↑	↑	↑	↑	↑	↑	↑	↑
LAJA	LUCA	↑	↑	↑	↑	↑	↑	↑	↑
MAHE	NARA	↑	↑	↑	↑	↑	↑	↑	↑
NARA BASIC	OASIS	↑	↑	↑	↑	↑	↑	↑	↑
OLD	ONA	↑	↑	↑	↑	↑	↑	↑	↑
PARK	STREET	↑	↑	↑	↑	↑	↑	↑	↑
SWEDEN	WAVE	↑	↑	↑	↑	↑	↑	↑	↑
ZEUS		↑	↑	↑	↑	↑	↑	↑	↑

COLOCACIÓN VERTICAL LAID VERTICALLY

BLUEBELL	↑	↑	↑	↑	↑	↑	↑	↑	↑
FLORENCIA	↑	↑	↑	↑	↑	↑	↑	↑	↑
PIETRA	↑	↑	↑	↑	↑	↑	↑	↑	↑
ZOE	↑	↑	↑	↑	↑	↑	↑	↑	↑
	↑	↑	↑	↑	↑	↑	↑	↑	↑
	↑	↑	↑	↑	↑	↑	↑	↑	↑
	↑	↑	↑	↑	↑	↑	↑	↑	↑
	↑	↑	↑	↑	↑	↑	↑	↑	↑
	↑	↑	↑	↑	↑	↑	↑	↑	↑
	↑	↑	↑	↑	↑	↑	↑	↑	↑

INSTRUCCIONES PARA LA COLOCACIÓN

INSTALLATION INSTRUCTIONS

REVESTIMIENTO WALL TILES



INSTRUCCIONES ESPECÍFICAS DE COLOCACIÓN PARA LOS MODELOS CON DIRECCIONLALIDAD:
SPECIFIC TILE-LAYING INSTRUCTIONS FOR MODELS THAT MUST BE LAID FACING A PARTICULAR WAY:

- En los modelos que se citan a continuación, la colocación puede ser horizontal o vertical.
- Estos modelos tienen unas flechas en angulo a 90º en la parte posterior, que sirven de guía para la colocación.
- En caso de que la parte trasera de las piezas contenga este tipo de flechas, una de las flechas debe de apuntar siempre hacia arriba, tal como se describe en los dibujos siguientes:

- The models listed below can be laid horizontally or vertically.
- These models have 90 ° angle arrows on the back to show which way to lay them.
- When the tiles have this type of arrow on the back, one of the arrows must be always pointing upwards, as described in the below drawings:

COLOCACIÓN VERTICAL LAID VERTICALLY

↗	↗	↗	↗	↗	↗	↗	↗
↗	↗	↗	↗	↗	↗	↗	↗
↗	↗	↗	↗	↗	↗	↗	↗
↗	↗	↗	↗	↗	↗	↗	↗
↗	↗	↗	↗	↗	↗	↗	↗
↗	↗	↗	↗	↗	↗	↗	↗
↗	↗	↗	↗	↗	↗	↗	↗
↗	↗	↗	↗	↗	↗	↗	↗

COLOCACIÓN HORIZONTAL LAID HORIZONTALLY

↖	↖	↖	↖	↖	↖	↖	↖
↖	↖	↖	↖	↖	↖	↖	↖
↖	↖	↖	↖	↖	↖	↖	↖
↖	↖	↖	↖	↖	↖	↖	↖
↖	↖	↖	↖	↖	↖	↖	↖
↖	↖	↖	↖	↖	↖	↖	↖
↖	↖	↖	↖	↖	↖	↖	↖
↖	↖	↖	↖	↖	↖	↖	↖

- DECO BERLIN
- DECO FILO
- DECO IRISH
- DIAMOND
- IRISH
- GLOBE
- HELSINKY
- PEARLS
- SEA
- SUEDE

INSTRUCCIONES PARA LA COLOCACIÓN

INSTALLATION INSTRUCTIONS

VENIS®

REVESTIMIENTO WALL TILES

INSTRUCCIONES ESPECÍFICAS DE COLOCACIÓN PARA LOS MODELOS:
SPECIFIC TILE-LAYING INSTRUCTIONS FOR MODELS:

CRYSTAL - SEA

INSTRUCCIONES PARA LA COLOCACIÓN Y MANTENIMIENTO

ATENCIÓN:
- Dado su acabado cristalino, adoptar las mismas precauciones que el vidrio para su conservación.

ADVERTENCIAS PARA LA COLOCACIÓN:
- Recomendamos rejuntar únicamente con Colorstuk Special (Butech), disponible en todos los colores: white, vanilla, acid, dark y cherry.
- Repasar las juntas con un trapo seco, para evitar que la presencia de humedad superficial produzca cambios de tono a lo largo de la junta.
- Limpiar con una esponja fina ligeramente humedecida en sentido diagonal a la trama de juntas.
- No mezclar con agua sucia o salobre.
- No utilizar en el rejuntado utensilios que puedan rallar el esmalte de las baldosas.
- No dejar endurecer el mortero en la superficie de la baldosa.
- Extender la mínima cantidad posible encima de la baldosa, para posteriormente facilitar la limpieza.
- Después del rellenado de las juntas se desaconseja espolvorear.
- Realizar siempre una prueba previa que garantice la aplicación, antes de extender a toda la superficie.
- Evitar productos abrasivos para su limpieza.

Consultar: Instrucciones de Limpieza y Mantenimiento.

INSTRUCTIONS FOR INSTALLATION & CARE

WARNING:
- In view of its crystalline finish, adopt the same precautions as for glass for its conservation.

WARNINGS WHEN PLACING:
- We would recommend you should only grout using Colorstuk Special (Butech), available in all colours: white, vanilla, acid, dark and cherry.
- Wipe the joints with a dry cloth, to remove any surface dampness which causes changes in tone along the joint.
- Clean with a slightly damp, fine sponge diagonally to the grain of the joints.
- Do not mix with dirty or salty water.
- Do not use utensils on the grouting which may grate the enamel of the tiles.
- Do not let the mortar harden on the surface of the tile.
- Spread as little as possible above the floor tile to subsequently facilitate cleaning.
- After filling the joints, sprinkling is not recommended.
- Always carry out a prior test on the application before spreading throughout the surface.
- Avoid using abrasive products for cleaning.

See: Cleaning and Maintenance Instructions.

INSTRUCCIONES PARA LA COLOCACIÓN

INSTALLATION INSTRUCTIONS

VENIS®

REVESTIMIENTO WALL TILES

INSTRUCCIONES ESPECÍFICAS DE COLOCACIÓN PARA LOS MODELOS:
SPECIFIC TILE-LAYING INSTRUCTIONS FOR MODELS:

SEA SILVER

INSTRUCCIONES PARA LA COLOCACIÓN Y MANTENIMIENTO

ATENCIÓN:
- Dado su acabado especial, adoptar las mismas precauciones para su conservación que en un recubrimiento de oro o platino. Tratar con mucho cuidado.

ADVERTENCIAS PARA LA COLOCACIÓN:
- Para su colocación utilizar una maza de goma, y evitar a toda costa, el contacto con las piezas contiguas.
- Recomendamos rejuntar únicamente con Colorstuk Special (Butech).
- Limpiar con una esponja fina ligeramente humedecida en sentido diagonal a la trama de juntas. No mezclar con agua sucia o salobre.
- No utilizar productos de limpieza abrasivos, y/o de pH ácido o básico.
- En zonas húmedas como spa o piscinas de uso público, donde se utilizan productos salinos y/o desinfectantes agresivos como la lejía, no se aconseja su colocación.
-En caso de manchas posteriores a la colocación limpiar con alcohol y un paño suave.

INSTRUCTIONS FOR INSTALLATION & CARE

WARNING:
- Given their special finish, the same precautions apply to these products as those used when caring for gold or platinum coverings. Handle with maximum care.

WARNINGS WHEN PLACING:
- Use a rubber mallet to lay them. Under no circumstances should adjoining tiles come into contact with one another.
- Use Colorstuk Special (by Butech) as grouting.
- Use a slightly damp sponge to clean the tile joints, passing it diagonally across them. Do not use dirty or brackish water.
- Do not use abrasive, acidic or alkaline cleaning products.
- These products are not suitable for wet areas like public spas or swimming pools where aggressive saline and/or disinfectant products like bleach are used.
-In case of stains after fixing, clean with alcohol and a soft cloth.

INSTRUCCIONES PARA LA COLOCACIÓN

INSTALLATION INSTRUCTIONS

MOSAICO MOSAICS

INSTRUCCIONES ESPECÍFICAS DE COLOCACIÓN PARA LOS MODELOS:
SPECIFIC TILE-LAYING INSTRUCTIONS FOR MODELS:

MANHATTAN - QUEENS

INSTRUCCIONES PARA LA COLOCACIÓN Y MANTENIMIENTO

- Para conseguir una acabado óptimo, se debe de hacer servir en todas las filas, de un regle para comprobar la horizontalidad de las baldosas y de un plomo para la verticalidad.
- Es muy importante emplear como material de agarre el adhesivo Fr-One de Butech con un sistema de colocación en capa fina.
- Excepcionalmente para estos modelos, se recomienda la colocación a testa y en vertical.
- Respetar el tiempo de secado del material de agarre, antes de rejuntar.
- Los consejos genéricos para una adecuada colocación de baldosas cerámicas, ya se describen en las Instrucciones para la Colocación de Porcelanosa Grupo.

Consultar: Instrucciones de Limpieza y Mantenimiento.

INSTRUCTIONS FOR INSTALLATION & CARE

- Please find below the specific fixing instructions for these ranges of indoors wall tiles. Generic advises for a proper tile fixing are already described in the Porcelanosa Grupo fixing instructions, which are attached.
- To get an optimal finish, using a long aluminium profile to double check the horizontality of the tiles and a plumb-bob or plummet for the verticality is a must.
- It is very important to use Fr-One from Butech as adhesive in thin set.
- As an exception, we recommend these models to be fixed only without joint and vertically.
- Fixing material must be let to dry before joints are filled.
- Generic advises for a proper tile fixing are already described in the Porcelanosa Grupo fixing instructions.
- See: Cleaning and Maintenance Instructions.

VENIS®

INSTRUCCIONES PARA LA COLOCACIÓN

INSTALLATION INSTRUCTIONS


PAVIMENTO FLOOR TILES

PIEZAS ESPECIALES PARA ESCALERAS SPECIAL PIECES FOR STAIRS

HUELLA TÉCNICA

No disponible en stock. Consultar condiciones
Not in stock. Check conditions

A- HUELLA TÉCNICA
B- HUELLA TÉCNICA ESQUINA DE / RIGHT
C- HUELLA TÉCNICA ESQUINA IZ / LEFT



INSTRUCCIONES PARA LA COLOCACIÓN DE LA HUELLA TÉCNICA:

- Asegurarse que el soporte estructural esté enrasado y preparado (limpio de polvo, aceites...)
- El sentido de colocación será desde abajo hacia arriba (sentido ascendente) (1).
- Utilizar herramientas de colocación adecuadas, así como adhesivos específicos para la baldosa y soporte implicados.
- Manipular con cuidado.
- Colocar todas las huellas, dejando la colocación de las contrahuellas para el final (1).
- La contrahuella debe apoyar sobre la pieza base (primer escalón) o sobre la huella (sucesivos peldaños) (2).
- Maestrear la verticalidad sobre la que se coloca la contrahuella hasta el nivel que nos permita, una vez completado el fraguado, colocando en capa fina, llegar al límite exterior de la huella ó a la distancia específica para dejar la diferencia de profundidad deseada entre huella y contrahuella. Según el Código Técnico de la Edificación, para escaleras previstas para evacuación ascendente, ó las utilizadas preferentemente por niños, ancianos ó personas con discapacidad, no se permite bocel ni resalte (huella y contrahuella deben quedar perfectamente alineados), para evitar tropiezos y caídas (3).
- Cortar la contrahuella a la medida establecida para cumplir con el dimensionamiento inicial de la escalera (el Código Técnico de la Edificación establece que para escaleras de uso general, la altura del peldaño debe ser inferior a 18,5 cm y superior a 13 cm, además, la superficie pisable (huella) debe ser superior a 28 cm (4).
- Las baldosas deben quedar perfectamente macizadas, sin huecos, para evitar potenciales fuentes de roturas ó despegues (2).
- Se debe proceder al rejuntado entre las distintas piezas, empleando para ello los materiales recomendados por Venis.
- Proteger el material ya colocado hasta que finalice la obra, con el fin de evitar daños sobre la superficie cerámica durante los trabajos posteriores.

INSTRUCTIONS FOR LAYING HIGH-PERFORMANCE STAIR TREADS:

- Make sure that the substrate is flat and ready for laying the treads (with no dust, oil or grease etc).
- Start to lay the tredas from the bottom of the staircase (moving upwards) (1).
- Use suitable tile-laying tools and the right adhesive for the tiles and substrate.
- Handle the tiles with care.
- Lay all the stair treads before proceeding to lay the risers (1).
- The stair riser of the first step should rest on the bottom floor tile. Subsequent risers should rest on the stair tread below each one (2).
- Level the vertical substrate for each stair riser so that, once the cement has set and the stair riser has been laid using the thin bed method, it reaches the outer edge of the stair tread above it or leaves the desired joint between them.
- According to the Spanish Building Code, when stairs are used for upward evacuation or mainly used by children, the elderly or the disabled, stair nosings or overhanging treads are forbidden. (The tread and riser must be edge to edge) (3).
- Cut the stair riser to the right size to comply with the initial plans for the stairs. (The Spanish Building Code establishes that stairs for general use should have steps with a height of over 13 cm and less than 18,5 cm and that the treads should be bigger than 28 cm) (4).
- Bond the tiles solidly, making sure that there are no voids, to prevent them from breaking or coming loose (2).
- Grout the tiles using materials recommended by Venis.
- Protect the tiled surfaces until all on-site work has been completed in order to prevent them from being damaged during subsequent building tasks.

ATENCIÓN: Las piezas no deben ser desembaladas hasta el momento de la colocación, mantenerlos con el corcho separador
WARNING: Step tiles should not be unpackaged until they are ready to be installed. Keep them with the cork separator in place

1.- RECOMENDACIONES TÉCNICAS

Para resolver las dudas que en ocasiones surgen en cuanto al mantenimiento y limpieza de materiales y a modo de recomendación, desde el Departamento de Calidad de VENIS hemos creído oportuno realizar esta guía para que sirva de referencia para nuestro trabajo comercial y a ser posible ayude a resolver las dudas que puedan surgir y a la vez que satisfaga a nuestros clientes.

Se controlará por parte del cliente que el material sea destinado al uso correcto. Ante cualquier duda se suspenderá la colocación y formule la consulta ó reclamación correspondiente, siempre es mejor asesorarse.

Un simple consejo sirve para prevenir errores y elegir mejor.

2.- LIMPIEZA DE RESTOS DE OBRA. CEMENTOSOS

Tras la instalación del material cerámico, su superficie suele presentar restos de cemento en forma de una película o pequeñas acumulaciones que enmascaran la belleza del modelo. De no retirarse pueden afectar seriamente el aspecto final del producto colocado.

Antes de realizar la limpieza final de obra (eliminación de restos cementosos) es necesario respetar un tiempo de espera prudencial de 24-48 horas aprox., con el fin de que tenga lugar el correcto fraguado del material de rejuntado.

Durante y posteriormente a su colocación, para los trabajos posteriores de la obra, debe protegerse el pavimento con cualquier medio disponible (cartón, serrín, etc.).

Existen productos comerciales denominados quita-cementos o desincrustantes que son disoluciones ácidas y se utilizan principalmente para la eliminación de los restos cementosos (restos de obra).

Tendremos en cuenta:
-Las características de las baldosas y recomendaciones del fabricante.
-No se deben utilizar espátulas o cepillos metálicos.

Los desincrustantes se emplean diluidos en agua y para su aplicación se deben seguir las instrucciones de uso indicadas por el fabricante y atender a las precauciones para una utilización segura (por ejemplo: utilizar guantes durante su manipulación, mantener una ventilación adecuada,...).

Antes de proceder a su utilización es recomendable realizar una prueba del producto en una zona poco visible o bien sobre una pieza no instalada. Se deja actuar un tiempo prudencial y se comprueba que no daña la superficie de la baldosa.

Se debe evitar la utilización de concentrados que contengan partículas abrasivas, sulfumán o agua fuerte (ácido clorhídrico) puesto que en su formulación se pueden hallar trazas (pequeñas proporciones) de ácido fluorhídrico y éste último es capaz de reaccionar con cualquier material cerámico y alterar su aspecto superficial de un modo considerable.

Los vapores de ácido clorhídrico pueden atacar los metales que se encuentren cerca del punto de aplicación

3.- LIMPIEZA COTIDIANA

LIMPIEZA DE GRANDES SUPERFICIES

Para grandes superficies se recomienda el empleo de máquinas industriales de limpieza con agua caliente. Nunca emplear ceras ni jabones aceitosos o coloreados, ya que hacen que el material pierda sus características de antideslizamiento y que en los pulidos puede producir un efecto de empañado. Seguir las instrucciones del fabricante de las máquinas con respecto al uso de detergentes.

LIMPIEZA DE POLVO Y SUCIEDAD EN GENERAL

Para la limpieza del polvo ambiental o restos de suciedad del agua de lavado que puedan existir sobre la superficie cerámica, es aconsejable usar una mopa seca sin aditivos cerosos, ya que éstos pueden enmascarar la belleza del material cerámico.

En el caso de la limpieza de suciedad en general, es recomendable aspirar o barrer la superficie y posteriormente fregar con una disolución de lavado, utilizando un limpiador neutro en la dosis de uso recomendada por el fabricante.

Porcelanosa Grupo posee una serie de limpiadores (neutros, básicos...), para consultar dichos limpiadores puede acceder a su página www.butech.es.

En zonas donde el pavimento pudiera estar más sucio (cocinas, etc...) al agua puede agregarse un detergente para suelo con lejía o amoníaco (en estos casos recomendamos dar siempre al final una última pasada de agua).

LIMPIEZA DE ACEITES Y GRASAS

Hoy en día se comercializan diversos productos especiales para la limpieza de restos de grasas y aceites, como son los detergentes alcalinos o desengrasantes (quita-grasas). Si son restos ligeros, mediante el empleo de una disolución amoniacal pueden eliminarlos con facilidad. En cambio, si los restos son persistentes se debe recurrir a productos de limpieza adecuados. En el mercado existe una amplia gama de limpiadores o "friega-suelos" con una formulación determinada para eliminar este tipo de suciedad. También se pueden utilizar productos desengrasantes comerciales, los cuales tienen un mayor poder de limpieza.

LIMPIEZA DE MANCHAS ESPECÍFICAS

Ocasionalmente, en la superficie de los recubrimientos pueden existir restos diversos, al derramarse o entrar en contacto con determinadas sustancias (café, pinturas...).

Algunos productos pueden no ser eliminados mediante las operaciones usuales de limpieza y debe recurrirse a procedimientos específicos, en función de su naturaleza.

Es muy importante el tiempo que permanece la sustancia sobre la superficie de la baldosa, por lo que es recomendable limpiar la zona lo antes posible; de este modo evitará que se seque y se limpiará con mayor facilidad.

TIPOS POSIBLES DE MANCHAS Y PRODUCTOS DE LIMPIEZA MÁS ADECUADOS EN CADA CASO:

TIPO DE MANCHA	PRODUCTO DE LIMPIEZA	TIPO DE MANCHA	PRODUCTO DE LIMPIEZA
Aceite	-Alcohol etílico. -Tensioactivos aniónicos tipo "Fairy/Coral"	Goma (maza) o caucho	-Disolventes orgánicos.
Alquitrán o betún	-Disolventes orgánicos.	Óxidos	-Ácido fosfórico. -Ácido sulfúrico (H2SO4).
Café, té, vino, refrescos o zumos	-Lejía para suelos	Tinta	-Disolventes orgánicos. -Solución diluida de hipoclorito de sodio. -Ácido sulfúrico (H2SO4) o nítrico.
Cemento , yeso, cal	-Ácido Sulfámico H2NSO3H -Ácido (Ciment-remover). - Vinagre. - Ácido Clorhídrico CLH 10% (Salfuman)	Pintura	-Disolvente específico (acetona, aguarrás). -Pasta Decapante.
Cerveza o vino	-Detergentes alcalinos. - Ácido Clorhídrico CLH 10% (Salfuman)	Sangre	-Agua oxigenada o lejía -Hipoclorotileno
Nicotina	-Ácido cítrico.	Resinas y laca de esmalte	-Agua rejia+ diluyente nitro. -Tricloro-etileno. Acetona.
Grasas	-Bicarbonato y agua. -Tensioactivos anionicos Tipo"Coral/Fairy/Kh7"	Mercromina	-Ácido (sulfúrico o nítrico)+oxidante.
Yodo	-Agua oxigenada H2O2 -Lavavajillas tensioactivos anionicos Tipo"Coral/Fairy"	Helado	-Detergente básico.
Cera de vela	-Disolventes orgánicos.	Limpieza diaria	-Detergente común (pH neutro).
Lápiz	-Goma de borrar+ Ácido Clorhídrico CLH 10% -Tricloro-etileno. Acetona.	Tomate, Frutas, Chocolate y Salsas.	-Amoniaco. Ácido Clorhídrico CLH 10% (Salfuman)
Azul metileno	-Lavavajillas tensioactivos anionicos Tipo"Coral/Fairy"	Tinta rotulador (permanente)	-Alcohol
Restos cementosos Eflorescencias calcáreas	-Ácido Sulfámico H2NSO3H -Ácido Clorhídrico CLH -Ácido sulfúrico (H2SO4).	Moho	-Lejía

4.- MANTENIMIENTO

El uso al que se destina y el mantenimiento son los dos factores que determinan la vida útil de una superficie. Al no ser los pavimentos cerámicos los últimos elementos a colocar en las obras, deberán protegerse de posibles agresiones cubriéndolos con cartones, plásticos, etc.

Terminada la obra eliminar los restos de material lo antes posible. Cuando se derrame sobre el piso algún producto que pueda producir mancha, es aconsejable limpiar lo antes posible para evitar que se seque, dificultando su posterior eliminación. Para la limpieza diaria recomendamos el uso del detergente habitual diluido con agua limpia. Los revestimientos cerámicos, son producidos para garantizar una gran vida útil. Por lo tanto, se debe tener algunos cuidados en su uso y conservación:

- Mantener una limpieza frecuente.
- Conservar el ambiente libre de suciedades abrasivas utilizando alfombras ó felpudos.
- Proteger los elementos que puedan ser arrastrados sobre el revestimiento cerámico.
- Evitar sobrecargas ó caídas de materiales puntiagudos.
- No deben aplicarse ceras, aceites, etc... ya que la mínima porosidad del porcelánico impide una correcta aplicación, pudiendo derivar en“empañado “de la superficie vista a contraluz.

5.- CONSIDERACIONES GENERALES

Los colores y texturas de las piezas de las exposiciones son orientativos de los modelos.

Esta información ha sido confeccionada con el único objetivo de ofrecer información clara y concreta.

La misma no supone contraer ningún tipo de garantía o servicios anteriores o posteriores a la venta de cualquier producto comercializado por VENIS.

Esta información puede ser modificada, cambiada o sustituida total o parcialmente sin previo aviso.

No se admitirán reclamaciones sobre material colocado, por problemas derivados de la omisión de estas recomendaciones.

VENIS dispone de un equipo de profesionales cualificados al servicio de todos sus clientes. Si desean realizar alguna sugerencia, consulta o solicitud de información estaremos encantados de resolver sus inquietudes.

Nunca usar productos que contengan ácido fluorhídrico.

En la página web de VENIS, www.VENIS.com, encontrarán una amplia información, además de otros servicios de interés.

1.- TECHNICAL RECOMMENDATIONS

In order to solve any question regarding maintenance and/or Cleaning of the goods and as a strongly recommended guidelines, from the Quality Department of VENIS we thought it was necessary to issue a guide like this one, so it may serve as reference to our commercial labour and also our customers would be satisfied.

It will be controlled by the customer that the usage of goods will be the right one. Before any doubt, the installation will be stopped and the relative questions or claims must be placed, it is always better learn about first.

A simple advice may prevent from making mistakes and will help to choose better.

2.- CLEANING INSTALLATION (CEMENTITIOUS) RESTS.

After the installation of the ceramic tiles, it will be easy to find cement rests in the shape of a tiny film or small accumulations that will cover up the beauty of the item. In case they are not cleaned, they can seriously affect the finished product look.

Before the last cleaning once the works are finished, it is necessary to respect the waiting time of 24 to 48 hour approx., thus the joints get correctly harden.

During and after the installation, and for the works taking place after the installation, the floor tiles must be covered with any available mean (carton, sawdust, etc.).

There are products called cement-removers or descaling products that are acid dissolutions and are mainly used to remove cementitious rests. We'll bear in mind:

- The floor tile characteristics and the manufacturer’s recommendations.
- Putty knives or metallic brushes must not be used.

Descaling products are used are diluted in water for their application and the usage guidelines indicated by their manufacturer must be followed and the cautions for a safe usage must be taken in consideration (for instance, to wear gloves when manipulating them, to have appropriate ventilation...)

Before using them, it is advisable to test the product in a low visible area or over a non-installed piece. It must be left there for a reasonable time so whether it damages the surface of the piece or not can be checked.

Abrasive particles containing products must be avoided (such as hydrochloric acid) because in their composition there may be small proportions of hydrofluoric acid, which is able to react with any ceramic material and to alter its surface considerably.

***The steams produced by the hydrochloric acid may attack metals close to the point of their application. ***

3.- DAILY CLEANING

BIG SURFACES CLEANIN

For big surfaces it is advisable to use industrial cleaning machines with hot water. Never use oil soaps or coloured soaps; it may cause a losing of the anti-slip characteristics or it will dull the polished tiles. The guidelines of the machines must be followed in order to know what kind of detergent must be used.

DUST CLEANING AND GENERAL DIRT

To remove the dust or water dirt rests from the washing that may be over the surface of the ceramic tile, it is advisable to use a dry mop without any wax additives.

Regarding the general dirt, it is advisable to Hoover or sweep the surface and wash it after that with a neuter product in the quantity recommended by the manufacturer.

Procelanosa Grupo offers cleaning products (neuters, basics...) available to check in www.butech.es.

In the areas where the floor could be dirtier (kitchens, etc...), bleach or ammonia containing products can be added to the water (in these cases, we always recommend to clean again after that but with water only).

OILS AND GREASES CLEANING

Nowadays, different especial grease and oils cleaning products are sold, such as alkaline detergents or grease removers. If a dilution of ammoniac cannot easily remove the rests, then the appropriate cleaning products must be used. There is a wide range of floor cleaning products with a concrete formula intended to remove this kind of dirt. Normal grease removers can be used too, because they show better results.

SPECIFIC STAINS CLEANING

From time to time, different kinds of rests can be found over the surface of the tiles, either when they spill or they get in contact with some substances (coffee, paints,...)

Some products cannot be removed by means of the usual cleaning process and specific cleaning must be done according to their nature.

It is very important the time that the substance stays over the surface of the tile, being highly advisable to clean the area as soon as possible; thus we can prevent it from drying and it will be removed more easily.

KINDS OF POSSIBLE STAINS AND THE BETTER CLEANING PRODUCTS TO BE USED IN EACH CASE:

KIND OF STAIN	CLEANING PRODUCT	KIND OF STAIN	CLEANING PRODUCT
Oil	-Ethyl alcohol. -Anionic surfactants like "Fairy/Coral"	Rubber	-Organic solvents
Tarmac or shoe polish	-Organic solvents	Oxides	-Phosphoric acid -Sulphuric acid (H2SO4)
Coffee, tea, wine, refreshments	-Bleach for floors	Ink	-Organic solvents. -Dilute sodium hypochlorite -Sulphuric acid (H2SO4) or nitric acid.
Cement, gypsum, lime	-Sulfamic acid H2NSO3H -Acid (Cement-remover) -Vinegar -Hydrochloric acid HCL 10%	Paint	-Specific solvent. (Acetone, turpentine) -Pickling paste
Beer or wine	-Alkaline detergents. -Hydrochloric acid HCL 10%	Blood	-Hydrogen peroxide, bleach -Hypochlorite ethylene
Nicotine	-Citric acid	Resin and enamel lacquer	-Aqua regia+ Nitro diluents -Trichloride - ethylene. Acetone
Greases	-Bicarbonate and water. -Anionic surfactants "Coral/Fairy/Kh7"	Mercromina	-Acid (Sulphuric or nitric)+Oxidant
Iodine	-Hydrogen peroxide -Anionic surfactant dishwashing liquid as "Coral/Fairy"	Ice cream	-Basic detergent
Candle wax	-Organic solvents	Daily Cleaning	-Usual detergent (Neuter PH)
Pencil	-Eraser + Hydrochloric acid CLH 10% -Trichloride-ethylene. Acetone.	Tomato, fruits, chocolate and sauces	-Ammonia. Hydrochloric acid. CLH 10%
Methylene blue	-Anionic surfactant dishwashing liquid as "Coral/Fairy"	Permanent marker ink	-Alcohol
Cementitious rests Calcareous efflorescence	-Sulfamic acid H2NSO3H -Hydrochloric acid HCL -Sulphuric acid (H2SO4)	Mould	-bleach

4.- MAINTENANCE

The target usage and the maintenance are two key factors determining the durability of a surface. Floor tiles are not usually the last element to be installed in a job, so they must be protected from possible aggressive external agents by covering them with cartons, plastics, etc.

Once the work is finished, the rests have to be removed as soon as possible. When some product spills over the floor, it is advisable to clean them before they dry, so they don't get difficult to remove. For the daily cleaning, we recommend the usual detergent dilute in clean water. Ceramic tiles are produced to warranty a long durability, so, some cautions and cares must be taken for their preservation:

- To clean frequently
- To keep the environment free from abrasive particles, using a carpet or a rug.
- Protect the elements that can be dragged over the tiles.
- Prevent the overloads and the falling of sharp or pointed objects
- Waxes, oils, etc... must not be applied, since the porcelanic tile has a minimum of porosity that hinders a correct application, making the surface to be fogged when looking it against the light.

5.- GENERAL CONDITIONS

Colours and textures of the pieces in the showrooms are only illustrative items.

These guidelines have been made with the only aim of offering concrete and clear information.

This same information is not worth as any kind of warranty or services before or after selling any VENIS product.

This information can be changed or modified partially or totally without prior notice.

No claims about installed materials will be admitted when the problems found come from the omission of these recommendation guidelines.

VENIS, S.A. has available a team of professional and qualified people at service for the customers. Any suggestion, doubt or query can be transmitted and we'll be pleased to assist.

Never use products containing hydrofluoric acid.

In VENIS website, www.VENIS.com, you can find a wide range of information together with other services that may be of interest.



Con más de 400 establecimientos repartidos por todo el mundo y una red de distribución que sigue ampliándose día a día en ciudades como Nueva York, Londres, París o Milán, las tiendas PORCELANOSA aseguran la presencia de esta firma en los cinco continentes para mostrar al consumidor final el continuo avance en innovación y diseño de cada uno de sus productos.

DISTRIBUTORS

With more than 400 showrooms worldwide and a constantly expanding distribution network that reaches cities such as New York, London, Paris or Milan, the PORCELANOSA showrooms guarantee the firm's presence on all five continents, providing our final consumers with the chance to obtain a first-hand insight into the ongoing innovations and latest designs of each of its products.

VENIS®

DISTRIBUIDORES

DISTRIBUTORS

PAÍS - CIUDAD - DISTRIBUIDOR - TELÉFONO - E-MAIL *COUNTRY - CITY - DISTRIBUTOR - PHONE - E-MAIL*

ALBANIA

TIRANA - ALBA CERAMICA - 682 029 356 - albaceramica@yahoo.es

ANGOLA

LUANDA - PORCELANOSA ANGOLA - +244 931173551 - angola@porcelanosagrupo.com

ANTILLAS FRANCESAS

LAMENTIN, MARTINIQUE - SN DESIGN DECO - 595 42 2959 - designdeco.mq@orange.fr

ARGENTINA

BUENOS AIRES NESTOR MACAGNO - 11 4776 3008 - nestor.macagno@gmail.com

BUENOS AIRES - BARUGEL AZULAY - 11 4704 1500 - jimolina@barugelazulay.com.ar

MAR DEL PLATA - I.M.E.P.H.O. - 223 4813827 - compras@imepho.com.ar

ROSARIO - BALCARCE 54 - 03404264426 - consultas@balcarce54.com

ARMENIA

YERAVAN - BOMOND - (10) 55 08 99 - bomond@bomond.am

AUSTRALIA

ADELAIDE - FRANK MANTOVAN (AUSTRALIAN PORCELANOSA GROUP REPRESENTATIVE) - 412604055

frank@australianoffice.com.au

LAUNCESTON - ROSSETO TILES - (+61) 363266003 - peter@rosseto.com.au

HOBART - ROSSETO TILES - (+61) 362312931 - adminhobart@rosseto.com.au

ADELAIDE - ITALIA CERAMICS - 08 8336 2366 - stefi@italiaceramics.com.au

BRISBANE - ACE STONE+TILE - 75493334 - info@acestone.com.au

SYDNEY - EARP BROS - 294103222 - ebw@earp.com.au

MELBOURNE - EARP BROS - 393288598 - andrewg@earp.com.au

PERTH - CERAMO BY MST - 894451777 - info@ceramo.com.au

NEWCASTLE - EARP BROS - 249625500 - ebw@earp.com.au

SUNSHINE COAST - ACE STONE - 754933344 - info@acestone.com.au

AUSTRIA

ANSFELDEN - BEINKOFER - 0 722978525 - schauraum.ansfelden@beinkofer.at

BRUCK-MUR - TENNE IMPORT-EXPORT HANDELS - 0 386258844 - bruck@tenne.at

GRAZ - TENNE IMPORT-EXPORT HANDELS - 0 316262524 - nicole.czettl@tenne.at

LEIBNITZ - TENNE IMPORT-EXPORT HANDELS - 03452 707 65 - tenne@kindermann.st

LINZ - BEINKOFER - 0 73265525520 - j.haidvogel@beinkofer.at

HALL (TIROL) - BEINKOFER - 0 52235046910 - schauraum.hall@beinkofer.at

SALZBURG - BEINKOFER - 0 662469096920 - schauraum.salzburg@beinkofer.at

VÖSENDORF - TENNE IMPORT-EXPORT HANDELS - 01 6993333 - wien@tenne.at

WELS - BEINKOFER - 0 7242252532 - schauraum.wels@beinkofer.at

WIEN 1070 - BEINKOFER - 0 1 52242200 - schauraum.wien@beinkofer.at

WIEN 1220 - TENNE IMPORT-EXPORT HANDELS - 01 20 20 520 - wien-nord@tenne.at

WIEN 1230 - BEINKOFER - 01 6151600 6900 - schauraum.wien-sued@beinkofer.at

ZETTLING (GRAZ) - BEINKOFER - 3135 51641 6930 - schauraum.graz@beinkofer.at

AZERBAIJAN

BAKU - AKSESUAR INSAAT - (12) 596 25 48 - akseuar@aksesuar.az

BAHRAIN

MANAMA - ELAMES TRD. & CONT. - 36050221 - import@behzad-group.com

BELARUS

MINSK - UNDERGROUND - (172) 17 87 85 - underby@open.by

BELGIUM

HEIST-OP-DEN-BERG - PGB CERAMICA - (0) 15 253 366 - info@porcelanosa.be

BERMUDAS

HAMILTON - PEMBROKE TILE+STONE CO. LTD. - 441 292 8453 - info@pts.bm

BOSNIA AND HERZEGOVINA

SARAJEVO - LUK D.O.O. - 033 665 600 - www.bagno.ba

CITLUK - BROTIS D.O.O. - 036 650 960 - www.brotis.eu

BUELJINA - LUK D.O.O. - 055 228 100 - www.bagno.ba

BANJA LUKA - HOME ART D.O.O. - 051 379 081 - www.homeartdoo.com

BRASIL

RONDINHA-CAMPO LARGO-PARANÁ - PORCEBRAS - 41 3392 1500 - porcelanosa@porcelanosabrasil.com.br

BULGARIA

SOFIA - NIKMAR 61 ltd - 888 143 313 - nikmar-61@nikmar-bg.com

SOFIA - NIKMAR 61 ltd - 2 868 93 95 - nikmar-61@nikmar-bg.com

BLAGOEVGRAD - NIKMAR 61 ltd - 885 009 959 - nikmar-61@nikmar-bg.com

SANDANSKI - NIKMAR 61 ltd - 888 277 287 - nikmar-61@nikmar-bg.com

BURGAS - NIKMAR 61 ltd - 885 954 000 - nikmar-61@nikmar-bg.com

PETRICH - NIKMAR 61 ltd - 745 60006 - nikmar-61@nikmar-bg.com

CAMBODIA

PHNOM PENH - NEAK POAN THMEY - (+855) 092434264

CANADA

VANCOUVER - FONTILE - 604 683 9358 - info@fontile.com

CALGARY - FONTILE - 587 349 2290 - info@fontile.com

TORONTO - PORCELANOSA EAST CANADA - 905 454 1055 - info@porcelanosa-usa.com

CHILE

SANTIAGO - ATIKA - 2488 3000 - a.hadweh@atika.cl

SANTIAGO - PORCELANOSA CHILE - 5653 4306 - dario.valverde@porcelanosagrupo.com

CHINA

BEIJING - OUBO RUIDE BUILDING MATERIALS CO., LTD - 010-6772 8772

DALIAN - JING GONG BUILDING MATERIALS SPECIALITY SHOP - 0411-8230 3138

FUZHOU - YI JIA BUILDING MATERIAL BUSINESS - 0591-87144372

GUANGZHOU - EURO BUILDING MATERIAL SUPPLIES LTD - 020-22008080

HANGZHOU - SANRONG MATERIAL SUPPLIES LTD - 0571-86085805

HARBIN - GUANG XIA SANITARYWARES COMPANY - 0451-87806637

SHANGHAI MEIKAILONG - EURO BUILDING MATERIAL SUPPLIES LTD - 021-32510621

TIANJIN - BLUE OCEAN BUILDING - 022-88279653

TAIZHOU - MINGDU SHUIJA BUILDING MATERIALS CO., LTD - 0576-81891333

CHENGDU - WEI MEI BUILDING MATERIAL CO., LTD - 028-61559266

CHANGCHUNG - MEILEY VILLA - 0431-84515198

WUHAN - HIN LI TIN BUILDING MATERIAL CO., LTD - 027-83568709

COLOMBIA

BOGOTÁ - PROSEIN - 1743 5566 - infoprosein@prosein.com

BOGOTÁ - PORCELANOSA COLOMBIA - 1310 0245 - martin.perez@porcelanosagrupo.com

COSTA RICA

SAN JOSÉ - PROSEIN - 2291 3853 - proseincr@prosein.com

CROATIA

ZAGREB - CREDO CENTAR D.O.O. - 01 343 69 68 - darko@credo-centar.hr

DUBROVNIK - OTP DUBROVNIK - 020 412 478 - jelena.mijatovic@otp-dubrovnik.hr

POREC - SPINA D.O.O. - 052 434 005 - a.brajkovic@spina.hr

ZAGREB - SPINA D.O.O. - 01 349 2552 - ebarisic@spina.hr

VARAZDIN - SPINA D.O.O. - 042 303 707 - k.kocet@spina.hr

RIJEKA - SPINA D.O.O. - 051 741 300 - bmarsanic@spina.hr

PULA - SPINA D.O.O. - 052 219 002 - n.maksimovic@spina.hr

DUGOPOLJE - SPINA D.O.O. - 021 668 980 - jmrclca@spina-xd.hr

SPLIT - CREDO CENTAR D.O.O. Showroom More - +385 21 476 333 - more@credo-centar.hr

ZAGREB - ABC INTERIJER - 016055988 - info@abc-interijer.hr

CYPRUS

CYPRUS:

CH & P MAOURIS CO. LTD - 22444555 - despo@maourisikoiset.com

CYPRUS (NORTH):

GIRNE - MEPAS LTD. - 8125964 - mhafizoglu@yahoo.com

CZECH REPUBLIC

PRAHA - LOS KACHLOS - 0572 556 652 - jirka@loskachlos.cz

UHERSKE HRADISTE - LOS KACHLOS - 0602565683 - www.loskachlos.cz

DENMARK

GLOSTRUP - MOSAIKHJØRNET A/S - 38288928 - info@mosaikhjornet.dk

AARHUS/BRABAND - FLJSEGALLERIET HESSELAHL A.P.S. - 4587696222

info@fljsegalleriet-hesseldahl.dk

ODENSE - DANESP FLISE KOMPAGNIET A.P.S. - 66 17 32 21- roberto@danesp.dk

ECUADOR

GUAYAQUIL - GRIFINE - 593 2 3931920 - www.grifine.ec

QUITO - GRIFINE - 593 4 3702830 - www.grifine.ec

EGYPT

EL-GIZA - MAHGOUN TRADING & IMPORTING - 5712565 - inohamed@mahgoub-eg.com

ESTONIA

TALLINN - PLAADIPUNKT - (6) 50 07 20 - plaadipunkt@plaadipunkt.ee

FINLAND

VANTAA-HELSINKI - LAATTAPISTE OY - 9 87 80 31 - laattapiste@laattapiste.fi

FRANCE

ALSACE ET LORRAINE

VENDENHEIM - PORCELANOSA STRASBOURG - PORCELANOSA LORCERAM - (0)388 209 212

achats@lorceram.porcelanosa.fr

WITTENHEIM - PORCELANOSA MULHOUSE - PORCELANOSA LORCERAM - (0)389 570 260

achats@lorceram.porcelanosa.fr

AQUITAINE

MERIGNAC - PORCELANOSA BORDEAUX - CERADIS - +33 (0)556 124 848 - achats@ceradis.porcelanosa.fr

AUVERGNE

AURILLAC - ROUCHY AURILLAC - (0)471 638 282

BRIVES-CHARENAC - ROUCHY BRIVES - (0)471 048 090

CLERMONT FERRAND - ROUCHY CLERMONT-FERRAND - (0)473 987 070

CUSSET - ROUCHY CUSSET - (0)470 980 963

ISSOIRE - ROUCHY ISSOIRE - (0)473 890 289

MONTLUÇON - ROUCHY MONTLUÇON - (0)470 646 464

ONET-LE-CHATEAU - ROUCHY ONET-LE-CHATEAU - (0)565 678 787

YZEURE - TOULON-SUR-ALLIER - ROUCHY MOULINS - (0)470 209 949

BASSE NORMANDIE

MONDEVILLE - PORCELANOSA CAEN - PORCELANOSA OUEST - (0)231 820 000 - caen@ouest.porcelanosa.fr

BOURGOGNE

CHENÔVE - PORCELANOSA DIJON - EUROCERAMIQUE - (0)380 588 701 - tduprat@euroceramique.porcelanosa.fr

BRETAGNE

BREST - PORCELANOSA BREST - PORCELANOSA OUEST - (0)298 025 100 - brest@ouest.porcelanosa.fr

LORIENT - PORCELANOSA LORIENT - PORCELANOSA OUEST - (0)297 875 000 - lorient@ouest.porcelanosa.fr

SAINT GREGOIRE- RENNES - PORCELANOSA RENNES - PORCELANOSA OUEST - (0)223 200 808

rennes@ouest.porcelanosa.fr

VANNES - PORCELANOSA VANNES - PORCELANOSA OUEST - (0)297 460 292 - vannes@ouest.porcelanosa.fr

CENTRE

CHAMBRAY LES TOURS - PORCELANOSA TOURS - PORCELANOSA OUEST - (0)247 808 787 - tours@ouest.porcelanosa.fr

OLIVET - PORCELANOSA ORLEANS - PORCELANOSA PARIS IDF - (0)238 496 961 - efrau@porcelanosa.com

CORSE

AJACCIO - ART ET STYLES - (0)495 221 999 - info@artetstyles.com

BIGUGLIA - BASTIA - ART ET STYLES - (0)495 589 898 - info@artetstyles.com

FRANCHE COMTE

BESANÇON - PORCELANOSA BESANÇON - EUROCERAMIQUE - (0)381 416 363 - tduprat@euroceramique.porcelanosa.fr

HAUTE NORMANDIE

SOTTEVILLE LES ROUENS - PORCELANOSA ROUEN - PORCELANOSA PARIS IDF - (0)235 650 655 - efrau@porcelanosa.com

ÎLE DE FRANCE

ARCUEIL - PORCELANOSA PARIS PORTE D'ORLEANS - (0)149 121 257 - efrau@porcelanosa.com

TIGERY - PORCELANOSA COIGNIERES - PORCELANOSA PARIS IDF - (0)130 491 280 - efrau@porcelanosa.com

MEAUX - PORCELANOSA MEAUX - (0)160 092 828 - info@porcelanosameaux.fr

MONTIGNY- LES CORMEILLES - PORCELANOSA MONTIGNY - PORCELANOSA PARIS IDF - (0)139 311 979

efrau@porcelanosa.com

PARIS - PORCELANOSA CENTRE (RUE DU BAC) - PORCELANOSA PARIS IDF - (0)142 848 400 - efrau@porcelanosa.com

VERT SAINT DENIS - PORCELANOSA MELUN - PORCELANOSA PARIS IDF - (0)160 565 747 - efrau@porcelanosa.com

LANGUEDOC- ROUSSILLON

CABESTANY - PORCELANOSA PERPIGNAN - SOCADEC - (0)677 423 996 - eric@loopsinvest.com

NIMES - PORCELANOSA NIMES -SOCAMED - (0)466 282 780 - achats@socamed.porcelanosa.fr

PEROLS - PORCELANOSA MONTPELLIER - SOCAMED - (0)467 503 600 - achats@socamed.porcelanosa.fr

MIDI-PYRENNÉES

TOULOUSE - PORCELANOSA TOULOUSE - (0)534 565 760 - mfrancisco@porcelanosa.fr

NORD-PAS-DE-CALAIS

LEZENNES - PORCELANOSA LILLE - PORCELANOSA PARIS IDF - (0)320 340 340 - efrau@porcelanosa.com

PAYS DE LA LOIRE

BEAUCOUZE - PORCELANOSA ANGERS - PORCELANOSA OUEST - (0)241 738 100 - angers@ouest.porcelanosa.fr

GUERANDE - PORCELANOSA LA BAULE - PORCELANOSA OUEST - (0)240 607 273 - labaule@ouest.porcelanosa.fr

LA CHAPELLE SAINT AUBIN - PORCELANOSA LE MANS - PORCELANOSA OUEST - (0)243 236 520

lemans@ouest.porcelanosa.fr

LA ROCHE S/Y - PORCELANOSA LA ROCHE S/YON-PORCELANOSA OUEST - (0)251 241 217 - laroche@ouest.porcelanosa.fr

ORVAULT - PORCELANOSA NANTES - PORCELANOSA OUEST - (0)228 073 950 - orvault@ouest.porcelanosa.fr

SAINT HERBLAIN CÉDEX -CAP21 - PORCELANOSA OUEST - (0)240 169 400 - nantes.nord@ouest.porcelanosa.fr

POITOU- CHARENTES

CHASSENEUIL DU POITOU - PORCELANOSA POITIERS - PORCELANOSA OUEST - (0)549 119 787

poitiers@ouest.porcelanosa.fr

PROVENCE-ALPES- CÔTE D'AZUR

AUBAGNE - PORCELANOSA MARSEILLE - AZURCERAMIQUE - (0)442 624 330

xlepostollec@azurceramique.porcelanosa.fr

LES PENNES MIRABEAU - PLAN DE CAMPAGNE - PORCELANOSA PLAN DE CAMPAGNE - AZURCERAMIQUE - (0)442 466 120

xlepostollec@azurceramique.porcelanosa.fr

MANDELIEU LA NAPOULE - PORCELANOSA CANNES-MANDELIEU - AZURCERAMIQUE - (0)493 477 360

xlepostollec@azurceramique.porcelanosa.fr

NICE - PORCELANOSA NICE - (0)493 041 963 - info@porcelanosa-nice.fr

RHÔNE ALPES ET AUVERGNE

CHAMPAGNE AU MONT D'OR - PORCELANOSA LYON - EUROCERAMIQUE - (0)478 668 151

tduprat@euroceramique.porcelanosa.fr

FRENCH POLYNESIA / POLYNÉSIE FRANÇAISE

PAPEETE (TAHITI) - MCM TIPAERUI - (689) 42 58 54 - contact@mcm.pf

GEORGIA

TBILISI - LUXOR - (32) 38 88 98 - david@luxor.ge

GERMANY

AACHEN - SCHMIDT RUDERSDORF WUERSELEN - 0 2405413850 - info@schmidt-rudersdorf.de

AALEN-ESSINGEN - TAXIS ESSINGEN - 0 736592230 - aalen@taxis.de

ACHIM - W. LINNENBECKER - 0 4202521947 - j.gladewitz@linnenbecker.de

ALZEY - J.N KOEBIG - 0 6731488600 - alzey@koebig.de

ASCHAFFENBURG - KALKWERKE - 0 6021360162 - schaeffer@k

JORDAN

AMMAN - AYMAN ABDALLAT & PARTNER CO - 5672376 - abdallat@go.com.jo

KAZAKHSTAN

ALMATY - STOCK - (727) 275 50 36 - tile@alnet.kz
ALMATY - ALTAIR - (727) 393 56 17 - altair.alma@mail.ru
ASTANA - ALTAIR - (7172) 34 64 69 - salon_altair@mail.ru
ASTANA - PALATIN HILL - (727) 351 98 98 - info@palatin.kz
AKTOBE - ALTAIR - (7132) 52 36 67 - altair-aktobe@mail.ru

KYRGYZ REPUBLIC

BISHKEK - KERAMIN KYRGYZYA - (312) 51 05 05 - salon_keramin@mail.ru

KOREA

SEOUL - YOUNG JIN TIM - 82 70088551010 - steven@portocera.com
SEOUL - GAYOUNG CERAMICS - 82 237850542 - wave0111@naver.com

KOSOVO

PRISHTINA - NPT KERASAN - 044 507 099 - valton@kerasan.net

KUWAIT

HAWALLY - HASSAN ABUL - 22624466 - info_kw@hassanabul.com

LATVIA

RIGA - TORMANIS UN PARTNERI - (7) 84 45 11 - info@tormans.lv
RIGA - GALERIJA VANNAS - (6) 737 67 80 - vannas@vannas.lv

LEBANON

SIN EL FIL - GEAHCHAN GROUP - 1480520 - info@geahchangroup.com
NAHER EL MOTT - PORCELANOSA GROUP - 14800520 - info@geahchangroup.com

LIBYA

BENGHAZI - BEN ALI SHOWROOM - 612220618 - benalico2002@yahoo.com

LITHUANIA

KAUNAS - IRIS - (37) 40 99 70 - iris@iris.lt
VILNIUS - IRIS - (5) 213 66 67 - iris@iris.lt
VILNIUS - OGRINDA - (5) 260 78 54 - oksana@ogrinda.lt

LUXEMBOURG

LUXEMBOURG - C.M. - +33 (0) 622 197 416 - cmroz@lorceram.porcelanosa.fr

MADAGASCAR

ANTANANARIVO - CIMELTA - +261 2022 22631

MALAYSIA

KUALA LUMPUR - APEX CERAMIC CITY - +603 4043 8333 - apexhq@apexceramicscity.com

MALTA

BIRKIRKARA - ROGER SATARIANO AND SON LTD. - 21 49 21 49 - info@satariano.com

MAURITIUS

GRAND BAIE - LISING & CO +230 242 12 48 - lising@intnet.mu
PORT LOUIS - LISING & CO - +230 242 30 88 - lising@intnet.mu

MEXICO

MEXICO D.F. - PORCELANOSA MEXICO S.A. DE C.V. - 55 26200186 - oficinas@porcelanosamexico.com

MOLDOVA

CHISINAU - DALIA - (22) 23 27 51 - dalia@starnet.md
CHISINAU - KERAMIN - (22) 40 51 50 - coman.vitalie@gmail.com

MONACO

MONACO - PORCELANOSA MONACO - + 377 93 502 387 - so@porcelanosamonaco.com

MONTENEGRO

PODGEICA - ENTEXT - 382 20 260 831 - info@entext.me

MOROCCO

CASABLANCA - SANITAIRE 2000 - 2363202 - karimbentahar@sanitaire2000.com
CASABLANCA - EXPO-BAIN - 522985151 - info@expobain.ma
CASABLANCA - GLOBE CERAMIQUE - 522394301 - globeceram@menara.ma
RABAT - SANIEXPO - 7280074/75 - karimbentahar@sanitaire2000.com
RABAT - AR'CHIC RABAT - 7792197/98 - karimbentahar@sanitaire2000.com
RABAT - EXPO-BAIN - 537230417 - info@expobain.ma
MARRAKECH - SANITAIRE AMINE - 4302929 - karimbentahar@sanitaire2000.com
MARRAKECH - AR'CHIC MARRAKECH - 4302927 - karimbentahar@sanitaire2000.com
MARRAKECH - AL HAMRA CERAMIQUE - 524332147 - alhamraceram@gmail.com
TANGER - ETS TAHIRI - 93733373 - karimbentahar@sanitaire2000.com
FES - ZAHRA CERAMIQUE - 535931322 - zahraceramique@menara.ma
NADOR - CENTRE CERAMIQUE - 536380444 - centreceramique@menara.ma

THE NETHERLANDS

AMSTERDAM - PGN CERAMICA B.V. - +31 20 737 2845 - info@porcelanosa.nl

NEW CALEDONIA / NOUVELLE CALÉDONIE

NOUMEA - GROUPE SOPEMA - + 637 28 16 36 +687 28 10 43 - www.groupepopea.nc

NEW ZEALAND

ADELAIDE - FRANK MANTOVAN (NEW ZEALAND PORCELANOSA GROUP REPRESENTATIVE) - 61412604055 - frank@australianoffice.com.au
AUCKLAND - JACOBSEN CREATIVE SURFACES - 95241475 - info@jcs.co.nz
WELLINGTON - JACOBSEN CREATIVE SURFACES - 95241475 - info@jcs.nez
CHRISTCHURCH - JACOBSEN CREATIVE SURFACES - 95241475 - info@jcs.nez

NORWAY

BERGEN - NORFLJS VEST - +47 55948260 - anne.mjaaseth@modena.no
FAGFLIS - www.fagflis.no
STAVANGER - MODENA GRUPPEN AS - +47 51443150 - post@modena.no / info@naxb.it

PAKISTAN

LAHORE - 4 WALLS PVT LTD - 0092 321 4036091 - rehanqaiser67@hotmail.com

PANAMA

PANAMA - EURO CER - 215 3660 - gerencia@eurocersa.com

PARAGUAY

ASUNCIÓN - IPALE ALTA GAMA - 981 22 27 28 - pablolucian@gmail.com

PERÚ

LIMA - ARQ-STUDIO - 435 5729 - gcanepa@arq-studio.com
LIMA - PORCELANOSA PERÚ - 9 4600 7828 - ricardo.vera@porcelanosagrupo.com

PHILIPPINES

MANILA - CASA EUROPA - +632 5195818

POLAND

BYALISTOK - AKCESS - 085 66 26 666 - plytki@akcess.com.pl
TYCHY - ADARI - 0322 322 155 - adari@adaro.com.pl
WARSAWA - GALERIA VENIS - 0226 730 371 - bartycka@anicar.com.pl
KRAKOW - MAX FLIZ - 0122 907 121 - diana_w@op.pl
LODZ - GRES - 0814 450 301 - gressj@neostrada.pl
RADOM - IMPERO BOCHENSKI - 048 385 1401 - camero@camero.pl
GLIWICE - SANIMEX - 0322 708 029 - robert@sanimex.com.pl
GORZOW - STEMAR - 0957 204 555 - sekretariat@stemar.pl
CZESTOCHOWA - FUGA - 034 368 29 44 - fuga@fuga.net.pl
TARNOBZEG - ANDBUD - 015 823 0148 - plytki@and-bud.com.pl
JEJKOWICE - CERMAR 2 - 032 430 2204 - cermar2@o2.pl
POZNAN - STEMAR POZNAN - 616425802 - poznan@stemar.pl
WROCLAW - MAX FLIZ - 0784 980 809 - g.itski@maxfliz-wnetrza.pl
LUBLIN - ANDBUD - 081 469 9617 - lublin@and-bud.com.pl
RZESZOW - ANDBUD - 017 785 1020 - rzeszow@and-bud.com.pl
OLSZTYN - KWADRAT - 089 539 1646 - kwadratspzo@wp.pl
KATOWICE - ADARI - 322589574 - katowice@adari.com.pl
GLIWICE - ADARI - 322322155 - gliwice@adari.com.pl
BIELSKO-BIALA - ADARI - 338220449 - bielsko@adari.com.pl
PIOTRKOW TRYBUNALSKI - MAR AND PARTNERS SC - 446499705 - biuro@estile.pl

POLYNÉSIE FRANÇAISE / FRENCH POLYNESIA

PAPEETE (THAITI) - MCM TIPAERVI - (69) 425854

PUERTO RICO

SAN JUAN - THE TILE SHOP - 787 775 2030 - miriam@themarbleshop.com

QATAR

DOHA - UNITED SUPPLIES CO - 4685277 - usc_qatar@qatar.net.qa

REP. DOMINICANA

SANTO DOMINGO - CARABELA - 809 544 2560 - info@carabela.com.do

REP. MACEDONIA

TETOVO - TE LINAL - 075363835 - pocelanosamk@yahoo.com
SKOPIE - TE LINAL - 075363835 - pocelanosamk@yahoo.com
SKOPIE - PORCELANO AMBIENT - 026121669

REUNION - LA RÉUNION

ST. ANDRÉ - GROUPE RAVATE - +262 262 467 933 - contact@ravate.com
ST. DENIS - BUTOR - GROUPE RAVATE - +262 262 904 040 - contact@ravate.com
ST. PAUL - GROUPE RAVATE - +262 262 453 737 - contact@ravate.com
ST. PIERRE - GROUPE RAVATE - +262 262 961 517 - contact@ravate.com

ROMANIA

BUCHAREST - WELLNEX HIDROTECH S.R.L. - 021 256 35 04 - mariana.brezeanu@deltadr.ro
BUCHAREST - GLAMOUR DESIGN - 0321 2293210 - cristina.ferent@diseno.ro
BUCHAREST - PORCELINES - +40 756093720 - office@porcelanosa.ro
ORADEA - MAISON DESIGN PORCELANOSA - +40 743507811 - maison.porcelanosa@gmail.com

RUSSIA

EKATERIMBURGO - BOMOND - (922) 135 35 92 - ural@bomondceramica.ru
IRKUTSK - PIRAMIDA - (3952) 48 31 13 - irk_piramida@mail.ru
KALININGRAD - KERAMICA & KERAMOGRAINIT - (4012) 370 460 - m-trading@inbox.ru
KHABAROVSK - DOM APEX - (4212) 42 12 00 - info@apexdv.ru
KRASNODAR - BOMOND - (8612) 34 10 75 - krasnodar@bomondceramica.ru
KRASNOYARSK - ELIT STROY (391) 259 59 15 - 774516@elitkras.ru
MAKHACHKALA - T.D. MODERN - (8722) 676 569 - moderneco@gmail.com
MOSKVA - ARTISAN - (495) 742 40 40 - artisanshop@mtu-net.ru
MOSKVA - MASTERDOM - (495) 984 32 42 - md@opt-plitka.com
MOSKVA - UNDERGROUND - (499) 253 69 32 - info@under-style.com

MOSKVA - ZODIAK - (495) 730 97 97 - salon@zcc.ru
PYATIGORSK - BOMOND - (8793) 97 55 44 - bomond_kmv@mail.ru
KIROV - STROYDVOR POLATOVO - (8332) 69 15 02 - polatovo@mail.ru
ROSTOV NA DONU - BOMOND - (863) 266 50 34 - rostov@bomondceramica.ru
ST. PETERSBURG - DOM LAVERNA - (812) 331 27 21 - s.elnikov@domlaverna.ru
ST. PETERSBURG - NOVUS - (812) 320 69 50 - denis@novusceramics.ru
ST. PETERSBURG - ZODIAK - (812) 994 79 49 - zccspb@gmail.com
SOCHI - BOMOND - (918) 346 27 27 - krasnodar@bomondceramica.ru
STAVROPOL - SALON VALENCIA - (8652) 29 81 41 - valencia@mail.stv.ru
TYUMEN - DOM PLITKI TERRA - (3452) 41 09 61 - market@kovchegtm.ru
VLADIVOSTOK - DOM APEX - (4232) 30 06 88 - tyle@apexdv.ru
VOLGOGRAD - BOMOND - (8442) 944 709 - volgograd@bomondceramica.ru

SAUDI ARABIA

JEDDAH - MANART AL ANDALOS EST. - 26293402 - info@malandalos.com
JEDDAH - BRANCH OF ESSA MOHAMMED BIN LADEN EST - 2562703 - aztaman@hotmail.com
RIYADH - MOHAMMED M. AL DOSSARY STORES - 8348581 - admin@aldossary-stores.com
DAMMAM - MOHAMMED M. AL DOSSARY STORES - 8340103 - admin@aldossary-stores.com

SERBIA

BEOGRAD - CERAMIC BY PORCELANOSA D.O.O. - 011 334 3026 - porcel@sb.rs

SINGAPORE

SINGAPORE - RICE FIELDS - 62273456 - terrytan@rice-fields.com
SINGAPORE - FERNANDO MARTIN (SINGAPORE PORCELANOSA GROUP REPRESENTATIVE) - 64621620 - fmartinbenito@gmail.com
SINGAPORE - HAFARY PRIVATE LIMITED - +656 6047 702

SLOVAKIA

KOSICE - ELKEM SRO - 055 728 16 15 - objednavky@elkem.sk
BRATISLAVA - CERSA - 02 44442833 - obchod@cersa.sk
KOSICE - VODOARM SRO - 055 62 22 660 - luciabalogova@vodoarm.sk

SLOVENIA

MARIBOR - KEOR D.O.O. - 0248 05421 - nabava@sajama.si

SOUTH AFRICA

JOHANNESBURG - AFRIKANO TILE&DECOR - 8392333 - info@afrikano.com

SRI LANKA

COLOMBO - RANJANAS CERAMIC - 112543255 - viki@ranjanasceramic.lk

SWEDEN

MÖNLÄND - KAKELPALATZET (Central) - (+46) (0) 317765051 - info@kakelpalatzet.se
BROMMA - KAKELPALATZET AB - (+46) (0) 856487831
GÖTEBORG - KAKELPALATZET AB - (+46) (0) 31571478
KATRINEHOLM - KAKELPALATZET AB - (+46) (0) 15051740
NYKÖPING - KAKELPALATZET AB - (+46) (0) 155200999
UDDEVALLA - KAKELPALATZET AB - (+46) (0) 522645400
MALMÖ - ROJON KAKEL & INTERIOR AB - (+46) (0) 406858530 - ulrik.jonsson@rojon.se
MALMÖ - KERMA KAKEL AB - (+46) (0) 40312240 - info@kerma.se

SWITZERLAND

ARBON - HAMA KERAMIKDESING GMBH - 0 71 4466166 - jad@hama-keramikdesign.ch
BADEN-DÄTTWIL - SABAG BADEN-DÄTTWIL - 056 483 00 00 - daettwil@sabag.ch
BASEL - KOHLER SABAG AG BAUKERAMIK - 0 61 337 8383 - baukeramik.basel@sabag.ch
BERN - ALB WAHLEN AG - 0 31 331 31 31 - info@wahlen-alb.ch
BIEL/BIENNE - SABAG BIEL AG - 0 32 328 28 44 - esther.magistris@sabag.ch
BREMgarten - JOHO BAUKERAMIK - 056 622 08 13 - info@joho-baukeramik.ch
BUBIKON - HUG BAUSTOFFE AG - 0 44 905 97 00 - angela.rapachiale@hug-baustoffe.ch
CRISSIER - SABAG CRISSIER - 021 633 06 80 - chantal.pachaud@sabag.ch
DELEMONT - MATERIAUX SABAG SA DELEMONT - 0 32 42 16 216 - Antonio.Nanton@matsabag.ch
GENEVE/GENF - SABAG GINEBRA - 022 908 06 90 - jose.moreno@sabag.ch
GWATT(THUN) - BAUKERAMIK SCHWEIZER - 033 334 60 70 - info@baukeramik.ch
HAEGENDORF - SABAG HAEGENDORF AG - 0 62 20 90 985 - ueli.martin@sabag.ch
KÖNIZ - SABAG BERN - 031 979 56 56 - koeniz@sabag.ch
LUZERN/ROTHENBURG - SABAG LUZERN AG - 0 41 28972 72 - sandro.mariani@sabag.ch
NEUCHÂTEL /NEUENBURG - SABAG NEUCHÂTEL - 032 729 94 94 - neuchatel@sabag.ch
RAPPERSWIL-JONA - SABAG JONA - 055 225 15 00 - jona@sabag.ch
RÜTI B. BÜREN - STEIN & KERAMIK MARTIN SCHENK - 0 32 351 22 44 - info@steinkeramik.ch
SEVELEN - KAISER AG BAD+PLATTI - 0 81 785 22 42 - kaiser@kaiser-plaettli.ch
VOLKETSWIL - MPV HANDELS AG - 0 433995300 - info@mpv-baukeramik.ch
YVERDON-LES-BAINS - SABAG YVERDON -LES-BAINS - 0 24 423 44 44 - yverdon@sabag.ch
ZÜRICH - SABAG BAUKERAMIK AG - 0 44 497 808 0 - karin.arnet@sabagbaukeramik.ch

TAIWAN

KAOSHIUNG - NEW CENTURY - 73845135 - newcntry@ksts.seed.net.tw
TAIPEI - NEW CENTURY - 73845135 - newcentury@ksts.seed.net.tw

THAILAND

BANGKOK - BOONTHAVORN - 26931108 - daniel@boonthavorn.com

TUNISIA

LIFESTYLE - 71861551 - lifestyle@planet.tn
ETTAAMIR NEGOCÉ - 70939459 - dg@ettaamir-negoce.com.tr

TURKEY

ISTANBUL - CHEMIMPEKS FANTASIA SERAMIK - 2757511 - info@fantasiaseramik.com
ANKARA - KAYHAN YAPI - 2317390 - bahadir.ercan@kayhanyapi.com.tr
BURSA - HSF PROJECT TASARIMDEK YAPI MALZ - +224 4510224 - halil@no-two.com

TURKMENISTAN

ASHKHABAD - AK TAY - (12) 22 62 53 - dovran@me.com

UAE

ABU DHABI - GALAXI TRADING - +971 2222192 - bassam@capitalinvestment.ae
DUBAI - GALAXI TRADING - +971 4 2696882 - bassam@capitalinvestment.ae

UKRAINE

KYIV - AGROMAT - (044) 423 00 03 - agromat@agromat.kiev.ua
KYIV - CERAMIC FASHION - (044) 499 03 33 - info@ceramic-fashion.com.ua
LVIV - AGROMAT - (32) 272 87 21 - shop@agromat.ua
DONETSK - CERAMIC FASHION - (062) 381 23 31 - cf@ukr.net
ODESSA - PORCELANOSA ODESSA - (482) 37 85 40 - porcelanosa.odessa@gmail.com
RIVNE - CERAMIC FASHION - (0362) 645 605 - cf_rivne@keramika.rv.ua
LUGANSK - CERAMIC FASHION - (0642) 93 24 13 - mirkeramiki@inbox.ru
KHARKOV - CERAMIC FASHION - (050) 402 63 00 - info@ceramic-fashion.com.ua
KHARKOV - EUROPA - (057) 732 57 37 - europeceramics@rambler.ru

UNITED KINGDOM

BIRMINGHAM - CTD KINGS NORTON - 01214 338787 - info@ctdtils.co.uk
BRISTOL - PORCELANOSA WESTERN LTD. - 0117 9597151 - bristol@porcelanosa.co.uk
CANNOCK - PORCELANOSA MIDLANDS LTD. - 01543223025 - cannock@porcelanosa.co.uk
CARDIFF - PORCELANOSA WESTERN LTD. - 0292 0465166 - cardiff@porcelanosa.co.uk
CROYDON - PORCELANOSA SOUTH EAST LTD. - 08444 818953 - croydon@porcelanosa.co.uk
DONCASTER - PORCELANOSA YORKSHIRE LTD. - 0130 2304713 - doncaster@porcelanosa.co.uk
EDINBURGH - PORCELANOSA SCOTLAND LTD. - 0131 3353883 - edinburgh@porcelanosa.co.uk
EXETER - PORCELANOSA WESTERN LTD. - 0139 2215552 - exeter@porcelanosa.co.uk
FULHAM - PORCELANOSA SOUTH EAST LTD. - 08444 818952 - fulham@porcelanosa.co.uk
GLASGOW - PORCELANOSA SCOTLAND LTD. - 0141 5331000 - glasgow@porcelanosa.co.uk
GLASGOW - CTD GLASGOW - 0141 4252666 - info@ctdtils.co.uk
JERSEY - PASTELLA CERAMICS - 1534 870167 - info@pastella.co.uk
KENLEY - CTD KENLEY - 0208 6683236 - info@ctdtils.co.uk
LEEDS - PORCELANOS YORKSHIRE LTD. - 01132 20 60 90 - leeds@porcelanosa.co.uk
LONDON - PORCELANOSA SOUTH EAST LTD. - 08444 818959 - clerkenwell@porcelanosa.co.uk
LONDON - WORLD'S END TILES - 0207 8192100 - info@ctdtils.co.uk
MANCHESTER - PORCELANOSA NORTH WEST LTD. - 0161 8173300 - manchester@porcelanosa.co.uk
MANCHESTER - CTD DENTON - 0161 3373050 - info@ctdtils.co.uk
NEWCASTLE - PORCELANOSA SCOTLAND LTD. - 0191 2752524 - newcastle@porcelanosa.co.uk
NEWCASTLE - CTD NEWCASTLE - 0191 2769400 - info@ctdtils.co.uk
NORWICH - PORCELANOSA SOUTH EAST LTD. - 0160 3789363 - norwich@porcelanosa.co.uk
NORWICH - CTD NORWICH - 0160 3775300 - info@ctdtils.co.uk
NOTTINGHAM - PORCELANOSA MIDLANDS LTD. - 0115 9836500 - nottingham@porcelanosa.co.uk
PETERBOROUGH - PORCELANOSA SOUTH EAST LTD. - 0173 3325111 - peterborough@porcelanosa.co.uk
READING - PORCELANOSA SOUTH EAST LTD. - 08444 818954 - reading@porcelanosa.co.uk
SHEFFIELD - PORCELANOSA YORKSHIRE LTD. - 01142 29 01 90 - sheffield@porcelanosa.co.uk
SOLI HULL - PORCELANOSA MIDLANDS LTD. - 0121 7466464 - solihull@porcelanosa.co.uk
SOUTHAMPTON - PORCELANOSA SOUTH EAST LTD. - 08444 818956 - southampton@porcelanosa.co.uk
WARRINGTON - PORCELANOSA NORTH WEST LTD. - 01925 237807 - warrington@porcelanosa.co.uk
WATFORD - PORCELANOSA SOUTH EAST LTD. - 0844 4818961 - watford@porcelanosa.co.uk

UZBEKISTAN

TASHKENT - PREMIUM CONCEPT - (71) 256 29 05 - zodsher@gmail.com

URUGUAY

MONTEVIDEO - BOSCH - 2708 4545 - jmorante@bosch.com.uy

USA

MANHATTAN - PORCELANOSA NEW YORK - 212 252 7370 - info@porcelanosa-usa.com
WESTBURY - PORCELANOSA NEW YORK - 516 338 0097 - info@porcelanosa-usa.com
PARAMUS - PORCELANOSA NEW JERSEY - 201 712 0556 - info@porcelanosa-usa.com
EAST BRUNSWICK - PORCELANOSA NEW JERSEY - 732 613 1915 - info@porcelanosa-usa.com
RAMSEY - PORCELANOSA NEW JERSEY - 201 995 1310 - info@porcelanosa-usa.com
RIVERSIDE - PORCELANOSA CONNECTICUT - 203 698 7618 - info@porcelanosa-usa.com
BOSTON - PORCELANOSA MASSACHUSETTS - 201 995 1310 - info@porcelanosa-usa.com
ROCKVILLE - PORCELANOSA MARYLAND - 301 294 8193 - info@porcelanosa-usa.com
ATLANTA - PORCELANOSA GEORGIA - 305 715 7153 - info@porcelanosa-usa.com
MIAMI - PORCELANOSA FLORIDA - 305 715 7153 - info@porcelanosa-usa.com
POMPAÑO - PORCELANOSA FLORIDA - 954 968 7666 - info@porcelanosa-usa.com
CHICAGO - PORCELANOSA ILLINOIS - 312 204 6220 - info@porcelanosa-usa.com
DALLAS - PORCELANOSA TEXAS - 214 377 2327 - info@porcelanosa-usa.com
ANAHEIM - PORCELANOSA CALIFORNIA - 714 772 3183 - info@porcelanosa-usa.com
BEVERLY HILLS - PORCELANOSA CALIFORNIA - info@porcelanosa-usa.com
SAN JOSE - PORCELANOSA CALIFORNIA - 408 467 9400 - info@porcelanosa-usa.com
SAN FRANCISCO - PORCELANOSA CALIFORNIA - 415 593 7763 - info@porcelanosa-usa.com
KING OF PRUSSIA - PORCELANOSA PENNSILVANIA - 484 751 0050 - info@porcelanosa-usa.com
DENVER - PORCELANOSA COLORADO - 714 772 3183 - info@porcelanosa-usa.com
HOUSTON - PORCELANOSA TEXAS - 214 377 2327 - info@porcelanosa-usa.com

VENEZUELA

CARACAS - ATELIER BAGNO - 993 1503 1163 - atelierbagno@gmail.com
CARACAS - PROSEIN - 212 823 1100 - infoprosein@prosein.com
VALENCIA - CERAMICHE PANCOTTO - 825 1163 - roccopancotto@gmail.com

VIETNAM

DISTRIBUIDORES*DISTRIBUTORS*

ESPAÑA - PORTUGAL

ESPAÑA

DISTRIBUIDOR - DIRECCIÓN - CIUDAD - TELÉFONO - FAX

A CORUÑA

PORCELANOSA Pol. Comercial Costa Vella - SANTIAGO DE COMPOSTELA - T: 981 897 595 - F: 981 530 901
PORCELANOSA - General Pardiñas, 13-Bajo - SANTIAGO DE COMPOSTELA - T: 981 569 230 - F: 981 569 230
PORCELANOSA - Clara Campoamor,13-15 (Montouto)-Teo- STGO. DE COMPOSTELA - T: 981 509 270 - F: 981 819 334
NEIRA Y ORTEGAL, S.L. - Ctra. Catabois, 258 - FERROL - T: 981 326 532 - F: 981 324 951
NEIRA Y ORTEGAL, S.L. - Ctra. C-642 s/n, Cuiña - ORTIGUEIRA - T: 981 400 880 - F: 981 400 883
PEREZ DOMINGUEZ PUEBLA, S.L. - Cl. Angustia, 30 - PUEBLA DEL CARAMIÑAL - T: 981 830 214 - F: 981107219
SUMINISTROS VIA-MAR, S.L. - Médico Rodríguez, 18-20 - A CORUÑA - T: 981 279 431 - F: 981 279 431
SUMINISTROS VIA-MAR, S.L. - Avenida Fraga Iribarne, s/n - BETANZOS - T: 981 772 190 - F: 981 774 257
JESÚS PEDROUZO, S.L. - C/ Valle Inclán, 24 - CARBALLO - T: 981 701120 - F: 981 701010
RIANOVA SUMINISTRO CONST., S.L. - C/ Fray Luis Rodríguez, s/n - NOIA - T: 981 824145 - F: 981 821650

ÁLAVA

JORGE FERNÁNDEZ - Los Herrán, 30 - VITORIA-GASTEIZ - T: 945 254 755 - F: 945 259 668
JORGE FERNÁNDEZ - Pol. de Jundiz. Paduleta, 53 - VITORIA-GASTEIZ - T: 945 244 250 - F: 945 229 321

ALBACETE

PORCELANOSA - Avda. Gregorio Arcos, 32 (Polígono Campollano) - ALBACETE - T: 967 243 658 - F: 967 193 465
OLIVARES MAT. DE CONSTRUCCIÓN - Avda. Reyes Católicos, 168 - VILLARROBLEDO - T: 967 138 105 - F: 967 138 023

ALICANTE

PORCELANOSA - Pol. Las Atalayas, Parcela VI. C/ del Franco 3114 - ALICANTE - T: 965 109 561 - F: 965 106 965
PORCELANOSA - Avda. Alicante,105 - ELCHE - T: 966 610 676 - F: 966 610 700
PORCELANOSA - Ctra. Valencia, km 88 - SAN JUAN - T: 965 656 200 - F: 965 655 644
AZULEJOS JAVEA - Liverpool, 4 - JÁVEA - T: 965 791 036 - F: 966 461 802
HIJOS DE JUAN RIBES - Avenida de la Estación, 2 - BENISSA - T: 965 731 308 - F: 965 730 419
ELDECO - Ctra. N-332, Cap. Blanch, 38A - ALTEA - T: 966 874 360 - F: 966 873 543
NOVA RECAL - Avda. Alcoy, 2 - DENIA - T: 965 786 034
SANEAMIENTOS COLON - Avda. Alameda, 10 - ALCOY - T: 965 331 891 - F: 965 524 210

ALMERÍA

PORCELANOSA - Avda. Mediterráneo, 2º tramo - ALMERÍA - T: 950 143 567 - F: 950 142 067
PORCELANOSA - Ctra. Nacional 340, km 411 - EL EJIDO - T: 950 483 285 - F: 950 486 500
PORCELANOSA - Parque Comercial Viapark, parcela 1 - VÍCAR - T: 950 325 575 - F: 950 338 651

ASTURIAS

PORCELANOSA - Pol. Espíritu Santo -C/ Dinamarca, s/n - OVIEDO - T: 985 791 526 - F: 985 985 963
PORCELANORTE - C/ Menéndez Pelayo 30 - GIJÓN - T: 984 396 462

ÁVILA

PAVIMARSA - Pol. Ind. Vicolozano - Parcela 2 - ÁVILA - T: 920 259 820 - F: 920 259 821

BADAJOZ

PORCELANOSA - Avda. Reina Sofía, 8 - MÉRIDA - T: 924 330 218 - F: 924 330 315
GALLERY CERAMIC - Ctra. N-V Madrid-Lisboa, km 399 - BADAJOZ - T: 924 229 144 - F: 924 229 143
JUBEL - Avda. Juan Carlos I s/n - HERRERA DEL DUQUE - T: 924145372
MUNDO OBRAS - Pol. Ind. Los Caños C/ Bodion, 27 - ZAFRA - T: 924551264 - F: 924551264

BALEARES

PORCELANOSA - PAGESOS, s/n. Polígono Inca - INCA - MALLORCA - T: 971 507 650 - F: 971 507 656
PORCELANOSA - C/ Vía Palma, 102 - MANACOR - MALLORCA - T: 971 554 502
PORCELANOSA - Gran Vía Asima, 21. Pol. Son Castelló - P. DE MALLORCA - MALLORCA - T: 971 430 667 - F: 971 297 094
PORCELANOSA - Pol. Monte Cristo, s/n. Ctra. Ibiza - S.ANTONI DE PORTMANY - IBIZA - T: 971 317 292 - F: 971 317 293
PORCELANOSA - C/ del Mar, 193 - SOLLER - MALLORCA - T: 971 630 219
MACODOR - Ctra. Calonge - Cala d'Or, km 1,5 - CALA D'OR - MALLORCA - T: 971 658 210
MAGATZEM SES FORQUES - C/ Doctor Fleming, 10 - LLUCMAJOR - MALLORCA - T: 971 662 114 - F: 971 662 816

BARCELONA

PORCELANOSA - Ciències, 65. Gran Vía l'Hospitalet - L'HOSPITALET DE LLOBREGAT - T: 932 642 500 - F: 932 007 036
AMARGANT - C/ Santiago Rusiñol, 96 - PINEDA DE MAR - T: 937 671 416 - F: 937 627 488
AMARGANT - Passeig Parc, 1 - SANT POL DE MAR - T: 937 600 112 - F: 937 600 411
ANTONI PONT - C/ Farguell, 31 - GIRONELLA - T: 938 228 088 - F: 938 250 786
AZULEJOS SAN ANDRÉS - Plaça Mossen Clapes, 2-3 - BARCELONA - T: 933 455 102 - F: 933 461 015
BADALONA GRES - CR B-500 KM 3,2 - TIANA - T: 93 395 03 11 - F: 93 465 07 58
COMERCIAL MAESTRO CANET - Pol. Can Castells, nau 7-8 - CANOVELLES - T: 938 466 568 - F: 938 409 216
COMERCIAL SOLSAN - Camí Reial, 109 - PALAU SOLITA I PLEGAMANS - T: 938 648 125 - F: 938 649 617
COMERCIAL STC - Rambla Generalitat, 59 - SANT SADURNÍ D'ANOIA - T: 931 593 137 - F: 931 615 015
CONSAN - Pol. Ind. Les Verges - SANTPEDOR - T: 938 320 669 - F: 938 320 669
CORRETTJA - C/ Mas de Bigas, 8-26 - VIC - T: 938 854 261 - F: 938 894 733
GARRO - Ctra Sta. Creu de Calafell, km 10,7 - SANT BOI DE LLOBREGAT - T: 936 545 952 - F: 938 400 620
HIJO DE FERNANDO ROCA - Carrer del Pla, 9 - MOLINS DE REI - T: 936 681 434 - F: 936 801 458
JOAN DOT - C/ Ter, 50 - TORELLÓ - T: 938 504 646 - F: 938 504 286
JODU - Ctra. de Vic, km 5,8 - TARADELL - T: 938 800 800 - F: 938 126 054
LOFT CUINA - C/ La Miranda, 6-8 - CORNELLA - T: 934 743 793 - F: 934 741 305
MA-CO - C/ Penedes-C/ La Selva Pol.Ind Les Salines - CUBELLES - T: 938 954 141 - F: 938 954 142
MARESME GRES - C/ Sant Isidor, 78 - MATARÓ - T: 931 615 015
MATERIALS CASSERRES - San Rafael 8693 - CASSERES - T: 938 213 770
ORMAT - Ctra. de Vilassar- Argentona km.1 - CABRERA DE MAR - T: 937 591 139 - F: 937 502 076
PLANELL - Ctra. Manresa km 31 - CALAF - T: 938 698 750 - F: 938 600 181
PLANELL - Ctra. Vilafranca 108-111 - VILANOVA DEL CAMÍ - T: 938 060 240 - F: 938 060 239
ROSA JORDANA RABETLLAT - C/ de Montserrat, 7 - MATARÓ - T: 937 903 089 - F: 937 903 089
SUMCO - Ctra.a de Barcelona, C-246 km. 42,4 - ST. PERE DE RIBES - T: 938 933 066 - F: 938 936 004

CANTARA BUSINESS - Pol. Ind. Casanova, C/ Pedraforca s/n - SANT FRUITOS DEL BAGES - T: 935 216 995
FERRET I CASULLERAS - C/ Sant Martí, 2 - VILAFRANCA DEL PENEDÉS - T: 938 170 353
GRESS ARGENTONA - Pj. Amics Argentona 2, esq. Can Negoci - ARGENTONA - T: 937 414 716
J. RIERA MAGATZEM CONSTRUCCIO - C/ Antiga Via Provincial, 2 - SANTA MARIA PALAUTORDERA - T: 938 670 764

BURGOS

BIGMAT - Alcalde Martín Cobos,15. Nave 5 y 6 - BURGOS - T: 947 485 153 - F: 947 483 941
GRUPO DISMAR DUERO - Avda. Portugal, Parcela 17 - ARANDA DE DUERO - T: 947 513 281 - F: 947 513 349
JORGE FERNÁNDEZ - Camino Fuente Basilio, s/n - MIRANDA DE EBRO - T: 947 323 351 - F: 947 314 589

CÁCERES

PORCELANOSA - Avda. Juan Pablo II, 130 - CÁCERES - T: 927 236 337 - F: 927 236 205
BIGMAT - Avda. Extremadura, 26 - MORALEJA - T: 927 515 198 - F: 927 147 266
GEMAT - Ctra. de Pozuelo de Zarzón s/n - MONTEHERMOSO - T: 927430597
GEMAT - Avda. Ambroz, 5-7 - PLASENCIA - T: 927316828

CÁDIZ

PORCELANOSA - Ctra. de Málaga, km 109 - ALGECIRAS - T: 956 635 282 - F: 956 635 285
PORCELANOSA - Pol. El Palmar Ctra.Madrid-Cádiz, km 653,2 - EL PTO. DE STA. MARIA - T: 956 540 084 - F: 956 872 464
PORCELANOSA - Parq. Empresarial, Avda. de la Ilustración, 1 - JEREZ DE LA FRONTERA - T: 956 187 160 - F: 956 302 904
PORCELANOSA - Pol. Tres Caminos, s/n - SAN FERNANDO - T: 956 592 360 - F: 956 884 677
ALMECOR - Avda. Julian Besteiro, 29 - OLVERA - T: 956 120 776 - F: 956 120 776
AZULGRIF - C/ Rosario, 9 - VILLAMARTÍN - T: 956 730 687 - F: 956 730 911
DOCURRI - Paseo del Prado 38-40 - UBRIQUE - T: 956 462 263 - F: 956 462 623

CANTABRIA

PORCELANOSA - Avda. Parayas, s/n - SANTANDER - T: 942 352 510 - F: 942 352 638
PORCELANOSA - Boulevard Demetrio Herrero, 1 - TORRELAVEGA - T: 942 835 026 - F: 942 881 787

CASTELLÓN

PORCELANOSA - Asensi, 9 - CASTELLÓN DE LA PLANA - T: 964 239 162 - F: 964 238 930
PORCELANOSA - Ctra. Vila-real-Puebla de Arenoso (CV-20) km 0,7 - VILA-REAL - T: 964 506 800 - F: 964 525 418
PORCELANOSA - Ctra. N-340, km 1.050,1 - VINARÓZ - T: 964 400 944 - F: 964 400 650

CEUTA

BAEZA - Ampliación Muelle de Poniente, 96 - CEUTA - T: 956 511 312 - F: 956 511 309

CIUDAD REAL

PORCELANOSA - Ctra. de Carrión, 11 - CIUDAD REAL - T: 926 251 730 - F: 926 255 741
PORCELANOSA - Avda. de los Industriales, Parcela 9 -(Pol.Ind. El Bombol) - TOMELLOSO - T: 926 529 206 - F: 926 529 207

CÓRDOBA

PORCELANOSA - Ctra. N-IV, km 404. Pol. de Torrecilla - CÓRDOBA - T: 957 760 024 - F: 957 760 123
ACAÍÑAS CABRERA - Ctra. Pozoblanco-Alcaracejos Km. 3,3 - POZOBLANCO - T: 957 772 999 - T: 957 131 170
ALMACENES MANOLIN Y LUIS S.L. - Avda. de Andalucía, 24. - MONTILLA - T: 957651509 - F: 957653253
AUDOS CERÁMICAS - Ejido Plaza de Toros, 35 - LUCENA - T: 957 516 572
JUAN PRIETO E HIJOS - Ctra. Bujalance s/n - VILLA DEL RÍO - T: 957 177 693 - F: 957 177 335
JOSE SANCHEZ CARRETERO - Ronda Vieja Salud, 68 - CASTRO DEL RÍO - T: 957 372 775

CUENCA

ALMACENES PAÑOS - Camino de Rubielos, 8 - VILLANUEVA DE LA JARA - T: 967 498 000 - F: 967 498 000
MAT. DE CONSTRUCCIÓN MARTÍNEZ ORTEGA - C/ Dos de Mayo, 28 - CASAS DE HARO - T: 969 380 708 - F: 969 380 708
VICENTE DE LOS RÍOS - Avda. del Progreso, 19 - TARANCÓN - T: 969 321 323 - F: 969 321 334
VICOSAZ - Hermanos Becerril, 6 bajo - CUENCA - T: 969 233 200 - F: 969 234 475

GIRONA

ARC ARBUCCIES CERAMIQUES - Pol. Ind. Cal Xic-Parc, 4 - ARBUCCIES - T: 972 162 364 - F: 972 860 954
BRECOR SL - Ctra. Tordera, 79 - BLANES - T: 972 336 062 - F: 972 358 482
CARMONA - Ctra. de Lloret-Vidreres 2,1 - LLORET DE MAR - T: 972 372 710 - F: 34 972 349 763
FERRER CERVÍJA Avda. de França, 192 - SARRIA DE TER - T: 972 173 442 - F: 972 173 456
FRIAS MATERIALS - C/Castello, 72 - VILA-SACRA - T: 972 670 073 - F: 972 673 071
FULCARA BRUGUE XAVIER - C/ Rafael Maso, 56 - SALT - T: 972 234 591 - F: 972 402 284
GINESTA - C/ Santa Magdalena, 11 - SANT FELIU DE GUIXOLS - T: 972 320 529 - F: 972 321 616
GIROP - C/ Llorca, 5 - GIRONA - T: 972 393 200 - F: 972 393 071
MAT. CREIXELL - C/ Palafrugel Regencos. Pol. Ind. Riera Esclanya, 1 - ESCLANYÀ BEGUR - T: 972 300 628 - F: 972 610 772
MERCAMAT Ctra. C-31 km. 329,8 - MONT-RAS - T: 972 612 027+34 972 302 146
OLIVERAS - Ctra. de Girona-Banyoles km 12,8 - CORNELLÀ DEL TERRI - T: 972 594 131 - F: 972 594 552
OLIVERAS - Ctra. N-II km 759 - FIGUERES - T: 972 672 259 - F: 972 672 255
OLIVERAS - Pol. Ind. Les Prespres. Parcel·la 20 - LES PRESSES - T: 972 694 704 - F: 972 693 003
OLIVERAS - Ctra. Comarcal C-250 km 4,3 - PALOL D'ONYAR-QUART - T: 972 468 119 - F: 972 468 123
SERVIMAT INICIATIVES - Ctra. C-31 km. 354 - CANET DE LA TALLADA - T: 972 780 524 - F: 972 780 827
TG NOVA ARQUITECTURA - Avda. Catalunya, 91 - PALAMOS - T: 972 312 250 - F: 972 312 249

GRANADA

TECMACER - Avda. San Rafael (Junto Sprinter) - ARMILLA - T: 958 253 081 - F: 958 183 367

GUIPÚZCOA

JORGE FERNÁNDEZ - Pol. Ind. Belartzta. Fernando Múgica, 15 - SAN SEBASTIÁN - T: 943 376 966 - F: 943 376 841

HUELVA

PORCELANOSA - Ctra Tráfico Pesado, s/n. Pol. La Paz - HUELVA - T: 959 543 600 - F: 959 237 951

HUESCA

PORCELANOSA - Pol. Sepes. C/ Ronda la Industria 1-3 nave C - HUESCA - T: 974 242 738 - F: 974 242 676
AINSA - COMERCIAL CAMPODARVE - Pol. Ind. Sobrarbe, Naves 11 y 12 - AINSA - T: 974 500 267 - F: 974 500 865
BERGES CENTRO COMERCIAL - Avda. Aragón, 70 - FRAGA - T: 974 471 439 - F: 974 471 439

JAÉN

PORCELANOSA - Pol. Olivares. Ctra. Bailén-Motril, km 323 - JAÉN - T: 953 280 757 - F: 953 284 035
GRUPO PEREA MORANTE S.L. - Pol. El Cornicabral, parcela 517 - BEAS DE SEGURA - T: 953 424 565
HERNÁNDEZ GÁMEZ - Ctra. Torreblascopedro s/n. - LINARES - T: 953 693 423 +34 953 693 444
HERNÁNDEZ GÁMEZ - Avda. de la libertad, 88 - UBEDA - T: 953 795 168 +34 953 795 168
MAT.CONST. Y SANEAMIENTOS HIJOS MARTÍN SÁNCHEZ - C/ José Rodero Mataran, 53 - VILLACARRILLO - T: 953 454 167
PAVIMENTOS AZUGRISA - Pol. Ind. Fte. Granada Vial II - ALCALA LA REAL - T: 953 582 963
VIFERSAN - C/ Virgen de la Fuensanta, 61 - HUELMA - T: 953 391 413

LA RIOJA

RIOJACER - Avda. de Burgos, 43-45 - LOGROÑO - T: 941 286 021 - F: 941 202 271

LAS PALMAS

PORCELANOSA PORCELANAS Y PAVIMENTOS CANARIOS - Avda. Mesa y López, 61 - LAS PALMAS DE GRAN CANARIA
T: 928 472 949 - F: 928 472 944

LEÓN

PORCELANOSA - Ctra. León-Astorga, km 3,5 - TROBAJO DEL CAMINO - T: 987 801 570 - F: 987 801 475
DISEÑARTE BIERZO - Avda. Galicia, 380 - FUENTESNUEVAS, PONFERRADA - T: 987 455 870

LLEIDA

J. FARRÉ - C/ Urgell, 39 - BALAGUER - T: 973 445 765 - F: 973 445 072
MATERIALS GERMANS MAURI - C/ Príncep de Viana, 36 - LLEIDA - T: 973 232 139 - F: 973 247 943
MATERIALS JORDI VILAR - Ctra. Manresa, s/n km.50 - SOLSONA - T: 973 482 077 - F: 973 482 373
MATERIALS PIRINEU - Ctra de Lleida, 28 - LA SEU D'URGELL - T: 973 351 850 - F: 973 353 410
PRETENSADOS RIBERA - Ctra. N-230 km 124,5 - EL PONT DE SUERT - T: 973 690 063 - F: 973 690 400
PRETENSADOS RIBERA - Ctra. França, 40 (Mig Aran) - VIELHA - T: 973 641 460 - F: 973 642 271
PROMOCION DE PREFABRICADOS SL - lvars d'Urgell, 20. P.Ind Neoparc - LLEIDA - T: 973 603 954 - F: 973 603 950
PROMOCION DE PREFABRICADOS SL - Avda. Canal, 8, baixos - MOLLERUSA - T: 687 542 944
PUJOL ELEMENTS - C/ Taragona, 40 - LLEIDA - T: 973 202 350 - F: 973 203 113
TARREGA NOUMAG - C/ Júpiter,7 (Pol. Ind. La Canaleta) - TARREGA - T: 607 497 330

LUGO

ALMACENES BAHIA, S.L. - Maestro Lugilde, 6 - FOZ - T: 982 140 957 - F: 982 132 065
ARIAS NADELA, S.L. - Tolda de Castilla, s/n - LUGO - T: 982 245 725
ESTABLECIMIENTOS REY, S.L. - Avda. Diputación, 88 - XOVE - T: 982 592 006 - F: 982 592 071
SONIA GOMEZ - C/ Juan XXIII, Bajo 22 - CHANTADA - T: 982441249 - F: 982440331

MADRID

PORCELANOSA - Parque Río Norte - ALCOBENDAS - T: 916 623 232 - F: 916 624 607
PORCELANOSA - Ctra. N-V, km 15,5. Parque Oeste de Alcorcón - ALCORCÓN - T: 916 890 172 - F: 916 890 170
PORCELANOSA - Avda. Recomba, 13. Polígono la Laguna Salida 53 - M50 - LEGANÉS - T: 914 819 200 - F: 916 930 292
PORCELANOSA - Alcalá, 514 - MADRID - T: 917 545 161 - F: 917 545 555
PORCELANOSA - Ortega y Gasset, 62. Esquina Conde Peñalver - MADRID - T: 914 448 460 - F: 914 025 111

MÁLAGA

PORCELANOSA - Avda. Velázquez, 77 - MALAGA - T: 952 241 375 - F: 952 240 092
PORCELANOSA - Ricardo Soriano, 65 - MARBELLA - T: 952 826 868 - F: 952 822 880
MARMOLERA RONDEÑA S.L.U. - C/ Guadalenvin 12. Pol. El Fuerte - RONDA - T: 952 872 225
MATERIALES MUÑOZ PÉREZ SL - C/ Ferrocarril, 2 - VELEZ-MALAGA - T: 952 507 879 - F: 952 504 760

MELILLA

FERRETERIA MODERNA E HIJOS, S.L. - Paseo Marítimo Mir Berlanga, 19 - MELILLA - T: 952 671 144 - F: 952 691 285

MURCIA

PORCELANOSA - Avda. Juan de Borbón, s/n. Parque Comercial Thader - MURCIA - T: 968 879 527 - F: 968 831 725
PORCELANOSA - Avda. Carretera Granada, 20 - CARAVACA DE LA CRUZ - T: 968 705 647 - F: 968 705 648
PORCELANOSA - Ctra. de Granada, 127. Pol. Los Peñones - LORCA - T: 968 478 130 - F: 968 470 820
AZULEJOS ZAPATA PEÑÁLVER - Ctra. La Palma s/n - EL ALGAR - T: 968 135 480 - F: 968 135 000

NAVARRA

CERÁMICAS CECILIO CHIVITE - Pol. Ind. s/n. Variante N-113 - CINTRUÉNIGO - T: 948 811 973 - F: 948 815 249
MONTEJO CERÁMICAS - Pol. Ctra. Tajonar, Calle-A, Naves 2- 4 - MULTIVA BAJA - T: 948 239 065 - F: 948 230 503
MONTEJO CERÁMICAS - Navas de Tolosa, s/n - PAMPLONA - T: 948 224 000 - F: 948 226 424
MONTEJO CERÁMICAS - Ctra. Tudela -Tarazona, Pol. Centro de Servicios de Tudela - TUDELA
T: 948 848 365 - F: 948 848 573

OURENSE

BLANCO QUINTAS - Nosa señora da Sainza, 48 - OURENSE - T: 988 391 114 - F: 988 250 413
JOSE R. PITEIRA, S.L. - Avda. Julio Rodríguez Soto, 63 - CARBALLIÑO - T: 988 271 071 - F: 988 274 780

PALENCIA

PORCELANOSA CANTALAPIEDRA - C/ La Puebla, nº 2 - PALENCIA - T: 979 706 421 - F: 979 702 652

PONTEVEDRA

ALMACENES CANDA, S.L. - C/ Monserrat, 36-39 - LALÍN - T: 986 780 184 - F: 986 782 301
ALCOLAR 2000, S.L. - Rua de Venezuela, 40 - SILLEDA - T: 986 580 114 - F: 986 592 513
BLANCO QUINTAS - Monte Faquiña s/n - MOS - T: 986 288 041 - F: 986 486 316
PREFABRICADOS DENA, S.L. - Rua de Galicia, 24 - DENA - MEAÑO - T: 986 743 121 - F: 986 745 131
PREFABRICADOS DENA, S.L. - C/ Alexandre Boveda, 82 - O GROVE - T: 986 702 041 - F: 986 733 415
SANEAMIENTOS ROSALES, S.L. - Avda. Doctor Otero Ulloa, 1 - SEIXO, MARÍN - T: 986 702 041 - F: 986 702 080
SANEAMIENTOS ROSALES, S.L. - García Barbón, 139 - B - VIGO - T: 986 228 806

SALAMANCA

PORCELANOSA - Pol. Villares. Ctra.Salamanca-Valladolid, km 2,5 - VILLARES DE LA REINA
T: 923 243 811 - F: 923 123 414

SEGOVIA

CERAMIC BOOK 2015

CT-011-2015

Fecha edición *Edition date* :
2ª Edición / Marzo / 2015
2nd Edition / March / 2015

Diseño *Design* :
Dpto. Publicidad VENIS

Fotografía *Photography* :
Dpto. Publicidad VENIS

Imprime *Printed by* :
Abacus Gráfica, s.l.

Edita *Edition* :
VENIS, S.A. (Porcelanosa grupo)

2015 Porcelanosa Grupo.
El contenido de este catálogo está protegido por la Ley de Propiedad Intelectual, Real Decreto Legislativo 1/1996. Cualquier reproducción del mismo, en parte o en su totalidad, sin autorización expresa del Grupo Porcelanosa puede ser sancionada conforme el Código Penal.
VENIS S.A. se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.
Los colores de las piezas pueden presentar ligeras diferencias respecto a los originales.
Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario, debiéndose utilizar en la instalación real las instrucciones de colocación editadas por VENIS.

2015 Porcelanosa Group.
The contents of this catalogue are protected by virtue of the Spanish Intellectual Property Act, Royal Legislative Decree 1/1996. The partial or total reproduction of this catalogue, without the express authorisation of PORCELANOSA is punishable under the Spanish Criminal Code.
VENIS S.A. reserves the right to modify and/or discontinue certain models displayed in this catalogue.
The colours of pieces displayed herein may differ slightly from originals.
The settings shown in this catalogue are design proposals for advertising purposes. In real situations in wich the tiles are laid, the installations intructions published by VENIS should be followed.

USO DE PAPEL ECO-RESPONSABLE.

Este catálogo está realizado con un 60% de fibras recicladas y de un 40% de fibras vírgenes que disponen de la misma certificación. Gracias a ello, el impacto medioambiental se ha reducido en:
This catalog is produced from 60% certified recycled fibre and 40% certified virgin fibre, ensuring a reduced impact on the environment, such as:

- 20.784 Kg de Basura.
- 2.401 Kg de CO₂ de gases efecto invernadero.
- 24.010 Km de viaje en un coche europeo estándar.
- 487.708 Litros de agua.
- 44.832 KWh de energía.
- 33.764 Kg de madera.



VENIS, S.A.:
Carretera Nacional 340 Km 56.5 · Aptdo/Box 190 - 12540 Villarreal - Castellón - SPAIN
Teléfono: +34 964 507 700* · Fax.: 964 507 719 Nacional, +34 964 507 729 International
www.porcelanosagrupocom · e-mail:venis@venis.com



BY APPOINTMENT TO
H.R.H. THE PRINCE OF WALES
MANUFACTURER AND DISTRIBUTOR
OF CERAMIC TILES AND BUILDING PRODUCTS.
PORCELANOSA GROUP LIMITED

PORCELANOSA Grupo